Fork extensions

flexibility & experience

cam system®

LIFT TRUCK ATTACHMENTS

Features

- Slim line profile
- High WLL-ratings
- Heavy-duty construction
- Secured by locking pins
- Compliance plate fitted
- Painted orange finish

Advantages

- High quality
- Provides extra support
- Increases the fork length of your forklift

Fork extensions

The FXC-series of slip-on fork extensions are used to temporarily extend the fork length of a lift truck. These extensions were designed and manufactured in accordance with AS2359.15.

Part n°	Model	Capacity (pair) (kg@mm)	Length (mm)	Width (mm)	Height (mm)	Fork Tyne Section Size (mm)	Min Fork Length (mm)	Weight (pair) (kg)	HCG (mm)	VCG (mm)
CB33978	FXC1/12	4000@500	1220	124	67	100 x 35, 100 x 40, 100 x 50	1070	54	505	35
CB33980	FXC1/13	4000@500	1370	124	67	100 x 35, 100 x 40, 100 x 50	1070	60	580	35
CB33982	FXC1/16	4000@500	1600	124	67	100 x 35, 100 x 40, 100 x 50	1070	69	695	35
CB33984	FXC1/18	4000@500	1780	124	67	100 x 35, 100 x 40, 100 x 50	1070	76	785	35
CB33986	FXC1/21	4000@500	2100	124	67	100 x 35, 100 x 40, 100 x 50	1370	89	945	35
CB33988	FXC2/12	4500@500	1220	146	72	120 x 40, 125 x 45, 120 x 50	1070	63	505	37
CB33990	FXC2/13	4500@500	1370	146	72	120 x 40, 125 x 45, 120 x 50	1070	70	580	37
CB33992	FXC2/16	4500@500	1600	146	72	120 x 40, 125 x 45, 120 x 50	1070	81	695	37
CB33994	FXC2/18	4500@500	1780	146	72	120 x 40, 125 x 45, 120 x 50	1070	90	785	37
CB33996	FXC2/20	4500@500	2000	146	72	120 x 40, 125 x 45, 120 x 50	1200	101	895	37
CB33998	FXC2/21	4500@500	2100	146	72	120 x 40, 125 x 45, 120 x 50	1370	106	945	37
CB34000	FXC2/24	4500@500	2400	146	72	120 x 40, 125 x 45, 120 x 50	1520	120	1045	37

Fork extensions

The FXC-series of slip-on fork extensions are used to temporarily extend the fork length of a lift truck. These extensions were designed and manufactured in accordance with AS2359.15.

Part n°	Model	Capacity (pair) (kg@mm)	Length (mm)	Width (mm)	Height (mm)	Fork Tyne Section Size (mm)	Min Fork Length (mm)	Weight (pair) (kg)	HCG (mm)	VCG (mm)
CB34002	FXC3/16	5800@500	1600	176	74	150 x 50	1070	100	695	36
CB34004	FXC3/18	5800@500	1780	176	74	150 x 50	1070	111	785	36
CB34006	FXC3/20	5800@500	2000	176	74	150 x 50	1200	124	895	36
CB34008	FXC3/21	5800@500	2100	176	74	150 x 50	1370	130	945	36
CB34010	FXC3/24	5800@500	2400	176	74	150 x 50	1520	148	1095	36
CB34012	FXC4/16	8000@600	1600	180	86	150 x 60, 150 x 65	1220	126	695	45
CB34014	FXC4/18	8000@600	1800	180	86	150 x 60, 150 x 65	1200	141	795	45
CB34016	FXC4/20	8000@600	2000	180	86	150 x 60, 150 x 65	1200	156	895	45
CB34018	FXC4/21	8000@600	2100	180	86	150 x 60, 150 x 65	1370	164	945	45
CB34020	FXC4/24	8000@600	2400	180	86	150 x 60, 150 x 65	1520	187	1095	45
CB34022	FXC4/30	8000@600	3000	180	86	150 x 60, 150 x 65	1830	232	1395	45

BRISBANE
TVH AUSTRALASIA PTY Ltd
HEAD OFFICE BRISBANE
735 Boundary Road • Richlands QLD 4077
T **+61 7 3277 0877** • F **+61 7 3277 0026**
brisbanesale s@tvh.com
www.tvh.com

ADELAIDE
96 South Terrace • Wingfield SA 5013
T **+61 8 8359 1155** • F **+61 8 8359 0600**
adelaidesales@tvh.com

MELBOURNE
7/66-74 Micro Circuit • Dandenong South VIC 3175
T **+61 3 9544 6622** • F **+61 3 9544 2617**
melbournesales@tvh.com

SYDNEY
1/1002-1010 Canley Vale Road • Wetherill Park NSW 2164
T **+61 2 9756 6677** • F **+61 2 9756 3555**
sydneysales@tvh.com

PERTH
2/15 Colin Jamieson Drive • Welshpool WA 6106
T **+61 8 9358 2200** • F **+61 8 9358 2822**
perthsales@tvh.com

manufactured by:

TÜV SÜD ISO 3834-2

cam system®
LIFT TRUCK ATTACHMENTS

www.camsystem.com

CAM System attachments on:

© 09-2017 CAM Srl. CAM System® is a registered trademark. Photographs and illustrations are included for reference purposes only.

AUBRBM_1709001