



Ref. B53897

*moving forward in every field*

# NEW HOLLAND

## ▶▶ ENGINE PARTS

Quick Reference Guide (Phase 1)

[www.bepcoparts.com](http://www.bepcoparts.com)

Member of **TVH** 

# ABOUT BEPCO

Bepco Group is a worldwide leading supplier of parts and accessories for agricultural tractors and machinery.

With over 360 employees Bepco Group has subsidiaries in Belgium, Nederland, France, Germany, Spain and UK and is also present in Australia, New Zealand, South Africa and Brazil.

Bepco Group is a truly global company with customers in over 100 countries worldwide and sales outside Europe contributing to over a third of revenues.

We offer our network of distributors and dealers :

- ▶▶ Original Equipment Supplier and other industry leading brands
- ▶▶ More than 20,000 m<sup>2</sup> of warehousing
- ▶▶ More than 55,000 stock items
- ▶▶ Technological knowledge from industry experts
- ▶▶ Same day shipment, next day delivery in many markets

Bepco Group is also a member of TVH, the all-round supplier of quality parts and accessories for material handling, industrial vehicles and agricultural equipment.



<b>Section 1</b> Engine - Rotation  9-14	<b>Section 2</b> Engine - Power  15-20
<b>Section 3</b> Engine - Aspiration  21-26	<b>Section 4</b> Engine - Gaskets  27-34
<b>Section 5</b> Engine - Filters  35-40	<b>Section 6</b> Engine - Lubrication  41-44
<b>Section 7</b> Engine - Injection  45-60	<b>Section 8</b> Engine - Cooling  61-78
<b>Section 9</b> Air Intake & Exhaust  79-88	<b>Section 10</b> Electrics  89-86
<b>About us</b> .....	4-5
<b>Index</b> .....	3
<b>Notes</b> .....	97-100
<b>Tractors &amp; engines</b> .....	6-8



## OUR HISTORY & EVOLUTION

---



Founded in **1958** by **Mr. Fraikin**, Bepco began trading in 1974 and quickly established itself as a **supplier of quality replacement parts** operating in various locations across the world.



In **1992** the Bepco and Trapciècles companies merged to form the **Bepco-Trapciècles Group**. In 2012 the group was acquired by TVH providing support to group development and the ambition to build a strong « agri » activity.



Further acquisitions have followed in recent years including **Dinamica, Brazil** in **2012**. In 2013 all companies within the Bepco-Trapciècles group started to trade under the name « **Bepco** ».



**2013** saw the acquisition of **Pividori, France** a leading supplier of wearing parts based in Agen and most recently **L3 Service Pro, France** an established supplier of technical parts, was added to the Bepco Group.



*moving forward* in every field



# TRACTORS & ENGINES

## 10 S MEXICO SERIES

Tractors	Engine	Cyl.	Bore x Stroke
3010S	8035.06	3	100 x 115
4010S	8035.05	3	104 x 115
5010S	8045.06	4	100 x 115

## 30 SERIES

Tractors	Engine	Cyl.	Bore x Stroke
3830	8035.06	3	100 x 115
4030	8035.05	3	104 x 115
4230	8045.06	4	100 x 115
4430	8045.05	4	104 x 115

## 35 SERIES

Tractors	Engine	Cyl.	Bore x Stroke
3435	8035.06	3	100 x 115
3935	8035.06	3	100 x 115
4135	8035.06	3	100 x 115
4635	8035.05	3	104 x 115
4835	8045.06	4	100 x 115
5635	8045.05	4	104 x 115
6635	8045.25	4T	104 x 115
7635	8045.25K	4T	104 x 115

## 60 SERIES

Tractors	Engine	Cyl.	Bore x Stroke
8160	PowerStar 675	6	111.8 x 127
8260	PowerStar 675	6	111.8 x 127
8360	PowerStar 675T	6T	111.8 x 127
8560	PowerStar 675T	6T	111.8 x 127

## 70 SERIES

Tractors	Engine	Cyl.	Bore x Stroke
8670	Genesis CPP 675T	6T	111.8 x 127
8770	Genesis CPP 675T	6T	111.8 x 127
8770	Genesis CPP 675TA	6TI	111.8 x 127
8870	Genesis CPP 675TA	6TI	111.8 x 127
8970	Genesis CPP 675TA	6TI	111.8 x 127

## 70A SERIES

Tractors	Engine	Cyl.	Bore x Stroke
8670A	Genesis CPP 675T	6T	111.8 x 127
8770A	Genesis CPP 675TA	6TI	111.8 x 127
8870A	Genesis CPP 675TA	6TI	111.8 x 127
8970A	Genesis CPP 675TA	6TI	111.8 x 127

## G SERIES

Tractors	Engine	Cyl.	Bore x Stroke
G170	Genesis CPP 675T	6T	111.8 x 127
G190	Genesis CPP 675T	6T	111.8 x 127
G210	Genesis CPP 675TA	6TI	111.8 x 127
G240	Genesis CPP 675TA	6TI	111.8 x 127

## L SERIES

Tractors	Engine	Cyl.	Bore x Stroke
L60	8035.05	3	104 x 115
L65	8045.06	4	100 x 115
L75	8045.05	4	104 x 115
L85	8045.25	4T	104 x 115
L95	8045.25K	4T	104 x 115

**CPP** = Constant Power Plus  
**FPT** = Fiat Power Technologies  
**TTF** = Turk Traktor Fabrikasi

## M SERIES

Tractors	Engine	Cyl.	Bore x Stroke
M100	PowerStar 675	6	111.8 x 127
M115	PowerStar 675	6	111.8 x 127
M135	PowerStar 675T	6T	111.8 x 127
M160	PowerStar 675T	6T	111.8 x 127

## TD SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TD60	8035.05 (FPT)	3	104 x 115
TD60	8035.05 (TTF)	3	104 x 115
TD65B	8035.25	3T	104 x 115
TD70	8035.25 (FPT)	3T	104 x 115
TD70	8035.25 (TTF)	3T	104 x 115
TD80	8045.05 (FPT)	4	104 x 115
TD80	8045.05 (TTF)	4	104 x 115
TD90	8045.25 (FPT)	4T	104 x 115
TD90	8045.25 (TTF)	4T	104 x 115
TD95	8045.25 (FPT)	4T	104 x 115
TD95	8045.25 (TTF)	4T	104 x 115

## TD-D SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TD55D	8035.06	3	100 x 115
TD60D	8035.05	3	104 x 115
TD60D Plus	8035.05 (FPT)	3	104 x 115
TD60D Plus	8035.05 (TTF)	3	104 x 115
TD65D	8035.05	3	104 x 115
TD70D	8035.25	3T	104 x 115
TD70D Plus	8035.25 (FPT)	3T	104 x 115
TD70D Plus	8035.25 (TTF)	3T	104 x 115
TD75D	8045.06	4	100 x 115
TD80D	8045.05	4	104 x 115
TD80D Plus	8045.05 (FPT)	4	104 x 115
TD80D Plus	8045.05 (TTF)	4	104 x 115
TD85D	8045.05	4	104 x 115
TD90D	8045.25	4T	104 x 115
TD90D Plus	8045.25 (FPT)	4T	104 x 115
TD90D Plus	8045.25 (TTF)	4T	104 x 115
TD95D	8045.25	4T	104 x 115
TD95D Plus	8045.25 (FPT)	4T	104 x 115
TD95D Plus	8045.25 (TTF)	4T	104 x 115

## TD-F SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TD65F (Tier 2)	8035.25 (Tier 2)	3T	104 x 115
TD75F (Tier 2)	8035.25 (Tier 2)	3T	104 x 115
TD85F (Tier 2)	8035.25 (Tier 2)	3T	104 x 115

## TL SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TL70	8045.06	4	100 x 115
TL80	8045.05	4	104 x 115
TL90	8045.25	4T	104 x 115
TL100	8045.25K	4T	104 x 115

## TL BRASIL SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TL65 (Brasil)	8035.05	3	104 x 115
TL70 (Brasil)	8045.06	4	100 x 115
TL80 (Brasil)	8045.05	4	104 x 115
TL90 (Brasil)	8045.25	4T	104 x 115
TL100 (Brasil)	8045.25K	4T	104 x 115

## TM SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TM115	PowerStar 675	6	111.8 x 127
TM120	PowerStar 675TA	6TI	111.8 x 127
TM125	PowerStar 675T	6T	111.8 x 127
TM130	PowerStar 675TA	6TI	111.8 x 127
TM135	PowerStar 675T	6T	111.8 x 127
TM140	PowerStar 675TA	6TI	111.8 x 127
TM150	PowerStar 675T	6T	111.8 x 127
TM155	PowerStar 675TA	6TI	111.8 x 127
TM165	PowerStar 675T	6T	111.8 x 127
TM175	PowerStar 675TA	6TI	111.8 x 127
TM190	PowerStar 675TA	6TI	111.8 x 127

## TM BRASIL SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TM110 (Brasil)	PowerStar 675	6	111.8 x 127
TM120 (Brasil)	PowerStar 675	6	111.8 x 127
TM130 (Brasil)	PowerStar 675	6	111.8 x 127
TM135 (Brasil)	PowerStar 675T	6T	111.8 x 127
TM140 (Brasil)	PowerStar 675T	6T	111.8 x 127
TM150 (Brasil)	PowerStar 675T	6T	111.8 x 127
TM165 (Brasil)	PowerStar 675T	6T	111.8 x 127
TM180 (Brasil)	PowerStar 675T	6T	111.8 x 127

## TN SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN55	8035.05	3	104 x 115
TN65	8035.05	3	104 x 115
TN70	8035.25	3T	104 x 115
TN75	8035.25	3T	104 x 115

CPP = Constant Power Plus  
FPT = Fiat Power Technologies  
TTF = Turk Traktor Fabrikasi

## TN-A SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN60A	8035.05	3	104 x 115
TN70A	8035.25	3T	104 x 115
TN75A	8035.25	3T	104 x 115

## TN-D SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN55D	8035.05	3	104 x 115
TN65D	8035.05	3	104 x 115
TN70D	8035.25	3T	104 x 115
TN75D	8035.25	3T	104 x 115

## TN-DA SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN60DA	8035.05	3	104 x 115
TN70DA	8035.25	3T	104 x 115
TN75DA	8035.25	3T	104 x 115

## TN-F SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN65F	8045.05	4	104 x 115
TN70F	8045.05	4	104 x 115
TN75F	8045.05	4	104 x 115
TN80F	8045.05	4	104 x 115
TN90F	8045.25	4T	104 x 115
TN95F	8045.25	4T	104 x 115

## TN-FA SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN75FA	8045.05	4	104 x 115
TN85FA	8045.25	4T	104 x 115
TN95FA	8045.25	4T	104 x 115

## TN-N SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN65N	8035.05	3	104 x 115
TN75N	8035.25	3T	104 x 115

## TN-NA SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN70NA	8035.25	3T	104 x 115
TN75NA	8035.25	3T	104 x 115
TN95NA	8045.25	4T	104 x 115

## TN-S SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN55S	8035.05	3	104 x 115
TN65S	8035.05	3	104 x 115
TN70S	8035.25	3T	104 x 115
TN75S	8035.25	3T	104 x 115

## TN-SA SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN60SA	8035.05	3	104 x 115
TN70SA	8035.25	3T	104 x 115
TN75SA	8035.25	3T	104 x 115

## TN-V SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN55V	8035.05	3	104 x 115
TN65V	8035.05	3	104 x 115
TN75V	8035.25	3T	104 x 115

## TN-VA SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TN60VA	8035.05	3	104 x 115
TN70VA	8035.25	3T	104 x 115
TN75VA	8035.25	3T	104 x 115
TN95VA	8045.25	4T	104 x 115

## TS SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TS80	PowerStar 450	4	111.8 x 127
TS90	PowerStar 450	4	111.8 x 127
TS90E	PowerStar 450	4	111.8 x 127
TS100	PowerStar 450T	4T	111.8 x 127
TS110	PowerStar 450T	4T	111.8 x 127
TS115	PowerStar 675	6	111.8 x 127
TS115E	PowerStar 675	6	111.8 x 127

## TS BRASIL SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TS90 (Brasil)	PowerStar 450	4	111.8 x 127
TS100 (Brasil)	PowerStar 450T	4T	111.8 x 127
TS100E (Brasil)	PowerStar 450T	4T	111.8 x 127
TS110 (Brasil)	PowerStar 450T	4T	111.8 x 127
TS120 (Brasil)	PowerStar 675	6	111.8 x 127

## TT SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TT50	8035.05	3	104 x 115
TT55	8035.05	3	104 x 115
TT65	8035.25	3T	104 x 115
TT65D	8035.25	3T	104 x 115
TT75	8035.25	3T	104 x 115

## TV SERIES

Tractors	Engine	Cyl.	Bore x Stroke
TV140	PowerStar 675T	6T	111.8 x 127

CPP = Constant Power Plus  
FPT = Fiat Power Technologies  
TTF = Turk Traktor Fabrikasi



# SECTION 1

## Engine Rotation

### Overview

Conrod Bearing Kit	10-11, 14
Conrod Bearing pairs , undersize	14
Conrod Bearing sets , undersize	14
Crankshaft	10-11
Crankshaft gear	12-13
Flywheel ring gear	12-13
Front Cover Seal	12-13
Main Bearing Kit	10-11, 14
Main Bearing pairs, undersize	14
Main Bearing sets, undersize	14
Rear Housing gasket	12-13
Rear Housing seal	12-13
Thrust Washer Kit	10-11, 14
Thrust Washer pairs, undersize	14

### 3 CYLINDER ENGINES

Tractors	Engine	Crankshaft	Main Bearing Kit	Conrod Bearing Kit	Thrust Washer Kit
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/1-67</b>			
4010S, 4030 4635 L60	8035.05				
TD55D	8035.06				
TN55, TN55D, TN55S TD60, TD60D, TD60 Plus, TN60A, TN60DA, TN60SA TD65D, TL65 (Brasil), TN65, TN65D, TN65S	8035.05 (FPT)				
TT50 TT55 TD60, TD60D Plus	8035.05 (TTF)	<b>54/1-268</b>	<b>54/2-67</b> contains 4x 54/7-67	<b>54/3-67</b> contains 3x 54/9-67	<b>54/6-67</b> Standard  <b>54/6-67A</b> +0.010"
TD65B, TD65F (Tier 2), TT65, TT65D TD70, TD70 Plus TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25 (TTF)				
TN55V TN60VA TN65N, TN65V	8035.05	<b>54/1-267</b>			
TD70, TD70D, TD70D Plus, TN70, TN70A, TN70D, TN70DA, T70NA, TN70S, TN70SA, TN70VA TN75, TN75A, TN75D, TN75DA, TN75N, TN75NA, TN75S, TN75SA, TN75V, TN75VA	8035.25 (FPT)				

### 4 CYLINDER ENGINES

Tractors	Engine	Crankshaft	Main Bearing Kit	Conrod Bearing Kit	Thrust Washer Kit
4230, 4835 5010S L65	8045.06	<b>54/1-84</b>	<b>54/2-84</b> contains 5x 54/7-67	<b>54/3-84</b> contains 4x 54/9-67	<b>54/6-67</b> Standard  <b>54/6-67A</b> +0.010"
4430 5635 L75	8045.05				
6635 L85	8045.25				
7635 L95	8045.25K	<b>54/1-84</b>	<b>54/2-84</b> contains 5x 54/7-67	<b>54/3-84</b> contains 4x 54/9-67	<b>54/6-67</b> Standard  <b>54/6-67A</b> +0.010"
TL70, TL70 (Brasil) TD75D	8045.06				
TN65F TN70F TN75F, TN75FA TD80, TD80D, TD80D Plus, TL80, TL80 (Brasil), TN80F TD85D	8045.05 (FPT)				
TD80, TD80D Plus	8045.05 (TTF)				
TD90, TD90Plus TD95, TD95D Plus	8045.25 (TTF)	<b>54/1-269</b>			
TN85FA TD90, TD90D, TD90 Plus, TL90, TL90 (Brasil), TN90F TD95, TD95D, TD95D Plus, TN95F, TN95FA, TN95NA, TN95VA	8045.25 (FPT)	<b>54/1-84</b>			

TL100, TL100 (Brasil)	8045.25K	<b>54/1-84</b>	<b>54/2-84</b> contains 5x 54/7-67	<b>54/3-84</b> contains 4x 54/9-67	<b>54/6-67</b> Standard  <b>54/6-67A</b> +0.010"
TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/1-270</b>	<b>54/2-55</b> contains 4x 54/7-24 & 1x 54/8-24	<b>54/3-61</b> contains 4x 54/9-60	-
TS100, TS100 (Brasil), TS100E (Brasil) TS110, TS110 (Brasil)	PowerStar 450T	<b>54/1-271</b>		<b>54/3-57</b> contains 4x 54/9-25	-

## 6 CYLINDER ENGINES

Tractors	Engine	Crankshaft	Main Bearing Kit	Conrod Bearing Kit	Thrust Washer Kit
8160, 8260 M100, M115	PowerStar 675	<b>54/1-272</b>	<b>54/2-57</b> contains 6x 54/7-24 & 1x 54/8-24	<b>54/3-59</b> contains 6x 54/9-25	-
8360, 8560 M135, M160	PowerStar 675T				-
8670, 8670A, 8770, 8770A G170, G190	Genesis CPP 675T & TA	<b>54/1-273</b>	<b>54/2-273</b> contains 6x 54/7-273 & 1x 54/8-24	<b>54/3-59</b> contains 6x 54/9-25	-
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA				-
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil)	PowerStar 675	<b>54/1-272</b>	<b>54/2-57</b> contains 6x 54/7-24 & 1x 54/8-24	<b>54/3-62</b> contains 6x 54/9-60	-
TM115	PowerStar 675				-
TM125, TM135, TM135 (Brasil), TM140 (Brasil), TM150, TM150 (Brasil), TM165, TM165 (Brasil), TM180 (Brasil)	PowerStar 675T				-
TM120, TM130, TM140, TM155,	PowerStar 675TA	<b>54/1-272</b>			-
TM175, TM190	PowerStar 675TA	<b>54/1-274</b>	<b>54/2-273</b> contains 6x 54/7-273 & 1x 54/8-24	<b>54/3-59</b> contains 6x 54/9-25	-
TS115, TS115E, TS120 (Brasil)	PowerStar 675	<b>54/1-275</b>	<b>54/2-57</b> contains 6x 54/7-24 & 1x 54/8-24		-
TV140	PowerStar 675T	<b>54/1-272</b>			-

N.B. Main and conrod bearing sets are available in 0.010", 0.020", 0.030" and 0.040" undersize. Please add the suffix A, B, C or D respectively.  
See page 14 for the stock range.

### 3 CYLINDER ENGINES

Tractors	Engine	Front cover seal	Crankshaft gear	Rear Housing seal	Rear Housing gasket	Flywheel ring gear
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/11-67</b>	<b>54/12-67</b>	<b>54/13-67</b>	<b>54/17-30</b>	<b>54/15-3</b>
4010S, 4030 4635 L60	8035.05					
TD55D	8035.06					
TN55, TN55D, TN55S TD60, TD60D, TD60 Plus, TN60A, TN60DA, TN60SA TD65D, TL65 (Brasil), TN65, TN65D, TN65S	8035.05 (FPT)					
TT50 TT55 TD60, TD60D Plus	8035.05 (TTF)		<b>54/12-67 &amp; 54/12-70</b>			
TD65B, TD65F, TT65, TT65D TD70, TD70 Plus, TD75F, TT75 TD85F	8035.25 (TTF)					
TN55V TN60VA TN65N, TN65V	8035.05 (FPT)		<b>54/12-67 &amp; 54/12-70</b>			
TD70, TD70D, TD70D Plus, TN70, TN70A, TN70D, TN70DA, TN- 70NA, TN70S, TN70SA, TN70VA TN75, TN75A, TN75D, TN75DA, TN75N, TN75NA, TN75S, TN75SA, TN75V, TN75VA	8035.25 (FPT)					

### 4 CYLINDER ENGINES

Tractors	Engine	Front cover seal	Crankshaft gear	Rear Housing seal	Rear Housing gasket	Flywheel ring gear
4230, 4835 5010S L65	8045.06	<b>54/11-67</b>	<b>54/12-67</b>	<b>54/13-67</b>	<b>54/17-30</b>	<b>54/15-3</b>
4430 5635 L75	8045.05					
6635 L85	8045.25					
7635 L95	8045.25K	<b>54/11-67</b>	<b>54/12-67</b>	<b>54/13-67</b>	<b>54/17-30</b>	<b>54/15-3</b>
TL70, TL70 (Brasil) TD75D	8045.06					
TN65F TN70F, TN75F, TN75FA TD80, TD80D, TD80D Plus, TL80, TL80 (Brasil), TN80F TD85D	8045.05 (FPT)					
TD80, TD80D Plus	8045.05 (TTF)					
TD90, TD90Plus TD95, TD95D Plus	8045.25 (TTF)					
TN85FA TD90, TD90D, TD90 Plus, TL90, TL90 (Brasil), TN90F TD95, TD95D, TD95D Plus, TN95F, TN95FA, TN95NA, TN95VA	8045.25 (FPT)					
TL100, TL100 (Brasil)	8045.25K					

TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/11-30</b>	<b>54/12-30</b>	<b>54/13-10</b>	<b>54/17-16</b>	<b>54/15-4</b>
TS100, TS100 (Brasil), TS100E (Brasil) TS110, TS110 (Brasil)	PowerStar 450T					

## 6 CYLINDER ENGINES

Tractors	Engine	Front cover seal	Crankshaft gear	Rear Housing seal	Rear Housing gasket	Flywheel ring gear
8160, 8260 M100, M115	PowerStar 675	<b>54/11-30</b>	<b>54/12-19</b>	<b>54/13-10</b>	<b>54/17-16</b>	<b>54/15-4</b>
8360, 8560 M135, M160	PowerStar 675T					
8670, 8670A, 8770, 8770A G170, G190	Genesis CPP 675T & TA	<b>54/11-68</b>	<b>54/12-68</b>			
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA					
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil) TM115	PowerStar 675	<b>54/11-30</b>	<b>54/12-19</b>	<b>54/13-10</b>	<b>54/17-16</b>	<b>54/15-4</b>
TM125, TM135, TM135 (Brasil), TM140 (Brasil), TM150, TM150 (Brasil), TM165, TM165 (Brasil), TM180 (Brasil)	PowerStar 675T					
TM120, TM130, TM140, TM155 TM175, TM190	PowerStar 675TA	<b>54/11-69</b>		<b>54/13-105</b> (>C5403)		
				<b>54/13-69</b> (D5403>)		
TS115, TS115E TS120 (Brasil)	PowerStar 675	<b>54/11-30</b>	<b>54/12-30</b>	<b>54/13-10</b>		
TV140	PowerStar 675T		<b>54/12-19</b>			

## UNDERSIZE MAIN BEARING SETS

Standard	0.254mm (0.010")	0.508mm (0.020")	0.762mm (0.030")	1.016mm (0.040")
54/2-55	54/2-55A	54/2-55B	54/2-55C	54/2-55D
54/2-57	54/2-57A	54/2-57B	54/2-57C	54/2-57D
54/2-67	54/2-67A	54/2-67B	54/2-67C	54/2-67D
54/2-84	54/2-84A	54/2-84B	54/2-84C	54/2-84D
54/2-273	54/2-273A	54/2-273B	54/2-273C	54/2-273D

## UNDERSIZE MAIN BEARING PAIRS

Standard	0.254mm (0.010")	0.508mm (0.020")	0.762mm (0.030")	1.016mm (0.040")
54/7-24	54/7-24A	54/7-24B	54/7-24C	54/7-24D
54/7-67	54/7-67A	54/7-67B	54/7-67C	54/7-67D
54/7-273	54/7-273A	54/7-273B	54/7-273C	54/7-273D

## UNDERSIZE THRUST BEARING PAIRS

Standard	0.254mm (0.010")	0.508mm (0.020")	0.762mm (0.030")	1.016mm (0.040")
54/8-24	54/8-24A	54/8-24B	54/8-24C	54/8-24D

## UNDERSIZE CONROD BEARING SETS

Standard	0.254mm (0.010")	0.508mm (0.020")	0.762mm (0.030")	1.016mm (0.040")
54/3-57	54/3-57A	54/3-57B	54/3-57C	54/3-57D
54/3-59	54/3-59A	54/3-59B	54/3-59C	54/3-59D
54/3-61	54/3-61A	54/3-61B	54/3-61C	54/3-61D
54/3-62	54/3-62A	54/3-62B	54/3-62C	54/3-62D
54/3-67	54/3-67A	54/3-67B	54/3-67C	54/3-67D
54/3-84	54/3-84A	54/3-84B	54/3-84C	54/3-84D

## UNDERSIZE CONROD BEARING PAIRS

Standard	0.254mm (0.010")	0.508mm (0.020")	0.762mm (0.030")	1.016mm (0.040")
54/9-25	54/9-25A	54/9-25B	54/9-25C	54/9-25D
54/9-60	54/9-60A	54/9-60B	54/9-60C	54/9-60D
54/9-67	54/9-67A	54/9-67B	54/9-67C	54/9-67D

# SECTION 2

## Engine Power

### Overview

Conrod	16-17
Conrod Bearing Kit	16-17
Conrod Bolt	16-17
Kit set	18-19
Piston & pin	18-20
Piston & pin, oversize	20
Piston & rings	18-20
Piston & rings, oversize	20
Piston ring set	18-20
Piston ring set, oversize	20
Semi-finished Liner	18-19
Small End Bush	16-17

### 3 CYLINDER ENGINES

Tractors	Engine	Conrod	Conrod Bearing Kit	Conrod Bolt	Small End Bush
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/25-67</b>	<b>54/3-67</b> contains 3x 54/9-67	<b>54/26-67</b>	<b>54/28-67</b> Straight
4010S, 4030, 4635 L60	8035.05				
TD55D	8035.06				
TT50 TN55, TN55D, TN55S, TN55V, TT55 TD60, TD60D, TD60D Plus, TN60A, TN60DA, TN60SA, TN60VA TD65D, TL65 (Brasil), TN65, TN65D, TN65N, TN65S, TN65V	8035.05				<b>54/28-75</b> Angular
TD65B, TT65D TD70, TD70D, TD70D Plus, TN70, TN70A, TN70D, TN70DA, TN- 70NA, TN70S, TN70SA, TN70VA TN75, TN75A, TN75D, TN75DA, TN75N, TN75NA, TN75S, TN75SA, TN75V, TN75VA	8035.25	<b>54/25-71</b>			<b>54/28-76</b> Straight
TD65F (Tier 2), TT65 TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25	<b>54/25-72</b>			<b>54/28-77</b> Angular
					<b>54/28-77</b>

### 4 CYLINDER ENGINES

Tractors	Engine	Conrod	Conrod Bearing Kit	Conrod Bolt	Small End Bush
4230, 4835 5010S L65	8045.06	<b>54/25-67</b>	<b>54/3-84</b> contains 4x 54/9-67	<b>54/26-67</b>	<b>54/28-67</b> Straight
4430 5635 L75	8045.05				<b>54/28-75</b> Angular
6635 L85	8045.25				
7635 L95	8045.25K	<b>54/25-71</b>			<b>54/28-77</b>
TL70, TL70 (Brasil) TD75D	8045.06	<b>54/25-67</b>	<b>54/3-84</b> contains 4x 54/9-67	<b>54/26-67</b>	<b>54/28-67</b> Straight
TN65F TN70F TN75F, TN75FA TD80, TD80D, TD80D Plus, TL80, TL80 (Brasil), TN80F TD85D	8045.05				<b>54/28-75</b> Angular
TL90, TL90 (Brasil)	8045.25				
TN85FA TD90, TD90D, TD90D Plus, TN90F TD95, TD95D, TD95D Plus, TN95F, TN95FA, TN95NA, TN95VA	8045.25	<b>54/25-71</b>			<b>54/28-76</b> Straight
TL100, TL100 (Brasil)	8045.25K				<b>54/28-77</b> Angular
TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/25-27</b>	<b>54/3-61</b> contains 4x 54/9-60	<b>54/26-27</b>	<b>54/28-50</b> Straight
TS100, TS100 (Brasil), TS100E (Brasil) TS110, TS110 (Brasil)	PowerStar 450T	<b>54/25-28</b>	<b>54/3-84</b> contains 4x 54/9-25		<b>54/28-122</b> Angular
					<b>54/28-51</b> Straight
					<b>54/28-231</b> Angular



## 6 CYLINDER ENGINES

Tractors	Engine	Conrod	Conrod Bearing Kit	Conrod Bolt	Small End Bush
8160, 8260 M100, M115	PowerStar 675	<b>54/25-27</b>	<b>54/3-59</b> contains 6x 54/9-25	<b>54/26-27</b>	<b>54/28-50</b> Straight
					<b>54/28-122</b> Angular
8360, 8560 M135, M160	PowerStar 675T	<b>54/25-28</b>			<b>54/28-51</b> Straight
					<b>54/28-231</b> Angular
8670, 8770, G170, G190 01/09/1993 > 31/12/1995 Non-emissionized engines	Genesis CPP 675T	<b>54/25-73</b>			<b>54/28-78</b> Straight
					<b>54/28-383</b> Angular
8670, 8870, G170, G190 01/01/1996 8670A, 8770A Emissionized engines	Genesis CPP 675T & TA	<b>54/25-28</b>	<b>54/28-51</b> Straight		
			<b>54/28-231</b> Angular		
8670, 8770, G170, G190 Non-emissionized engines WD898001 > 8670A Non-emissionized engine 8870, 8870A, 8970, 8970A, G210, G240	Genesis CPP 675T & TA	<b>54/25-73</b>	<b>54/28-78</b> Straight		
			<b>54/28-383</b> Angular		
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil)	PowerStar 675	<b>54/25-27</b>	<b>54/3-62</b> contains 6x 54/9-60	<b>54/28-50</b> Straight	
TM115	PowerStar 675		<b>54/28-122</b> Angular		
TM125, TM135, TM135 (Brasil), TM140 (Brasil), TM150, TM150 (Brasil), TM165, TM165 (Brasil), TM180 (Brasil)	PowerStar 675T	<b>54/25-28</b>	<b>54/3-59</b> contains 6x 54/9-25	<b>54/28-51</b> Straight	
TM120, TM130, TM140, TM155,	PowerStar 675TA			<b>54/28-231</b> Angular	
TM175 (>C4874), TM190 (>C4874)	PowerStar 675TA				
TM175 (D4874>), TM190 (D4874>)	PowerStar 675TA	<b>54/25-73</b>	<b>54/28-78</b> Straight		
			<b>54/28-383</b> Angular		
TS115, TS115E, TS120 (Brasil)	PowerStar 675	<b>54/25-27</b>	<b>54/28-50</b> Straight		
			<b>54/28-122</b> Angular		
TV140	PowerStar 675T	<b>54/25-28</b>	<b>54/28-51</b> Straight		
			<b>54/28-231</b> Angular		

N.B. Conrod bearing sets are available in 0.010", 0.020", 0.030" and 0.040" undersize. Please add the suffix A, B, C or D respectively.  
See page 14 for the stock range.

### 3 CYLINDER ENGINES

Tractors	Engine	Kit set	Piston & rings	Piston & pin	Piston ring set	Semi-finished Liner
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/31-255</b>	<b>54/32-255</b>	<b>54/33-255</b>	<b>54/34-255</b>	<b>54/36-270</b> Standard
3010S Emissionized TD55D	8035.06	<b>54/31-270</b>	<b>54/32-270</b>	<b>54/33-270</b>	<b>54/34-270</b>	<b>54/36-270A</b> +0.25mm
4010S, 4030 4635 L60 TL65 (Brasil)	8035.05	<b>54/31-254</b>	<b>54/32-254</b>	<b>54/33-254</b>	<b>54/34-254</b>	
TT50, TN55, TN55D, TN55S, TN55V, TT55, TD60, TD60D, TD60 Plus, TN60A, TN60DA, TN60SA TN60VA TD65D, TN65, TN65D, TN65N, TN65S, TN65V	8035.05	<b>54/31-271</b>	<b>54/32-271</b>	<b>54/33-271</b>	<b>54/34-271</b>	<b>54/36-271</b> Standard
TD65B, TD65F (Tier 2), TT65, TT65D TD70, TD70D, TD70D Plus, TN70, TN70A, TN70D TN70DA, TN70NA, TN70S, TN70SA, TN70VA TD75F (Tier 2), TN75, TN75A, TN75D, TN75DA, TN75N TN75NA, TN75S, TN75SA, TN75V, TN75VA, TT75 TD85F (Tier 2)	8035.25	<b>54/31-284</b>	<b>54/32-284</b>	<b>54/33-284</b>	<b>54/34-284</b>	<b>54/36-271A</b> +0.25mm

### 4 CYLINDER ENGINES

Tractors	Engine	Kit set	Piston & rings	Piston & pin	Piston ring set	Semi-finished Liner
4230, 4835 5010S L65	8045.06	<b>54/31-255</b>	<b>54/32-255</b>	<b>54/33-255</b>	<b>54/34-255</b>	<b>54/36-270</b> Standard
4835 NASO (Emissionised engine D3833>)	8045.06	<b>54/31-270</b>	<b>54/32-270</b>	<b>54/33-270</b>	<b>54/34-270</b>	<b>54/36-270A</b> +0.25mm
4430 5635 L75	8045.05	<b>54/31-254</b>	<b>54/32-254</b>	<b>54/33-254</b>	<b>54/34-254</b>	
5635 NASO (Emissioned engine D3833>)	8045.05	<b>54/31-271</b>	<b>54/32-271</b>	<b>54/33-271</b>	<b>54/34-271</b>	
6635 L85	8045.25	<b>54/31-380</b>	<b>54/32-380</b>	<b>54/33-380</b>	<b>54/34-380</b>	<b>54/36-271</b> Standard
6635 NASO (Emissioned engine D3833>)	8045.25	<b>54/31-284</b>	<b>54/32-284</b>	<b>54/33-284</b>	<b>54/34-284</b>	<b>54/36-271A</b> +0.25mm
7635 L95	8045.25K	<b>54/31-262</b>	<b>54/32-262</b>	<b>54/33-262</b>	<b>54/34-262</b>	
7635 NASO (Emissioned engine D3833>)	8045.25K	<b>54/31-284</b>	<b>54/32-284</b>	<b>54/33-284</b>	<b>54/34-284</b>	
TL70 (>776978), TL70 (Brasil)	8045.06	<b>54/31-255</b>	<b>54/32-255</b>	<b>54/33-255</b>	<b>54/34-255</b>	<b>54/36-270</b> Standard
TL70 (776979>) TD75D	8045.06	<b>54/31-270</b>	<b>54/32-270</b>	<b>54/33-270</b>	<b>54/34-270</b>	<b>54/36-270A</b> +0.25mm
TL80 (>776978), TL80 (Brasil)	8045.05	<b>54/31-254</b>	<b>54/32-254</b>	<b>54/33-254</b>	<b>54/34-254</b>	
TN65F TN70F TN75F, TN75FA TD80, TD80D, TD80D Plus, TL80 (776979>), TN80F TD85D	8045.05	<b>54/31-271</b>	<b>54/32-271</b>	<b>54/33-271</b>	<b>54/34-271</b>	<b>54/36-271</b> Standard
TL90 (>776978), TL90 (Brasil)	8045.25	<b>54/31-380</b>	<b>54/32-380</b>	<b>54/33-380</b>	<b>54/34-380</b>	<b>54/36-271A</b> +0.25mm

TN85FA TD90, TD90D, TD90D Plus, TL90 (>776979>), TN90F TD95, TD95D, TD95D Plus, TN95F, TN95FA, TN95NA, TN95VA	8045.25	<b>54/31-284</b>	<b>54/32-284</b>	<b>54/33-284</b>	<b>54/34-284</b>	<b>54/36-271</b> Standard
TL100 (>776978), TL100 (Brasil)	8045.25K	<b>54/31-262</b>	<b>54/32-262</b>	<b>54/33-262</b>	<b>54/34-262</b>	<b>54/36-271A</b> +0.25mm
TL100 (>776979>)	8045.25K	<b>54/31-284</b>	<b>54/32-284</b>	<b>54/33-284</b>	<b>54/34-284</b>	
TS80, TS90, TS90 (Brasil)	PowerStar 450	<b>54/31-122</b>	<b>54/32-122</b>	<b>54/33-122</b>	<b>54/34-34</b>	<b>54/36-32</b>
TS90E	PowerStar 450	<b>54/31-230</b>	<b>54/32-230</b>	<b>54/33-230</b>		
TS100 (Brasil)	PowerStar 450T	<b>54/31-94</b>	<b>54/32-94</b>	<b>54/33-94</b>	<b>54/34-94</b>	
TS100, TS100E (Brasil) TS110, TS110 (Brasil)	PowerStar 450T	<b>54/31-231</b>	<b>54/32-231</b>	<b>54/33-231</b>		

## 6 CYLINDER ENGINES

Tractors	Engine	Kit set	Piston & rings	Piston & pin	Piston ring set	Semi-finished Liner
8160, 8260 M100, M115	PowerStar 675	<b>54/31-230</b>	<b>54/32-230</b>	<b>54/33-230</b>	<b>54/34-34</b>	<b>54/36-32</b>
8360, 8560 M135, M160	PowerStar 675T	<b>54/31-231</b>	<b>54/32-231</b>	<b>54/33-231</b>	<b>54/34-94</b>	
8670, 8770, G170, G190 01/09/1993 > 31/12/1995 Non-emissionized engines	Genesis CPP 675T	<b>54/31-381</b>	<b>54/32-381</b>	<b>54/33-381</b>		
8670, 8770, G170, G190 01/01/1996 8670A, 8770A Emissionized engines	Genesis CPP 675T & TA	<b>54/31-382</b>	<b>54/32-382</b>	<b>54/33-382</b>		
8670, 8770, G170, G190 Non-emissionized engines WD898001> 8670A Non-emissionized engine 8870, 8870A, 8970, 8970A, G210, G240	Genesis CPP 675T & TA	<b>54/31-383</b>	<b>54/32-383</b>	<b>54/33-383</b>	<b>54/34-383</b>	
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil) TM115	PowerStar 675	<b>54/31-230</b>	<b>54/32-230</b>	<b>54/33-230</b>	<b>54/34-34</b>	
TM125, TM135, TM135 (Brasil) TM140 (Brasil), TM150, TM150 (Brasil) TM165, TM165 (Brasil), TM180 (Brasil)	PowerStar 675T	<b>54/31-231</b>	<b>54/32-231</b>	<b>54/33-231</b>	<b>54/34-94</b>	
TM120, TM130, TM140, TM155 TM175 (>C4874), TM190 (>C4874)	PowerStar 675TA	<b>54/31-280</b>	<b>54/32-280</b>	<b>54/33-280</b>	<b>54/34-280</b>	
TM175 (D4874>), TM190 (D4874>)	PowerStar 675TA	<b>54/31-384</b>	<b>54/32-384</b>	<b>54/33-384</b>		
TS115 (>SN170077)	PowerStar 675	<b>54/31-122</b>	<b>54/32-122</b>	<b>54/33-122</b>	<b>54/34-34</b>	
TS115E (SN170078>) TS120 (Brasil)	PowerStar 675	<b>54/31-230</b>	<b>54/32-230</b>	<b>54/33-230</b>		
TV140	PowerStar 675T	<b>54/31-231</b>	<b>54/32-231</b>	<b>54/33-231</b>	<b>54/34-94</b>	

N.B. Pistons and ring sets for Fiat/Iveco engines are available in 0.6mm oversize. Please add the suffix, 'BC' to the standard size number. See page 20 for the stock range.  
Pistons and ring sets for Ford engines are available in 0.020", 0.030" and 0.040" oversize. Please add the suffix, 'B', 'C' or, 'D' respectively. See page 20 for the stock range.

## OVERSIZE PISTON & RING SETS

Standard	0.508mm (0.020")	0.600mm	0.762mm (0.030")	1.016mm (0.040")
54/32-94	54/32-94B	-	-	54/32-94D
54/32-122	54/32-122B	-	54/32-122C	54/32-122D
54/32-230	54/32-230B	-	-	54/32-230D
54/32-231	54/32-231B	-	-	54/32-231D
54/32-254	-	54/32-254BC	-	-
54/32-255	-	54/32-255BC	-	-
54/32-262	-	54/32-262BC	-	-
54/32-270	-	54/32-270BC	-	-
54/32-271	-	54/32-271BC	-	-
54/32-284	-	54/32-284BC	-	-

## OVERSIZE PISTON & PIN

Standard	0.508mm (0.020")	0.600mm	0.762mm (0.030")	1.016mm (0.040")
54/33-94	54/33-94B	-	-	54/33-94D
54/33-122	54/33-122B	-	54/33-122C	54/33-122D
54/33-230	54/33-230B	-	-	54/33-230D
54/33-231	54/33-231B	-	-	54/33-231D
54/33-254	-	54/33-254BC	-	-
54/33-255	-	54/33-255BC	-	-
54/33-262	-	54/33-262BC	-	-
54/33-270	-	54/33-270BC	-	-
54/33-271	-	54/33-271BC	-	-
54/33-284	-	54/33-284BC	-	-

## OVERSIZE RING SETS

Standard	0.508mm (0.020")	0.600mm	0.762mm (0.030")	1.016mm (0.040")
54/34-34	54/34-34B	-	54/34-34C	54/34-34D
54/34-94	54/34-94B	-	-	54/34-34D
54/34-254	-	54/34-254BC	-	-
54/34-255	-	54/34-255BC	-	-
54/34-262	-	54/34-262BC	-	-
54/34-270	-	54/34-270BC	-	-
54/34-271	-	54/34-271BC	-	-
54/34-284	-	54/34-284BC	-	-

# SECTION 3

## Engine Aspiration

### Overview

Camshaft Bush	24-25
Cotter	22-23
Exhaust Valve	22-23, 26
Exhaust Valve, oversize	26
Inlet Valve	22-23
Inlet Valve, oversize	26
Push Rod	24-25
Rocker Arm	24-25
Rocker Arm Bush	24-25
Rocker Nut	24-25
Rocker Screw	24-25
Rocker Shaft	24-25
Tappet	24-25
Valve Guide	22-23
Valve Spring	22-23, 26
Valve Stem Seal	22-23

### 3 CYLINDER ENGINES

Tractors	Engine	Valve Guide	Inlet Valve	Exhaust Valve	Valve Spring	Cotter	Valve Stem Seal
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/41-76</b> Standard  <b>54/41-79</b> +0.20mm	<b>54/42-76</b>	<b>54/43-76</b>	<b>54/45-76</b>	<b>54/46-76</b>	-
4010S, 4030 4635 L60	8035.05						
TD55D	8035.06						
TT50 TN55, TN55D, TN55S, TN55V TT55 TD60, TD60D, TD60D Plus TN60A, TN60DA, TN60SA TN60VA TD65D, TL65 (Brasil), TN65 TN65D, TN65N, TN65S, TN65V	8035.05						
TD65B, TD65F (Tier 2), TT65 TT65D TD70, TD70D, TD70D Plus, TN70 TN70A, TN70D, TN70DA TN- 70NA, TN70S, TN70SA TN70VA TD75F (Tier 2), TN75, TN75A, TN75D, TN75DA, TN75N, TN75NA TN75S, TN75SA, TN75V TN75VA, TT75 TD85F (Tier 2)	8035.25						

### 4 CYLINDER ENGINES

Tractors	Engine	Valve Guide	Inlet Valve	Exhaust Valve	Valve Spring	Cotter	Valve Stem Seal
4230, 4835 5010S L65	8045.06	<b>54/41-76</b> Standard  <b>54/41-79</b> +0.20mm	<b>54/42-76</b>	<b>54/43-76</b>	<b>54/45-76</b>	<b>54/46-76</b>	-
4430 5635 L75	8045.05						
6635 7635 L85, L95	8045.25 8045.25K						
TL70, TL70 (Brasil) TD75D	8045.06						
TN65F TN70F TN75F, TN75FA TD80, TD80D, TD80D Plus, TL80, TL80 (Brasil), TN80F TD85D	8045.05						
TN85FA TD90, TD90D, TD90D Plus, TL90. TL90 (Brasil), TN90F TD95, TD95D, TD95D Plus, TN95F, TN95FA, TN95NA, TN95VA	8045.25						
TL100, TL100 (Brasil)	8045.06						
TS80, TS90, TS90E (>C4906) TS90 (Brasil)	PowerStar 450	-	<b>54/42-40</b>	<b>54/43-40</b>	<b>54/45-24</b>	<b>54/46-3</b>	<b>54/47-24</b> (>902290) <b>54/47-75</b> (902291>)
TS80, TS90, TS90E (D4906>)	PowerStar 450	-	<b>54/42-75</b>	<b>54/43-75</b>		<b>54/46-75</b>	<b>54/47-75</b>
TS100, TS110 (>C4906) TS100 (Brasil), TS100E (Brasil) TS110 (Brasil)	PowerStar 450T	-	<b>54/42-41</b>	<b>54/43-41</b>		<b>54/46-3</b>	<b>54/47-24</b> (>902290) <b>54/47-75</b> (902291>)
TS100, TS110 (D4906>)	PowerStar 450T	-	<b>54/42-75</b>	<b>54/43-75</b>		<b>54/46-75</b>	<b>54/47-75</b>

## 6 CYLINDER ENGINES

Tractors	Engine	Valve Guide	Inlet Valve	Exhaust Valve	Valve Spring	Cotter	Valve Stem Seal
8160, 8260 M100, M115	PowerStar 675		<b>54/42-40</b>	<b>54/43-40</b>	<b>54/45-24</b>	<b>54/46-3</b>	<b>54/47-24</b> (>J869229) <b>54/47-75</b> (J869230>)
8360, 8560 M135, M160	PowerStar 675T						
8670, 8770, 8870, 8970 G170, G190, G210, G240 (>05/04/2000)	Genesis CPP 675T & TA		<b>54/42-41</b>	<b>54/43-41</b>			
8670, 8770, 8870, 8970 G170, G190, G210, G240 (06/04/2000>)	Genesis CPP 675T & TA					<b>54/46-75</b>	
8670A, 8770A, 8870A, 8970A	Genesis CPP 675T & TA		<b>54/42-75</b>	<b>54/43-75</b>			<b>54/47-75</b>
TM110 (Brasil), TM120 (Brasil) TM130 (Brasil) TM115 (>C4906)	PowerStar 675		<b>54/42-40</b>	<b>54/43-40</b>		<b>54/46-3</b>	<b>54/47-24</b>
TM115 (D4906>)	PowerStar 675		<b>54/42-75</b>	<b>54/43-75</b>		<b>54/46-75</b>	<b>54/47-75</b>
TM125, TM135, TM150, TM165 (>C4906) TM140 (Brasil)	PowerStar 675T		<b>54/42-41</b>	<b>54/43-41</b>	<b>54/45-24</b>	<b>54/46-3</b>	<b>54/47-24</b>
TM125, TM135, TM150, TM165 (D4906>) TM135 (Brasil), TM150 (Brasil) TM165 (Brasil), TM180 (Brasil)	PowerStar 675T		<b>54/42-75</b>	<b>54/43-75</b>		<b>54/46-75</b>	<b>54/47-75</b>
TM120, TM130, TM140, TM155 TM175, TM190	PowerStar 675TA						
TS115, TS115E (>C4906) TS120 (Brasil)	PowerStar 675		<b>54/42-40</b>	<b>54/43-40</b>	<b>54/45-24</b>	<b>54/46-3</b>	<b>54/47-24</b> (>902290) <b>54/47-75</b> (902291>)
TS115, TS115E (D4906>)	PowerStar 675		<b>54/42-75</b>	<b>54/43-75</b>		<b>54/46-75</b>	<b>54/47-75</b>
TV140	PowerStar 675T		<b>54/42-41</b>	<b>54/43-41</b>		<b>54/46-3</b>	<b>54/47-24</b>

N.B. Inlet and exhaust valves are available in 0.015" and 0.030" oversize. Please add the suffix, 'B' or, 'C' respectively. See page 26 for stock range.

### 3 CYLINDER ENGINES

Tractors	Engine	Rocker Shaft	Rocker Arm	Rocker Screw & Nut	Rocker Arm Bush	Push Rod	Tappet	Camshaft Bush
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/6051-80</b>	<b>54/50-80</b>	<b>54/52-80</b> Screw <b>54/6152-80</b> Nut	<b>54/6052-80</b>	<b>54/53-80</b>	<b>54/54-80</b>	<b>54/56-80K</b> contains 1x 54/56-80 1x 54/56-85 1x 56/56-86
4010S, 4030, 4635 L60	8035.05							
TD55D	8035.06							
TT50 TN55, TN55D, TN55S, TN55V, TT55 TD60, TD60D, TD60D Plus, TN60A, TN60DA, TN60SA, TN60VA TD65D, TL65 (Brasil), TN65, TN65D, TN65N, TN65S, TN65V	8035.05							
TD65B, TD65F, TT65, TT65D TD70, TD70D, TD70D Plus, TN70 TN70A, TN70D, TN70DA TN70NA TN70S, TN70SA, TN70VA TD75F, TN75, TN75A, TN75D TN75DA, TN75N, TN75NA TN75S TN75SA, TN75V, TN75VA, TT75 TD85F	8035.25							

### 4 CYLINDER ENGINES

Tractors	Engine	Rocker Shaft	Rocker Arm	Rocker Screw & Nut	Rocker Arm Bush	Push Rod	Tappet	Camshaft Bush
4230, 4835 5010S L65	8045.06	<b>54/6051-81</b>	<b>54/50-80</b>	<b>54/52-80</b> Screw <b>54/6152-80</b> Nut	<b>54/6052-80</b>	<b>54/53-80</b>	<b>54/54-80</b>	<b>54/56-80K</b> contains 1x 54/56-80 1x 54/56-85 1x 56/56-86
4430 5635 L75	8045.05							
6635 7635 L85, L95	8045.25 8045.25K							
TL70, TL70 (Brasil) TD75D	8045.06							
TN65F TN70F TN75F, TN75FA TD80, TD80D, TD80D Plus, TL80, TL80 (Brasil), TN80F TD85D	8045.05							
TN85FA TD90, TD90D, TD90D Plus, TL90, TL90 (Brasil), TN90F TD95, TD95D, TD95D Plus, TN95F, TN95FA, TN95NA, TN95VA	8045.25							
TL100, TL100 (Brasil)	8045.25K	<b>54/6051-82</b>	<b>54/50-1</b>	<b>54/52-1</b>	-	<b>54/53-5</b>	<b>54/54-1</b>	<b>54/56-4</b> Semi fin.
TS80, TS90, TS90E (>C4906) TS90 (Brasil)	PowerStar 450		<b>54/50-82</b>			<b>54/53-82</b>	<b>54/54-82</b>	<b>54/56-4F</b> Fully fin.
TS80, TS90, TS90E (D4906>)	PowerStar 450							



TS100, TS110 (>C4906) TS100 (Brasil), TS100E (Brasil) TS110 (Brasil)	PowerStar 450T	<b>54/6051-82</b>	<b>54/50-1</b>	<b>54/52-1</b>	-	<b>54/53-5</b>	<b>54/54-1</b>	<b>54/56-4</b> Semi fin.
TS100, TS110 (D4906>)	PowerStar 450T		<b>54/50-82</b>			<b>54/53-82</b>	<b>54/54-82</b>	<b>54/56-4F</b> Fully fin.

## 6 CYLINDER ENGINES

Tractors	Engine	Rocker Shaft	Rocker Arm	Rocker Screw & Nut	Rocker Arm Bush	Push Rod	Tappet	Camshaft Bush		
8160, 8260 M100, M115	PowerStar 675	<b>54/6051-83</b>	<b>54/50-1</b>	<b>54/52-1</b>	-					
8360, 8560 M135, M160	PowerStar 675T									
8670, 8670A, 8770, 8770A G170, G190	Genesis CPP 675T & TA		<b>54/50-83</b>						<b>54/53-5</b>	<b>54/54-1</b>
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA									
TM110 (Brasil), TM120 (Brasil) TM130 (Brasil) TM115 (>C4906)	PowerStar 675		<b>54/50-1</b>							
TM115 (D4906>)	PowerStar 675		<b>54/50-82</b>						<b>54/53-82</b>	<b>54/54-82</b>
TM125, TM135, TM150, TM165 (>C4906) TM135 (Brasil), TM140 (Brasil) TM150 (Brasil), TM165 (Brasil), TM180 (Brasil)	PowerStar 675T		<b>54/50-1</b>						<b>54/53-5</b>	<b>54/54-1</b>
TM125, TM135, TM150, TM165 (D4906>)	PowerStar 675T		<b>54/50-82</b>						<b>54/53-82</b>	<b>54/54-82</b>
TM120, TM130, TM140, TM155 TM175, TM190	PowerStar 675TA									
TS115, TS115E (>C4906) TS120 (Brasil)	PowerStar 675		<b>54/50-1</b>						<b>54/53-5</b>	<b>54/54-1</b>
TS115, TS115E (D4906>)	PowerStar 675		<b>54/50-82</b>						<b>54/53-82</b>	<b>54/54-82</b>
TV140	PowerStar 675T		<b>54/50-1</b>						<b>54/53-5</b>	<b>54/54-1</b>

**OVERSIZE INLET VALVES**

Standard	+0.381mm (+0.015")	+0.762mm (+0.030")
<b>54/42-40</b>	<b>54/42-40B</b>	<b>54/42-40C</b>
<b>54/42-41</b>	<b>54/42-41B</b>	<b>54/42-41C</b>
<b>54/42-75</b>	<b>54/42-75B</b>	-

**OVERSIZE EXHAUST VALVES**

Standard	+0.381mm (+0.015")	+0.762mm (+0.030")
<b>54/43-40</b>	<b>54/43-40B</b>	<b>54/43-40C</b>
<b>54/43-41</b>	<b>54/43-41B</b>	<b>54/43-41C</b>
<b>54/43-75</b>	<b>54/43-75B</b>	-

# SECTION 4

## Engine Gaskets

### Overview

Bottom Gasket Set	29, 31, 33
Cylinder Head Gasket	28, 30, 32
Front Cover Set	29, 31
Full Gasket Set	28, 30, 32
Full Service Set	28, 30
Rocker Cover Gasket	29, 31, 33
Sump End Gasket	29, 31, 33
Sump Gasket	29, 31, 33
Top Gasket Set	28, 30, 32
Top Service Set	28, 30, 32

### 3 CYLINDER ENGINES

Tractors	Engine	Full Service Set	Full Gasket Set	Top Gasket Set	Top Service Set	Cyl. Head Gasket
3010S 3435,3935 4135	8035.06	<b>54/69-450</b>	<b>54/70-450</b>	<b>54/71-450</b>	<b>54/76-450</b>	<b>54/73-252</b> 1.35mm
3830	8035.06					<b>54/73-451</b> 1.55mm
3010S Emissionized engine 3830 NASO	8035.06	<b>54/69-451</b>	<b>54/70-451</b>	<b>54/71-451</b>	<b>54/76-451</b>	<b>54/73-451</b>
4010S 4030	8035.05	<b>54/69-451</b>	<b>54/70-432</b>	<b>54/71-432</b>	<b>54/76-450</b>	<b>54/73-253</b>
4635 L60	8035.05		<b>54/70-433</b>	<b>54/71-433</b>		
TD55D	8035.06		<b>54/70-451</b>	<b>54/71-451</b>	<b>54/76-451</b>	<b>54/73-252</b> 1.35mm
						<b>54/73-451</b> 1.55mm
TT50 TT55 TD60, TD60D Plus	8035.05 (TTF)	-	-	-	-	<b>54/73-435</b>
TD60, TD60D, TD60 Plus, TD65D	8035.05 (FPT)	-	-	-	-	<b>54/73-253</b> 1.35mm
						<b>54/73-435</b> 1.55mm
TL65 (Brasil)	8035.05	<b>54/69-451</b>	<b>54/70-433</b>	<b>54/71-433</b>	<b>54/76-451</b>	<b>54/73-253</b>
TN55, TN65	8035.05	<b>54/69-435</b>	<b>54/70-435</b>	<b>54/71-435</b>		
TN55D, TN55S TN65D, TN65S	8035.05	<b>54/69-451</b> (>C3801)	<b>54/70-434</b> (>C3801)	<b>54/71-435</b>		<b>54/73-253</b> 1.35mm
		<b>54/69-435</b> (D3801>)	<b>54/70-435</b> (D3801>)			<b>54/73-435</b> 1.55mm
TN55V TN65N, TN65V	8035.05	<b>54/69-436</b>	<b>54/70-435</b>			
TN60A, TN60DA TN60SA	8035.05	-	-	-		
TN60VA	8035.05	-	-	-		
TD65B, TD65F (Tier 2), TT65, TT65D TD70, TD70D Plus TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25 (TTF)	-	-	-	-	<b>54/73-435</b>
TD70, TD70D, TD70 Plus	8035.25 (FPT)	-	-	-	-	<b>54/73-253</b> 1.35mm
TN70, TN70D, TN70S TN75, TN75D, TN75S	8035.25	<b>54/69-435</b>	<b>54/70-435</b>	<b>54/71-435</b>	<b>54/76-451</b>	
TN75N, TN75V	8035.25	<b>54/69-436</b>	<b>54/70-436</b>			
TN70A, TN70DA TN70SA TN75A, TN75DA, TN75SA	8035.25 (Tier 2)	-	-	-	-	<b>54/73-435</b> 1.55mm
TN70NA, TN70VA TN75NA, TN75VA	8035.25 (Tier 2)	-	-	-	-	

### 3 CYLINDER ENGINES

Tractors	Engine	Rocker Cover Gasket	Bottom Gasket Set	Sump Gasket	Sump End Gaskets	Front Cover Set	
3010S 3435,3935 4135	8035.06	<b>54/74-252</b> (>C3865)	-	<b>54/75-251</b>	<b>54/11-131</b> Front	<b>54/77-450</b>	
3830	8035.06		-				
3010S Emissionized engine 3830 NASO	8035.06		-				
4010S 4030	8035.05		-				
4635 L60	8035.05		-				
TD55D	8035.06	<b>54/74-131</b>	-	<b>54/75-435</b>			<b>54/13-131</b> Rear
TT50 TT55 TD60, TD60D Plus	8035.05 (TTF)	<b>54/74-252</b>	-				
TD60, TD60D, TD60 Plus, TD65D	8035.05 (FPT)	<b>54/74-131</b>	-				
TL65 (Brasil)	8035.05	<b>54/74-252</b>	-				
TN55, TN65	8035.05	<b>54/74-131</b>	-				
TN55D, TN55S TN65D, TN65S	8035.05		-	<b>54/75-251</b> (>C3865)			
TN55V TN65N, TN65V	8035.05		-	<b>54/75-435</b> (D3865>)			
TN60A, TN60DA TN60SA	8035.05		-				
TN60VA	8035.05		-				
TD65B, TD65F (Tier 2), TT65, TT65D TD70, TD70D Plus TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25 (TTF)	<b>54/74-252</b>	-	<b>54/75-435</b>	<b>54/77-450</b>		
TD70, TD70D, TD70 Plus	8035.25 (FPT)	<b>54/74-131</b>	-				
TN70, TN70D, TN70S TN75, TN75D, TN75S	8035.25		-				
TN75N, TN75V	8035.25		-				
TN70A, TN70DA TN70SA TN75A, TN75DA, TN75SA	8035.25 (Tier 2)		-				
TN70NA, TN70VA TN75NA, TN75VA	8035.25 (Tier 2)		-				

## 4 CYLINDER ENGINES

Tractors	Engine	Full Service Set	Full Gasket Set	Top Gasket Set	Top Service Set	Cyl. Head Gasket
4230 5010S	8045.06	<b>54/69-440</b>	<b>54/70-440</b>	<b>54/71-440</b>	<b>54/76-440</b>	<b>54/73-270</b>
4430	8045.05		<b>54/70-441</b>	<b>54/71-441</b>		<b>54/73-271</b>
4835 L65	8045.06	<b>54/69-442</b>	<b>54/70-442</b>	<b>54/71-442</b>	<b>54/76-442</b>	<b>54/73-270</b>
4835 NASO (Emissionized engine D3833>)	8045.06		<b>54/70-443</b>	<b>54/71-443</b>		<b>54/73-443</b>
5635 L75	8045.05		<b>54/70-444</b>	<b>54/71-444</b>		<b>54/73-271</b>
5635 NASO (Emissionized engine D3833>)	8045.05		<b>54/70-445</b>	<b>54/71-445</b>		<b>54/73-445</b>
6635 L85	8045.25		<b>54/69-446</b>	<b>54/70-446</b>		<b>54/71-446</b>
7635 L95	8045.25K	<b>54/70-447</b>		<b>54/71-447</b>	<b>54/73-445</b>	
6635 NASO 7635 NASO (Emissionized engine D3833>)	8045.25 8045.25K					
TL70	8045.06	<b>54/69-442</b>	<b>54/70-442</b>	<b>54/71-442</b>	<b>54/76-442</b>	<b>54/73-270</b> 1.35mm
TL70 (Brasil)	8045.06					
TD75D	8045.06	-	-	-	-	<b>54/73-443</b> 1.55mm
TD80, TD80D Plus	8045.05 (TTF Tier 2)	-	-	-	-	<b>54/73-445</b>
TD80, TD80D, TD80D Plus TD85D	8045.05 (FPT Tier 2)	-	-	-	-	<b>54/73-271</b> 1.35mm
TL80	8045.05	<b>54/69-442</b>	<b>54/70-444</b>	<b>54/71-444</b>	<b>74/76-442</b>	<b>54/73-445</b> 1.55mm
TL80 (Brasil)	8045.05		<b>54/70-444</b>	<b>54/71-444</b>		<b>54/73-271</b>
TN65F TN70F TN75F, TN75FA TN80F	8045.05		<b>54/70-445</b> North America	<b>54/71-445</b> North America		<b>54/73-445</b> 1.55mm
TD90, TD90 Plus TD95, TD95 Plus	8045.25 (TTF)	-	-	-	-	<b>54/73-445</b>
TD90, TD90D, TD90D Plus TD95, TD95D, TD95D Plus	8045.25 (FPT)	-	-	-	-	<b>54/73-271</b> 1.35mm
TL90, TL90 (Brasil) TL100, TL100 (Brasil)	8045.25 8045.25K	<b>54/69-446</b>	<b>54/70-446</b>	<b>54/71-446</b>	<b>54/76-446</b>	
TN90F TN95F	8045.25	<b>54/69-442</b>	<b>54/70-444</b>	<b>54/71-444</b>	<b>54/76-442</b>	
TN85FA TN95FA	8045.25	-	-	-	-	<b>54/73-445</b> 1.55mm
TN95NA TN95VA	8045.25	-	-	-	-	
TS80, TS90 ,TS90 (Brasil), TS90E	PowerStar 450	-	-	<b>24/71-97</b> Cork rocker Gasket	<b>24/76-97</b> Cork rocker Gasket	<b>54/73-27</b>
TS100, TS100 (Brasil), TS110, TS110 (Brasil)	PowerStar 450T	-	-	<b>54/71-86</b> Rubber encased metal rocker Gasket	<b>54/76-86</b> Rubber encased metal rocker Gasket	

## 4 CYLINDER ENGINES

Tractors	Engine	Rocker Cover Gasket	Bottom Gasket Set	Sump Gasket	Sump End Gaskets	Front Cover Set	
4230 5010S	8045.06	<b>54/74-27</b>	-	<b>54/75-269</b> Top			
4430	8045.05		-				
4835 L65	8045.06	<b>54/74-133</b>	-				<b>54/75-178</b> Bottom
4835 NASO (Emissionized engine D3833>)	8045.06		-				
5635 L75	8045.05		-				
5635 NASO (Emissionized engine D3833>)	8045.05		-				
6635 L85	8045.25		-				
7635 L95	8045.25K		-				<b>54/75-446</b> Top
6635 NASO 7635 NASO (Emissionized engine D3833>)	8045.25 8045.25K		-				<b>54/75-178</b> Bottom
TL70	8045.06		-				
TL70 (Brasil)	8045.06		-	<b>54/75-269</b> Top	<b>54/11-131</b> Front	<b>54/77-450</b>	
TD75D	8045.06		-	<b>54/75-178</b> Bottom			
TD80, TD80D Plus	8045.05 (TTF Tier 2)	<b>54/74-270</b>	-	<b>54/75-446</b> Top	<b>54/13-131</b> Rear		
TD80, TD80D, TD80D Plus TD85D	8045.05 (FPT Tier 2)	<b>54/74-133</b>	-	<b>54/75-178</b> Bottom			
TL80	8045.05		-				
TL80 (Brasil)	8045.05		-	<b>54/75-269</b> Top			
TN65F TN70F TN75F, TN75FA TN80F	8045.05		-	<b>54/75-178</b> Bottom			
TD90, TD90 Plus TD95, TD95 Plus	8045.25 (TTF)		<b>54/74-270</b>	-			
TD90, TD90D, TD90D Plus TD95, TD95D, TD95D Plus	8045.25 (FPT)		<b>54/74-133</b>	-	<b>54/75-446</b> Top		
TL90, TL90 (Brasil) TL100, TL100 (Brasil)	8045.25 8045.25K			-	<b>54/75-178</b> Bottom		
TN90F TN95F	8045.25			-			
TN85FA TN95FA	8045.25			-			
TN95NA TN95VA	8045.25			-			
TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>24/74-37</b> Cork		<b>24/72-97</b> compressed fibre	<b>24/75-23</b> compressed fibre	-	
TS100, TS100 (Brasil), TS110, TS110 (Brasil)	PowerStar 450T	<b>54/74-97</b> Rubber encased Metal		<b>54/72-86</b> Rubber bonded Metal	<b>54/75-97</b> Rubber bonded Metal	-	

## 6 CYLINDER ENGINES

Tractors	Engine	Full Service Set	Full Gasket Set	Top Gasket Set	Top Service Set	Cyl. Head Gasket
8160, 8260 M100, M115	PowerStar 675	-	-	<b>54/71-104</b>	<b>54/76-104</b>	<b>54/73-98</b>
8360, 8560 M135, M160	PowerStar 675T	-	-	<b>54/71-105</b>		<b>54/73-99</b>
8670, 8670A, 8770 8770A G170, G190	Genesis CPP 675T & TA	-	-	<b>54/71-99</b>	<b>54/76-99</b>	
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA	-	-			
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil) TM115	PowerStar 675	-	-	<b>54/71-104</b>	<b>54/76-104</b>	<b>54/73-98</b>
TM125, TM135 TM150, TM165	PowerStar 675T	-	-	<b>54/71-105</b>		<b>54/73-99</b>
TM135 (Brasil), TM140 (Brasil), TM150 (Brasil), TM165 (Brasil), TM180 (Brasil)	PowerStar 675T	-	<b>54/70-105</b>			
TM120, TM130	PowerStar 675TA	-	<b>54/70-448</b>	<b>54/71-448</b>	<b>54/76-449</b>	<b>54-73-98</b>
TM140, TM155 TM175, TM190	PowerStar 675TA	-	<b>54/70-449</b>	<b>54/71-449</b>		<b>54/73-99</b>
TS115, TS115E TS120 (Brasil)	PowerStar 675	-	-	<b>24/71-98</b> Cork rocker Gasket  <b>54/71-87</b> Rubber encased metal rocker Gasket	<b>24/76-98</b> Cork rocker Gasket  <b>54/76-87</b> Rubber encased metal rocker Gasket	<b>54/73-98</b>
TV140	PowerStar 675T	-	-	<b>54/71-105</b>	<b>54/76-104</b>	<b>54/73-99</b>



## 6 CYLINDER ENGINES

Tractors	Engine	Rocker Cover Gasket	Bottom Gasket Set	Sump Gasket	Sump End Gaskets	Front Cover Set
8160, 8260 M100, M115	PowerStar 675	<b>54/74-98</b>	<b>54/72-104</b>	<b>54/75-98</b>	-	-
8360, 8560 M135, M160	PowerStar 675T		-	-	-	
8670, 8670A, 8770 8770A G170, G190	Genesis CPP 675T & TA		<b>54/72-99</b>	<b>54/75-99</b>	-	-
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA		-	-	-	
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil) TM115	PowerStar 675		-	-	-	
TM125, TM135 TM150, TM165	PowerStar 675T		<b>54/72-104</b>	-	-	
TM135 (Brasil), TM140 (Brasil), TM150 (Brasil), TM165 (Brasil), TM180 (Brasil)	PowerStar 675T		-	<b>54/75-98</b>	-	
TM120, TM130	PowerStar 675TA		<b>54/72-449</b>	-	-	
TM140, TM155 TM175, TM190	PowerStar 675TA		-	-	-	
TS115, TS115E TS120 (Brasil)	PowerStar 675		<b>24/74-38</b> Cork  <b>54/74-98</b> Rubber encased metal	<b>24/72-98</b> compressed fibre  <b>54/72-87</b> Rubber bonded Metal	<b>24/75-24</b> compressed fibre  <b>54/75-98</b> Rubber bonded Metal	-
TV140	PowerStar 675T	<b>54/74-98</b>	<b>54/72-104</b>	<b>54/75-99</b>	-	-



## OUR CUSTOMERS

With our **extensive product range** and **overseas distribution** and **sales presence** we are able to meet the requirements of agricultural customers across the world. Our growing customer base includes the following :

- ▶ Agricultural Dealers
- ▶ Agricultural Workshops
- ▶ Independent Mechanics & Repairers
- ▶ Engine Rebuilders
- ▶ Second Hand Machinery Dealers
- ▶ Construction Dealers
- ▶ Industrial Workshops

We have built long standing relationships with our customers and supply an increasingly wide range of products. Our goal is to always strive for operational excellence through continuous improvements and innovative business practices to offer the best possible service to our customers.



# SECTION 5

## Engine Filters

### Overview

Air Inner	36-39
Air Outer	36-39
Fuel Primary	36-39
Fuel Secondary	38-39
Oil	36-39
Oil Bath Filter Elements	40
Water Filters	40

### 3 CYLINDER ENGINES

Tractors	Engine	Air Outer	Air Inner	Oil	Fuel Primary	Fuel Secondary
3010S (Non-emissionized) 4010S	8035.06 8035.05	<b>60/161-281</b> Air Maze Type	<b>60/162-281</b> Air Maze Type	<b>60/97-40</b>	<b>60/111-16</b>	-
3010S (Emissionized)	8035.06	<b>60/161-6</b> Steel Case <b>60/161-92</b> Donaldson type	<b>60/162-6</b> Steel Case <b>60/162-92</b> Donaldson type	<b>60/97-38</b>		-
3830	8035.06	<b>60/161-112</b>	<b>60/162-112</b>	<b>60/97-40</b> <b>60/97-38</b> North America		-
3435, 3935 4030 4135	8035.06 8035.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-40</b>		-
4635 L60	8035.05	<b>60/161-143</b> <b>60/161-162</b> self cleaning	<b>60/162-143</b> <b>60/162-162</b> self cleaning	<b>60/97-38</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TT50 TT55	8035.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-143</b>		-
TD55D	8035.06	<b>60/161-143</b> <b>60/161-162</b> self cleaning	<b>60/162-143</b> <b>60/162-162</b> self cleaning	<b>60/97-38</b>		-
TN55, TN55D, TN55S	8035.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TN55V	8035.05			<b>60/97-253</b>		-
TD60, TD60D Plus	8035.05 (TTF)			<b>60/97-143</b>		-
TD60, TD60D Plus	8035.05 (FPT)			<b>60/111-16</b> <b>60/111-67</b> VAR.130	-	
TD60D	8035.05				<b>60/97-24</b>	-
TN60A, TN60DA, TN60SA	8035.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TN60VA	8035.05			<b>60/97-253</b>		-
TD65B	8035.25			<b>60/97-143</b>		-
TD65D	8035.05	<b>60/161-143</b> <b>60/161-162</b> self cleaning	<b>60/162-143</b> <b>60/162-162</b> self cleaning	<b>60/97-38</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TD65F (Tier 2)	8035.25	<b>60/161-282</b>	<b>60/162-282</b>	<b>60/97-143</b>		-
TL65 (Brasil)	8035.05	<b>60/161-92</b> <b>60/161-102</b> self cleaning	<b>60/162-92</b> <b>60/162-102</b> self cleaning	<b>60/97-40</b>		-
TN65, TN65D, TN65S	8035.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TN65N, TN65V	8035.05			<b>60/97-253</b>		-
TT65	8035.25	<b>60/161-92</b> <b>60/161-143</b> VAR.720190	<b>60/162-92</b> <b>60/162-143</b> VAR.720190	<b>60/97-143</b>		
TT65D	8035.25	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TD70, TD70D Plus	8035.25 (TTF)	<b>60/161-92</b>	<b>60/162-92</b>	<b>60/97-143</b>	<b>60/111-16</b>	-

TD70, TD70D Plus	8035.25 (FPT)	<b>60/161-92</b>	<b>60/162-92</b>	<b>60/97-24</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TD70D	8035.25	<b>60/161-143</b> <b>60/161-169</b> self cleaning	<b>60/162-143</b> <b>60/162-102</b> self cleaning	<b>60/97-24</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TN70, TN70A, TN70D, TN- 70DA, TN70S, TN70SA TN75, TN75A, TN75D, TN75DA, TN75S, TN75SA	8035.25	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TN70NA, TN70VA TN75N, TN75NA, TN75V, TN75VA	8035.25			<b>60/97-253</b>		-
TD75F (Tier 2) TD85F (Tier 2)	8035.25	<b>60/161-282</b>	<b>60/162-282</b>	<b>60/97-143</b>		-
TT75	8035.25	<b>60/161-92</b> <b>60/161-143</b> VAR.720190	<b>60/162-92</b> <b>60/162-143</b> VAR.720190			-

## 4 CYLINDER ENGINES

Tractors	Engine	Air Outer	Air Inner	Oil	Fuel Primary	Fuel Secondary
4230 4430	8045.06 8045.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-40</b>	<b>60/111-16</b>	-
4835 L65	8045.06	<b>60/161-143</b> <b>60/161-162</b> self cleaning	<b>60/162-143</b> <b>60/162-162</b> self cleaning	<b>60/97-38</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
5010S	8045.06	<b>60/161-281</b> Air Maze Type <b>60/161-6</b> Steel Case <b>60/161-92</b> Donaldson type	<b>60/162-281</b> Air Maze Type <b>60/162-6</b> Steel Case <b>60/162-92</b> Donaldson type	<b>60/97-40</b>	<b>60/111-16</b>	-
5635 L75	8045.05	<b>60/161-143</b> <b>60/161-162</b> self cleaning	<b>60/162-143</b> <b>60/162-162</b> self cleaning	<b>60/97-38</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
6635 7635 L85 L95	8045.25 8045.25K	<b>60/161-92</b> <b>60/161-169</b> self cleaning	<b>60/162-92</b> <b>60/162-102</b> self cleaning			-
TN65F TN70F	8045.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TL70 TD75D	8045.06	<b>60/161-143</b> <b>60/161-162</b> self cleaning	<b>60/162-143</b> <b>60/162-162</b> self cleaning	<b>60/97-38</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TL70 (Brasil)	8045.06	<b>60/161-92</b> <b>60/161-169</b> self cleaning	<b>60/162-92</b> <b>60/162-102</b> self cleaning			-
TN75F, TN75FA TN80F	8045.05	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TD80, TD80D Plus	8045.05 (TTF)			<b>60/97-143</b>		-

TD80, TD80D Plus	8045.05 (FPT)	<b>60/161-143</b>	<b>60/162-143</b>	<b>60/97-24</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TD80D	8045.05	<b>60/161-143</b>	<b>60/162-143</b>			-
TL80 TD85D	8045.05	<b>60/161-162</b> self cleaning	<b>60/162-162</b> self cleaning			-
TL80 (Brasil)	8045.05	<b>60/161-92</b> <b>60/161-169</b> self cleaning	<b>60/161-192</b> <b>60/161-102</b> self cleaning	<b>60/97-38</b>		-
TN85FA	8045.25	<b>60/161-261</b>	<b>60/162-102</b>	<b>60/97-24</b>	<b>60/111-16</b>	-
TD90, TD90D Plus	8045.25 (TTF)	<b>60/161-92</b>	<b>60/162-92</b>	<b>60/97-143</b>		-
TD90, TD90D Plus	8045.25 (FPT)					
TD90D	8045.25	<b>60/161-143</b> <b>60/161-169</b> self cleaning	<b>60/162-143</b> <b>60/162-102</b> self cleaning	<b>60/97-24</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TL90 TL90 (Brasil)	8045.25	<b>60/161-92</b> <b>60/161-169</b> self cleaning	<b>60/162-92</b> <b>60/162-169</b> self cleaning	<b>60/97-38</b>		-
TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25	<b>60/161-261</b>	<b>60/162-102</b>	<b>60/97-24</b>		<b>60/111-16</b>
TD95, TD95D Plus	8045.25 (TTF)	<b>60/161-92</b>	<b>60/162-92</b>	<b>60/97-143</b>	-	
TD95, TD95D Plus	8045.25 (FPT)					<b>60/97-24</b>
TD95D	8045.25 (Tier 1)	<b>60/161-92</b> <b>60/161-169</b> self cleaning	<b>60/162-92</b> <b>60/162-102</b> self cleaning	<b>60/97-38</b>	<b>60/111-16</b> <b>60/111-67</b> VAR.130	-
TD95D	8045.25 (Tier 2)			<b>60/97-24</b>		-
TL100 TL100 (Brasil)	8045.25K					<b>60/97-38</b>
TS80 TS90, TS90E TS100 TS110	PowerStar 450 & 450T	<b>60/161-250</b>	<b>60/162-114</b>	<b>60/97-15</b>	<b>60/111-262</b> 5 Micron	-
TS90 (Brasil) TS100 (Brasil), TS100E (Brasil) TS110 (Brasil)	PowerStar 450 & 450T	<b>60/161-250</b> (>Z7CE29510) <b>60/161-283</b> (Z7CE29511>)	<b>60/162-114</b> (>Z7CE29510) <b>60/162-283</b> (Z7CE29511>)			-

## 6 CYLINDER ENGINES

Tractors	Engine	Air Outer	Air Inner	Oil	Fuel Primary	Fuel Secondary
8160, 8260 M100, M115	PowerStar 675	<b>60/161-114</b> <b>60/161-249</b> With precleaner	<b>60/162-114</b> <b>60/161-252</b> With precleaner	<b>60/97-15</b>	<b>60/111-91</b> (>C3710) 150 Micron <b>60/111-87</b> (D3710>) 30 Micron With electric pump	<b>60/111-92</b> (D3710>) 5 Micron With electric pump
8360, 8560 M135, M160	PowerStar 675T	<b>60/161-115</b> <b>60/161-249</b> With precleaner	<b>60/162-115</b> <b>60/162-115</b> With precleaner			
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>60/161-56</b>	<b>60/162-56</b>		<b>60/111-60</b>	-

TM110 (Brasil) TM120 (Brasil)	PowerStar 675	<b>60/161-284</b>	<b>60/162-284</b>	<b>60/97-15</b>	<b>60/111-91</b> (>C3710) 150 Micron <b>60/111-87</b> (D3710>) 30 Micron With electric pump	<b>60/111-92</b> (D3710>) 5 Micron With electric pump
TM115	PowerStar 675	<b>60/161-114</b> <b>60/161-249</b> With precleaner	<b>60/162-114</b> <b>60/162-252</b> With precleaner		<b>60/111-87</b> 30 Micron With electric pump	<b>60/111-92</b> 5 Micron With electric pump
TM125 TM135 TM150 TM165	PowerStar 675T	<b>60/161-115</b> <b>60/161-249</b> With precleaner	<b>60/162-115</b> <b>60/162-115</b> With precleaner		<b>60/111-87</b> 30 Micron With electric pump	<b>60/111-92</b> 5 Micron With electric pump
TM130 (Brasil) TM140 (Brasil)	PowerStar 675T	<b>60/161-284</b>	<b>60/162-284</b>		<b>60/111-91</b> (>C3710) 150 Micron <b>60/111-87</b> (D3710>) 30 Micron With electric pump	<b>60/111-92</b> (D3710>) 5 Micron With electric pump
TM135 (Brasil) TM150 (Brasil)	PowerStar 675T	<b>60/161-284</b> or <b>60/161-285</b> <b>60/161-249</b> VAR.198 With precleaner heavy duty	<b>60/162-284</b> or <b>60/162-285</b> <b>60/162-115</b> VAR.198 With precleaner heavy duty		<b>60/111-87</b> (>316675) 30 Micron With electric pump	<b>60/111-92</b> (>316675) 30 Micron With electric pump
TM165 (Brasil) TM180 (Brasil)	PowerStar 675T	<b>60/161-284</b> <b>60/161-249</b> With precleaner heavy duty	<b>60/162-284</b> <b>60/162-115</b> With precleaner heavy duty		<b>60/111-264</b> (316676>) 30 Micron	<b>60/111-263</b> (316676>) 30 Micron
TM120 TM130 TM140 TM155	PowerStar 675TA	<b>60/161-115</b> Standard <b>60/161-249</b> VAR.008 With precleaner <b>60/161-254</b> VAR.008 With precleaner	<b>60/162-115</b> Standard <b>60/162-115</b> VAR.008 With precleaner <b>60/162-163</b> VAR.008 With precleaner		one filter sys. <b>60/111-262</b> 5 Micron two filter sys. <b>60/111-87</b> (>ACM218235) 30 Micron <b>60/111-264</b> (ACM218236>) 30 Micron	two filter sys. <b>60/111-92</b> (>ACM218235) 30 Micron <b>60/111-263</b> (ACM218236>) 30 Micron
TM175 TM190	PowerStar 675TA	<b>60/161-266</b>	<b>60/162-253</b>		<b>60/111-25</b>	-
TS115	PowerStar 675	<b>60/161-250</b> With Cab	<b>60/162-114</b> With Cab		<b>60/111-262</b> 5 Micron	-
TS115E	PowerStar 675				<b>60/111-25</b>	-
TS120 (Brasil)	PowerStar 675	<b>60/161-250</b> (>Z7CE29510) <b>60/161-283</b> (Z7CE29511>)	<b>60/162-114</b> (>Z7CE29510) <b>60/162-283</b> (Z7CE29511>)		<b>60/111-25</b> <b>60/111-262</b> 5 Micron With electric pump	-
TV140	PowerStar 675T	<b>60/161-115</b> <b>60/161-249</b> With precleaner	<b>60/162-115</b> <b>60/162-115</b> With precleaner		<b>60/111-87</b> 30 Micron With electric pump	<b>60/111-92</b> 5 Micron With electric pump

## WATER FILTERS

Tractors	Bepco No.
8160, 8260, 8360, 8560, M100, M115, M135, M160, TV140	<b>60/156-3</b>
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A, G170, G190, G210, G240 (All less conditioner)	<b>60/156-4</b>
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A, G170, G190, G210, G240 (All with conditioner & air brakes)	<b>60/156-5</b>

## OIL BATH FILTER ELEMENTS

Tractors	Bepco No.
TD55D, TD60, TD60D, TD60D Plus, TD65D, TD75D, TD80, TD80D Plus, TD85D	<b>60/159-25</b>
3435, 3935, 4635, 4835, 5635, L60, L65, L75, TL65 (Brasil), TL70, TL70 (Brasil), TL80, TL80 (Brasil), TL90, TL100 (All less cab) All less cab and with Motofides oil bath air cleaner	<b>60/156-26</b>
4635, 4835, 5635, L60, L65, L75, TL65 (Brasil), TL70, TL70 (Brasil), TL80, TL80 (Brasil), TL90, TL100 (All less cab) All less cab and with Mann oil bath air cleaner	<b>60/159-27</b>
TS80, TS90, TS90 (Brasil)	<b>60/159-28</b>



# SECTION 6

## Engine Lubrication

### Overview

Oil Filler Cap	42-43
Oil Pump	42-43
Plug Seal	42-43
Sump Drain Plug	42-43

### 3 CYLINDER ENGINES

Tractors	Engine	Oil Filler Cap	Sump Drain Plug	Plug Seal	Oil Pump	
3010S, 3435, 3830, 3935 4135	8035.06	<b>54/85-10</b>	<b>54/88-14</b>	<b>54/6088-14</b> „O“ ring	<b>54/90-33</b>	
4010S, 4030 4635 L60	8035.05					
TD55D	8035.06					
TD60	8035.05 (TTF Tier 1)	<b>54/85-50</b>	<b>54/88-50</b>	<b>54/6088-50</b> Copper washer		
TT50 TT55 TD60, TD60D Plus	8035.05 (TTF Tier 2)	-	<b>54/88-14</b>	<b>54/6088-14</b> „O“ ring		
TD60, TD60D, TD60 Plus	8035.05 (FPT)	<b>54/85-10</b>				
TN55, TN55D, TN55S TN60A, TN60DA, TN60SA TD65D, TN65, TN65D, TN65S, TL65 (Brasil)	8035.05					
TN55V TN65N, TN65V	8035.05					
TN60VA	8035.05					<b>54/90-214</b>
TD65B, TD65F (Tier 2), TT65, TT65D TD70, TD70 Plus TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25 (TTF)	-				<b>54/90-215</b>
TD70, TD70D, TD70 Plus	8035.25 (FPT)	<b>54/85-10</b>			<b>54/90-214</b>	
TN70, TN70A, TN70D, TN70DA, TN70S, TN70SA, TN75, TN75A, TN75D, TN75DA, TN75S, TN75SA	8035.25					
TN75N, TN75V	8035.25				<b>54/90-215</b>	
TN70NA, TN70VA TN75NA, TN75VA	8035.25				<b>54/90-216</b>	

### 4 CYLINDER ENGINES

Tractors	Engine	Oil Filler Cap	Sump Drain Plug	Plug Seal	Oil Pump
4230, 4835 5010S L65	8045.06	<b>54/85-10</b>	<b>54/88-14</b>	<b>54/6088-14</b> „O“ ring	<b>54/90-33</b>
4430 5635 L75	8045.05				
6635 7635 L85, L95	8045.25 8045.25K				<b>54/90-81</b>
TL70, TL70 (Brasil) TD75D	8045.06	<b>54/85-50</b>	<b>54/88-50</b>	<b>54/6088-50</b> Copper washer	<b>54/90-33</b>
TN65F TN70F TN75F, TN75FA TL80, TL80 (Brasil), TN80F	8045.05				
TD80	8045.05 (TTF Tier 1)				
TD80, TD80D Plus	8045.05 (TTF Tier 2)	-	<b>54/88-14</b>	<b>54/6088-14</b> „O“ ring	

TD80, TD80D, TD80D Plus	8045.05 (FPT)	<b>54/85-10</b>	<b>54/88-14</b>	<b>54/6088-14</b> „O“ ring	<b>54/90-33</b>
TD85D	8045.05				
TD90 TD95	8045.25 (TTF Tier 1)	-			<b>54/90-214</b>
TD90, TD90 Plus TD95, TD95 Plus	8045.25 (TTF Tier 2)	-			<b>54/90-81</b>
TD90, TD90D, TD90D Plus TD95, TD95D, TD95D Plus	8045.25 (FPT)	<b>54/85-10</b>			
TN85A TL90, TL90 (Brasil), TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25				
TL100, TL100 (Brasil)	8045.25K				
TS80, TS90, TS90E TS90 (Brasil)	PowerStar 450	<b>54/85-16</b>	<b>54/88-5</b>	<b>54/6088-16</b>	<b>54/90-44</b>
TS100, TS100 (Brasil), TS100E (Brasil) TS110, TS110 (Brasil)	PowerStar 450T				

## 6 CYLINDER ENGINES

Tractors	Engine	Oil Filler Cap	Sump Drain Plug	Plug Seal	Oil Pump
8160, 8260 M100, M115	PowerStar 675	<b>54/85-16</b>	<b>54/88-5</b>	<b>54/6088-16</b>	<b>54/90-45</b>
8360, 8560 M135, M160	PowerStar 675T				
8670, 8670A, 8770, 8770A G170, G190	Genesis CPP 675T & TA				
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA				
TM110 (Brasil), TM120 (Brasil), TM130 (Brasil) TM115	PowerStar 675				
TM125, TM135, TM150, TM165 TM135 (Brasil), TM140 (Brasil), TM150 (Brasil) TM165 (Brasil), TM180 (Brasil)	PowerStar 675T				
TM120, TM130, TM140, TM155 TM175, TM190	PowerStar 675TA				
TS115, TS115E TS120 (Brasil)	PowerStar 675				
TV140	PowerStar 675T				



## OUR E-COMMERCE

Our E-Commerce platform is the perfect solution to find the part required at any time of the day, seven days a week.



We offer our customers a number of methods to find the right part :

- ▶▶ OEM or supplier number
- ▶▶ Description
- ▶▶ Tractor model or engine type

We are constantly developing our E-Commerce platform with new products and offers to improve customers' daily use. Clear product images, precise technical details and comprehensive tractor applications make daily work that much easier.

To find out more about Bepco and how we can help your business visit us online at [www.bepcoparts.com](http://www.bepcoparts.com) or contact a member of our local sales team.

[www.bepcoparts.com](http://www.bepcoparts.com)

# SECTION 7

## Engine Injection

### Overview

Fuel Filter Assembly	50-34
Fuel Filler Cap	47-54
Fuel Pump	46-48, 51-52
Fuel Pump Gasket	46-48, 51-52
Fuel Pump Seal Kit	46-47, 49, 51
Fuel shut-off Solenoids	59
Fuel Tap	47-49
Hydraulic Lift Cable	56
Injector Nozzles	54-58
Injector Seal	58
Sender Unit Cap	47-50
Stop Cable	55
Thermostart	46-48, 51-52
Throttle (accelerator) Cable	55

### 3 CYLINDER ENGINES

Tractors	Engine	Thermostart	Fuel Pump	Fuel Pump Gasket	Fuel Pump Seal kit		
3010S	8035.06	<b>54/60-18</b>	<b>54/100-27</b>	<b>54/6110-6</b>	-		
3435 3935, 4135	8035.06				-		
3830	8035.06				-		
4010S	8035.05				-		
4030	8035.05				-		
4635 L60	8035.05				-		
TT50 TT55	8035.05	<b>54/60-25</b>	<b>54/100-230</b>		-		
TD55D	8035.06	<b>54/60-18</b>	<b>54/100-27</b>		-		
TN55	8035.05		-				
TN55D, TN55S	8035.05		<b>54/100-206</b>				
TN55V	8035.05		-				
TD60	8035.05 (TTF)		<b>54/100-230</b>				
TD60	8035.05 (FPT)		<b>54/60-18</b>		<b>54/100-206</b>	-	
TD60D	8035.05	<b>54/60-25</b> <b>54/60-18</b> (D5530>)	<b>54/100-206</b>		-		
TD60D Plus	8035.05				-		
TN60A	8035.05				-		
TN60DA, TN60SA	8035.05				<b>54/60-18</b>		
TN60VA	8035.05				-		
TD65D	8035.05				<b>54/100-27</b>		
TD65B	8035.25	<b>54/60-25</b>	<b>54/100-230</b>		-		
TD65F (Tier 2)	8035.25	<b>54/60-18</b>	<b>54/100-27</b>		-		
TL65 (Brasil)	8035.05		-				
TN65	8035.05		<b>54/100-206</b>				
TN65D, TN65S	8035.05		-				
TN65N, TN65V	8035.05		-				
TT65	8035.25		<b>54/60-25</b>		<b>54/100-230</b>	-	
TT65D	8035.25	<b>54/60-18</b>	<b>54/100-206</b>		-		
TD70	8035.25 (TTF)				-		
TD70	8035.25 (FPT)				-		
TD70D	8035.25				-		
TD70D Plus	8035.25 (TTF)				<b>54/60-25</b>	<b>54/100-230</b>	-
TD70D Plus	8035.25 (FPT)				<b>54/60-18</b> (D5530>)	-	
TN70 TN75	8035.25	<b>54/60-18</b>	<b>54/100-206</b>		-		
TN70D, TN70S TN75D, TN75S	8035.25				-		
TN70A TN75A	8035.25				-		
TN70DA, TN70SA TN75DA, TN75SA	8035.25				-		

TN70NA, TN70VA TN75N, TN75NA, TN75V, TN75VA	8035.25	<b>54/60-18</b>	<b>54/100-206</b>	<b>54/6110-6</b>	-
TD75F (Tier 2) TD85F (Tier 2)	8035.25		<b>54/100-230</b>		-
TT75	8035.25	<b>54/60-25</b>			-

### 3 CYLINDER ENGINES

Tractors	Engine	Fuel Filter assembly	Fuel tap	Fuel filler cap	Sender Unit Cap
3010S	8035.06	-	<b>54/103-13</b>	<b>54/105-4</b>	-
3435 3935, 4135	8035.06	-		<b>54/105-38</b>	-
3830	8035.06	-		-	-
4010S	8035.05	-	<b>54/103-13</b>	<b>54/105-4</b>	-
4030	8035.05	-		<b>54/105-14</b>	-
4635 L60	8035.05	-	-	<b>54/105-37</b>	<b>54/105-43</b>
TT50 TT55	8035.05	-	<b>54/103-25</b>	<b>54/105-44</b>	
TD55D	8035.06	-	-	<b>54/105-37</b>	-
TN55	8035.05	-	-	<b>54/105-37</b> <b>54/105-45</b> Lockable <b>54/105-46</b> (VAR.207)	<b>54/105-43</b>
TN55D, TN55S	8035.05	-	-	<b>54/105-37</b>	
TN55V	8035.05	-	-	<b>54/105-38</b>	-
TD60	8035.05 (TTF)	-	-		-
TD60	8035.05 (FPT)	-	-		-
TD60D	8035.05	-	-	<b>54/105-37</b>	-
TD60D Plus	8035.05	-	-	<b>54/105-93</b> Lockable	-
TN60A	8035.05	-	-	<b>54/105-37</b> <b>54/105-46</b> (VAR.207)	<b>54/105-43</b>
TN60DA, TN60SA	8035.05	-	-	<b>54/105-37</b> (>C5808) <b>54/105-47</b> (D5808>)	
TN60VA	8035.05	-	-	<b>54/105-38</b>	
TD65D	8035.05	-	-	<b>54/105-37</b> <b>54/105-93</b> Lockable	-
TD65B	8035.25	-	<b>54/103-25</b>	<b>54/105-38</b>	-
TD65F (Tier 2)	8035.25	-	-	<b>54/105-44</b>	-
TL65 (Brasil)	8035.05	-	-	<b>54/105-48</b> <b>54/105-49</b> Lockable	<b>54/105-43</b>

TN65	8035.05	-	-	<b>54/105-37</b> <b>54/105-45</b> Lockable <b>54/105-46</b> (VAR.207)	<b>54/105-43</b>
TN65D, TN65S	8035.05	-	-	<b>54/105-37</b>	
TN65N, TN65V	8035.05	-	-	<b>54/105-38</b>	
TT65	8035.25	-	<b>54/103-25</b>	<b>54/105-44</b>	-
TT65D	8035.25	-			
TD70	8035.25 (TTF)	-	-	<b>54/105-38</b>	-
TD70	8035.25 (FPT)	-	-		
TD70D	8035.25	-	-	<b>54/105-37</b> <b>54/105-93</b> Lockable	-
TD70D Plus	8035.25 (TTF)	-	-		
TD70D Plus	8035.25 (FPT)	-	-		
TN70 TN75	8035.25	-	-	<b>54/105-37</b> <b>54/105-45</b> Lockable <b>54/105-46</b> (VAR.207)	<b>54/105-43</b>
TN70D, TN70S TN75D, TN75S	8035.25	-	-	<b>54/105-37</b>	
TN70A TN75A	8035.25	-	-	<b>54/105-37</b> <b>54/105-46</b> (VAR.207)	
TN70DA, TN70SA TN75DA, TN75SA	8035.25	-	-	<b>54/105-37</b> (>C5808) <b>54/105-46</b> (D5808>)	
TN70NA, TN70VA TN75N, TN75NA, TN75V, TN75VA	8035.25	-	-	<b>54/105-38</b>	
TD75F (Tier 2) TD85F (Tier 2)	8035.25	-	-	<b>54/105-44</b>	
TT75	8035.25	-	<b>54/103-25</b>		<b>54/105-43</b>

## 4 CYLINDER ENGINES

Tractors	Engine	Thermostart	Fuel Pump	Fuel Pump Gasket	Fuel Pump Seal kit
4230 4430	8045.06 8045.05	<b>54/60-18</b>	<b>54/100-27</b>	<b>54/6110-6</b>	-
4835, L65 5635, L75 6635, L85	8045.06 8045.05 8045.25				-
7635, L95	8045.25K				-
TN65F	8045.05		<b>54/100-206</b>		
TL70	8045.06		<b>54/100-27</b>		
TL70 (Brasil)	8045.06		-		
TN70F TN75F, TN75FA	8045.05		<b>54/100-206</b>		
TD75D	8045.06		<b>54/100-27</b>		
TD80	8045.05 (TTF)		<b>54/100-230</b>		



TD80	8045.05 (FPT)	<b>54/60-18</b>	<b>54/100-206</b>	<b>54/6110-6</b>	-	
TD80D	8045.05				-	
TD80D Plus	8045.05 (TTF)	<b>54/60-25</b>	<b>54/100-230</b>		-	
TD80D Plus	8045.05 (FPT)	<b>54/60-18 (D5530&gt;)</b>	<b>54/100-206</b>		-	
TL80	8045.05	<b>54/60-18</b>	<b>54/100-27</b>		-	
TL80 (Brasil)	8045.05				-	
TN80F TN85FA TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25	<b>54/60-18</b>	<b>54/100-206</b>		-	
TD85D	8045.05		<b>54/100-27</b>		-	
TD90 TD95	8045.25 (TTF)		<b>54/100-230</b>		-	
TD90 TD95	8045.25 (FPT)		<b>54/100-206</b>		-	
TD90D TD95D	8045.25		<b>54/100-206</b>		-	
TD90D Plus TD95D Plus	8045.25 (TTF)		<b>54/60-25</b>		<b>54/100-230</b>	-
TD90D Plus TD95D Plus	8045.25 (FPT)		<b>54/60-18 (D5530&gt;)</b>		<b>54/100-206</b>	-
TL90 TL100	8045.25 8045.25K		<b>54/60-18</b>		<b>54/100-27</b>	-
TL90 (Brasil) TL100 (Brasil)	8045.25					-
TS80 TS90 Non-emissionized engines	PowerStar 450			-		-
TS90E TS100 TS110 Emissionized engines	PowerStar 450 & 450T	<b>54/60-11</b>	<b>54/100-106</b> Electric fuel pump	-	<b>54/101-14</b>	
TS90 (Brasil) TS100 (Brasil) Non-missionized engines	PowerStar 450 & 450T		-	-	-	
TS100E (Brasil) TS110 (Brasil) Emissionized engines	PowerStar 450		<b>54/100-106</b> Electric fuel pump	-	<b>54/101-14</b>	

## 4 CYLINDER ENGINES

Tractors	Engine	Fuel Filter assembly	Fuel tap	Fuel filler cap	Sender Unit Cap
4230 4430	8045.06 8045.05	-	<b>54/103-13</b>	<b>54/105-14</b>	-
4835, L65 5635, L75 6635, L85	8045.06 8045.05 8045.25	-	-	<b>54/105-37</b>	<b>54/105-43</b>
7635, L95	8045.25K	-	-		
TN65F	8045.05	-	-	<b>54/105-38</b>	
TL70	8045.06	-	-	<b>54/105-37</b> 115L (30Gal) <b>54/105-46</b> 127L (33Gal)	

TL70 (Brasil)	8045.06	-	-	<b>54/105-48</b> <b>54/105-49</b> Lockable	<b>54/105-43</b>
TN70F TN75F, TN75FA	8045.05	-	-	<b>54/105-38</b>	
TD75D	8045.06	-	-	<b>54/105-37</b> <b>54/105-93</b> Lockable	-
TD80	8045.05 (TTF)	-	-	<b>54/105-38</b>	-
TD80	8045.05 (FPT)	-	-		-
TD80D	8045.05	-	-	<b>54/105-37</b> <b>54/105-93</b> Lockable	-
TD80D Plus	8045.05 (TTF)	-	-		-
TD80D Plus	8045.05 (FPT)	-	-		-
TL80	8045.05	-	-	<b>54/105-37</b> 115L (30Gal) <b>54/105-46</b> 127L (33Gal)	<b>54/105-43</b>
TL80 (Brasil)	8045.05	-	-	<b>54/105-48</b> <b>54/105-49</b> Lockable	
TN80F TN85FA TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25	-	-	<b>54/105-38</b>	<b>54/105-43</b>
TD85D	8045.05	-	-	<b>54/105-37</b> <b>54/105-93</b> Lockable	-
TD90 TD95	8045.25 (TTF)	-	-	<b>54/105-38</b>	-
TD90 TD95	8045.25 (FPT)	-	-		-
TD90D TD95D	8045.25	-	-	<b>54/105-37</b> <b>54/105-93</b> Lockable	-
TD90D Plus TD95D Plus	8045.25 (TTF)	-	-		-
TD90D Plus TD95D Plus	8045.25 (FPT)	-	-		-
TL90 TL100	8045.25 8045.25K	-	-	<b>54/105-37</b> 115L (30Gal) <b>54/105-46</b> 127L (33Gal)	<b>54/105-43</b>
TL90 (Brasil) TL100 (Brasil)	8045.25	-	-	<b>54/105-48</b> <b>54/105-49</b> Lockable	
TS80 TS90 Non-emissionized engines	PowerStar 450	<b>54/110-401</b> Fuel/Water Separator <b>54/110-403</b> Fuel filter assembly	-	<b>54/105-79</b> <b>54/105-92</b> Lockable	-

TS90E TS100 TS110 Emissionized engines	PowerStar 450 & 450T	<b>54/110-402</b> Fuel/Water Separator  <b>54/110-404</b> Fuel filter assembly with electric pump	-	<b>54/105-79</b>  <b>54/105-92</b> Lockable	-
TS90 (Brasil) TS100 (Brasil) Non-missionized engines	PowerStar 450 & 450T	<b>54/110-401</b> Fuel/Water Separator  <b>54/110-403</b> Fuel filter assembly	-	<b>54/105-92</b> (>Chassis 319370 Z4CE00797)	-
TS100E (Brasil) TS110 (Brasil) Emissionized engines	PowerStar 450	<b>54/110-402</b> Fuel/Water Separator  <b>54/110-404</b> Fuel filter assembly with electric pump	-	<b>54/105-71</b> (>.....)	-

## 6 CYLINDER ENGINES

Tractors	Engine	Thermostart	Fuel Pump	Fuel Pump Gasket	Fuel Pump Seal kit
8160, 8260, 8360, 8560 M100, M115 M135, M160	PowerStar 675 & 675T	<b>54/60-11</b>	<b>54/100-180</b> (>C3710)  <b>54/100-106</b> (D3710>) Electric fuel pump	-	<b>54/101-14</b> (D3710>)
8670, 8770 G170, G190	Genesis CPP 675T	<b>54/60-12</b> (>09/97) Except NA  <b>54/940-76</b> (10/97>) Solenoid switch	<b>54/100-320</b> (>08/06/99) less primer  <b>54/100-321</b> (09/06/99>) with primer	<b>54/6110-7</b>	<b>54/101-50</b>
8670A, 8770A	Genesis CPP 675T & 675TA	<b>54/940-76</b> Solenoid switch	<b>54/100-321</b>		
8870, 8970 G210, G240	Genesis CPP 675TA	<b>54/60-12</b> (>09/97) Except NA  <b>54/940-76</b> (10/97>) Solenoid switch	<b>54/100-322</b> (>08/06/99) less primer  <b>54/100-262</b> (09/06/99>) with primer		
8870A, 8970A	Genesis CPP 675TA	<b>54/940-76</b> Solenoid switch	<b>54/100-262</b>		
TM110 (Brasil) TM120 (Brasil) TM130 (Brasil) TM140 (Brasil)	PowerStar 675 & 675T	<b>54/60-11</b>	<b>54/100-180</b> (>C3710)  <b>54/100-106</b> (D3710>) Electric fuel pump	-	<b>54/101-14</b> (D3710>)
TM115 TM125 TM135 TM150 TM165	PowerStar 675 & 675T	<b>54/60-11</b>	<b>54/100-106</b>	-	<b>54/101-14</b>
TM135 (Brasil) TM150 (Brasil) TM165 (Brasil) TM180 (Brasil)	PowerStar 675T				

TM120 TM130 TM140 TM155 TM175 TM190	PowerStar 675TA	<b>54/60-11</b>	Single filter sys. <b>54/100-106</b>	-	<b>54/101-14</b>
			Dual filter sys. <b>54/100-106</b> (>HA163029) <b>54/100-231</b> (HA163030>)		
TS115	PowerStar 675		-	-	-
TS115E	PowerStar 675		<b>54/100-106</b> Electric fuel pump	-	<b>54/101-14</b>
TS120 (Brasil)	PowerStar 675		-	-	-
TS120 (Brasil) Emmissionized engines	PowerStar 675		<b>54/100-106</b> Electric fuel pump	-	<b>54/101-14</b>
TV140	PowerStar 675T	<b>54/100-231</b> Electric fuel pump	-		

## 6 CYLINDER ENGINES

Tractors	Engine	Fuel Filter assembly	Fuel tap	Fuel filler cap	Sender Unit Cap
8160, 8260, 8360, 8560 M100, M115 M135, M160	PowerStar 675 & 675T	Primary <b>54/110-405</b> (>C3710) <b>54/110-406</b> (D3710>) Secondary <b>54/110-407</b> (>C3710)	-	<b>54/105-37</b> (>C3794) <b>54/105-79</b> (D3794>) <b>54/105-92</b> Lockable	-
8670, 8770 G170, G190	Genesis CPP 675T	-	-	<b>54/105-102</b>	-
8670A, 8770A	Genesis CPP 675T & 675TA	-	-		-
8870, 8970 G210, G240	Genesis CPP 675TA	-	-		-
8870A, 8970A	Genesis CPP 675TA	-	-		-
TM110 (Brasil) TM120 (Brasil) TM130 (Brasil) TM140 (Brasil)	PowerStar 675 & 675T	-	-	<b>54/105-37</b> (>278660) <b>54/105-49</b> (278661>)	-
TM115 TM125 TM135 TM150 TM165	PowerStar 675 & 675T	Primary <b>54/110-406</b> Secondary <b>54/110-407</b>	-	<b>54/105-79</b> <b>54/105-92</b> Lockable	-
TM135 (Brasil) TM150 (Brasil) TM165 (Brasil) TM180 (Brasil)	PowerStar 675T		-	<b>54/105-79</b> (>Z7CC21200) Outer threaded <b>54/105-48</b> (Z7CC21201>) Inner threaded	-

TM120 TM130 TM140 TM155 TM175 TM190	PowerStar 675TA	Single filter sys. <b>54/110-409</b>  Dual filter sys. Primary <b>54/110-406</b> (>218235) <b>54/110-410</b> (218236>HA163029) <b>54/110-411</b> (HA163030> FB175162) <b>54/110-412</b> (FB175163>)  Dual filter sys. Secondary <b>54/110-407</b> (>C5368) <b>54/110-413</b> (D5368>)	-	<b>54/105-79</b>  <b>54/105-92</b> Lockable	-
TS115	PowerStar 675	<b>54/110-401</b> Fuel/Water Separator  <b>54/110-408</b> Fuel filter assembly	-	<b>54/105-92</b>	-
TS115E	PowerStar 675	<b>54/110-402</b> Fuel/Water Separator  <b>54/110-404</b> Fuel filter assembly	-		-
TS120 (Brasil)	PowerStar 675	<b>54/110-401</b> Fuel/Water Separator  <b>54/110-408</b> Fuel filter assembly	-	<b>54/105-92</b> (>319370 & Z4CE00797) Lockable  <b>54/105-71</b> (>.....)	-
TS120 (Brasil) Emmissionized engines	PowerStar 675	<b>54/110-402</b> Fuel/Water Separator  <b>54/110-404</b> Fuel filter assembly	-		-
TV140	PowerStar 675T	Primary <b>54/110-406</b>  Secondary <b>54/110-407</b>	-	<b>54/105-39</b>	-

# OUR BRANDS & GUARANTEED QUALITY

We understand the importance of quality and reliability in the agricultural industry which is why we supply industry leading and Original Equipment Supplier brands.

Bepco has an established reputation for supplying quality engine and technical parts that are critical to the running of a machine.

Our focus is on finding and delivering quality parts at the right price to ensure economical cost of ownership and to offer our customers more choice whatever the age of machine.



## STOP CABLE

Tractors	Bepco No.	Length	Type
TS80 (Less Cab), TS90 (Less Cab), TS90E (Less Cab) plus many earlier Ford applications	<b>54/107-67</b>	1290mm	-

## THROTTLE (ACCELERATOR) CABLE

Tractors	Bepco No.	Length	Type
3435 2WD, 3435 4WD, 3935 2WD, 3935 4WD, 4135 2WD, 4135 4WD 45-66, 45-66 DT, 45-66S, 45-66S DT, 50-66, 50-66DT, 50-66S, 50-66S DT, 56-66S, 56-66S DT	<b>54/108-216</b>	860mm	Hand
3830 2WD, 3830 4WD, 4030 2WD, 4030 4WD, 4230 2WD, 4230 4WD, 4430 2WD, 4430 4WD 50-86V, 50-86V DT, 50-86S V, 50-86S V DT, 55-86F, 55-86F DT, 55-86V, 55-86V DT, 55-86S V, 55-86S V DT, 60-86F, 60-86F DT, 60-86V, 60-86V DT, 60-86V S, 60-86V S DT, 62-86F, 62-86F DT, 70-86V, 70-86V DT, 70-86S V, 70-86S V DT, 72-86F, 72-86F DT, 72-86LP, 72-86LP DT, 82-86F, 82-86F DT, 82-86LP, 82-86LP DT	<b>54/108-217</b>	615mm	Hand
4635 L60 TL65 (Brasil)	<b>54/108-218</b>	665mm	Foot
4835 (>C3841), 5635 (>C3841), 6635 (>C3841) L65 (>C3841), L75 (>C3841), L85 (>C3841) TL70 (Brasil) (>284689), TL80 (Brasil) (>284689), TL90 (Brasil) (>284689)	<b>54/108-219</b>	755mm	Foot
4835 (D3841>), 5635 (D3841>), 6635 (D3841>) L65 (D3841>), L75 (D3841>), L85 (D3841>) TL70, TL80, TL90 TL70 (Brasil) (284690>), TL80 (Brasil) (284690>), TL90 (Brasil) (284690>)	<b>54/108-220</b>	680mm	Foot
7635 (>C3841) L95 (>C3841) TL100 (Brasil) Less Cab (>284689)	<b>54/108-221</b>	700mm	Foot
7635 (D3841>) L95 (D3841>) TL100, TL100 (Brasil) Less Cab (284690>), TL100 (Brasil) With Cab	<b>54/108-222</b>	660mm	Foot
4635, 4835, 5635, 6635, 7635 (All >C3841) L60, L65, L75, L85, L95 (All >C3841) TL70, TL80, TL90, TL100 (All >C3841) TL65 (Brasil), TL70 (Brasil), TL80 (Brasil), TL90 (Brasil), TL100 (Brasil) (All >284689)	<b>54/108-223</b>	1725mm	Hand
4635, 4835, 5635, 6635, 7635 (All D3841>) L60, L65, L75, L85, L95 (All D3841>) TL70, TL80, TL90, TL100 (All D3841>) TL65 (Brasil), TL70 (Brasil), TL80 (Brasil), TL90 (Brasil), TL100 (Brasil) (All 284690>)	<b>54/108-224</b>	2095mm	Hand
TD55D, TD60D, TD60D Plus, TD65D, TD70D, TD70D Plus, TD75D, TD80D, TD80D Plus, TD85D, TD90D, TD90D Plus, TD95D, TD95D Plus	<b>54/108-225</b>	1430mm	Hand
TD60, TD70, TD80, TD90, TD95	<b>54/108-226</b>	1185mm	Hand
TD65B, TT50, TT55, TT65, TT65D, TT75	<b>54/108-227</b>	1665mm	Hand
TD65F (Tier 2), TD75F (Tier 2), TD85F (Tier 2) TD4020F, TD4030F, TD4040F	<b>54/108-228</b>	810mm	Hand
TD55D, TD60D, TD65D, TD70D, TD75D, TD80D, TD85D, TD90D, TD95D	<b>54/108-229</b>	1345mm	Foot
TD60, TD70, TD80, TD90, TD95	<b>54/108-230</b>	1695mm	Foot
TT50, TT55, TT65, TT75	<b>54/108-231</b>	1230mm	Foot
TD65B, TT65D TT50, TT55, TT65, TT75 (All with Cab)	<b>54/108-232</b>	1000mm	Foot
TD65F, TD75F, TD85F	<b>54/108-233</b>	1145mm	Foot
TT50, TT55, TT65, TT75	<b>54/108-234</b>	1730mm	Hand
TD60D Plus, TD70D Plus	<b>54/108-235</b>	640mm	Foot
TD80D Plus, TD90D Plus, TD95D Plus	<b>54/108-236</b>	765mm	Foot
TN55, TN60A, TN65, TN70, TN70A, TN75, TN75A	<b>54/108-237</b>	640mm	Hand
TN55D (>C4860), TN55S (>C4860), TN65D (>C4860), TN65S (>C4860), TN70D (>C4860), TN70S (>C4860), TN75D (>C4860), TN75S (>C4860)	<b>54/108-238</b>	855mm	Hand

T4020 Deluxe, T4030 Deluxe, T4030 Deluxe (Japan), T4040 Deluxe, T4050 Deluxe TN55D (D4860>), TN55S (>D4860>), TN60DA, TN60SA, TN65D (D4860>), TN65S (D4860>), TN70D (D4860>), TN70DA, TN70S (D4860>), TN70SA, TN75D (D4860>), TN75DA, TN75S (D4860>), TN75SA, TN85DA, TN85SA, TN95DA	<b>54/108-239</b>	820mm	Hand
TN55D (>C4860), TN55S (>C4860), TN65D (>C4860), TN65S (>C4860), TN70D (>C4860), TN70S (>C4860), TN75D (>C4860), TN75S (>C4860)	<b>54/108-240</b>	1325mm	Foot
TN55D (D4860>), TN55S (>D4860>), TN60DA, TN60SA, TN65D (D4860>), TN65S (D4860>), TN70D (D4860>), TN70DA, TN70S (D4860>), TN70SA, TN75D (D4860>), TN75DA, TN75S (D4860>), TN75SA	<b>54/108-241</b>	1310mm	Foot
T4020V, T4020V Upgrade, T4030N, T4030N Upgrade, T4030V, T4030V Upgrade, T4040N, T4040N Upgrade, T4040V, T4040V Upgrade, T4050N, T4050N Upgrade, T4050V, T4050V Upgrade, T4060N Upgrade, T4060V Upgrade TN55V, TN60VA, TN65N, TN65V, TN70NA, TN70VA, TN75N, TN75NA, TN75V, TN75VA, TN95NA, TN95VA	<b>54/108-242</b>	735mm	Hand
TN55V (>C4679), TN65F (>C4679), TN65N (>C4679), TN65V (>C4679), TN75F (>C4679), TN75N (>C4679), TN75V (>C4679), TN90F (>C4679)	<b>54/108-243</b>	1320mm	Foot
TN55V (D4679>), TN60VA, TN65F (D4679>), TN65N (D4679>), TN65V (D4679>), TN70F, TN70NA, TN70VA, TN75F (D4679>), TN75FA, TN75N (D4679>), TN75NA, TN75V (D4679>), TN75VA, TN80F, TN85FA, TN90F (D4679>), TN95F, TN95FA, TN95NA, TN95VA	<b>54/108-244</b>	1320mm	Foot
TN65F (>C4679), TN75F (>C4679), TN90F (>C4679)	<b>54/108-245</b>	785mm	Hand
T4030F, T4030F Upgrade, T4040F, T4040F Upgrade, T4050F, T4050F Upgrade, T4060F Upgrade TN65F (D4679>), TN70F, TN75F (D4679>), TN75FA, TN80F, TN85FA, TN90F (D4679>), TN95F, TN95FA	<b>54/108-246</b>	735mm	Hand
TS80 (Less Cab), TS90 (Less Cab), TS90E, TS100, TS110, TS115 (With Cab), TS115E TS6000 (Intl.), TS6020 (Intl.), TS6030 (Intl.)	<b>54/108-81</b>	1774mm	Hand
TS90 (Brasil) (Less Cab), TS100 (Brasil), TS110 (Brasil), TS120 (Brasil) TS6000 (Brasil), TS6020 (Brasil), TS6030 (Brasil), TS6040 (Brasil)	<b>54/108-247</b>	1774mm	Hand
TS80 (Less Cab), TS90 (Less Cab), TS90E, TS100, TS100 (Brasil), TS110, TS110 (Brasil),	<b>54/108-208</b>	1050mm	Foot
TS115E (170078>), TS120 (Brasil)	<b>54/108-248</b>	1290mm	Foot
T6010, T6020, T6030, T6050, T6070 TM7010 (Brasil), TM7020 (Brasil), TM7030 (Brasil), TM7040 (Brasil) TS100A Delta, TS100A Plus/Deluxe, TS110A Delta, TS115 (With Cab), TS115A Delta, TS115A Plus/Deluxe, TS130A Delta TS6000 (Brasil) (With Cab), TS6020 (Brasil) (With Cab), TS6030 (Brasil) (With Cab), TS6040 (Brasil) (With Cab)	<b>54/108-73</b>	1290mm	Foot
8160, 8260, 8360, 8560 M100, M115, M135, M160 TM110 (Brasil), TM115, TM120, TM120 (Brasil), TM125, TM130, TM130 (Brasil), TM135, TM140, TM140 (Brasil), TM150, TM155, TM165	<b>54/108-249</b>	1490mm	Hand
TM135 (Brasil), TM150 (Brasil), TM165 (Brasil), TM180 (Brasil) TM7010 (Brasil), TM7020 (Brasil), TM7030 (Brasil), TM7040 (Brasil)	<b>54/108-250</b>	1485mm	Hand
8160, 8260, 8360, 8560 M100, M115, M135, M160 TM110 (Brasil), TM115, TM120, TM120 (Brasil), TM125, TM130, TM130 (Brasil), TM135, TM140, TM140 (Brasil), TM150, TM155, TM165, TM180 (Brasil)	<b>54/108-72</b>	1240mm	Foot
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	<b>54/108-254</b>	2117mm	Hand
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	<b>54/108-255</b>	908mm	Foot

## HYDRAULIC LIFT CABLE

Tractors	Bepco No.	Length	Type
4635, 4835, 5635, 6635, 7635 L60, L65, L75, L85, L95 T5030, T5040, T5050, T5060, T5070 (All with Cab) TL70A, TL80A, TL90A, TL100A (All with Cab) TL60 (Brasil), TL60E Exitus (Brasil), TL65 (Brasil), TL70 (Brasil), TL75 (Brasil), TL75E Exitus (Brasil), TL80 (Brasil), TL85 (Brasil), TL85E Exitus (Brasil), TL90 (Brasil), TL95 (Brasil), TL95E Exitus (Brasil), TL100 (Brasil)	<b>54/773-2</b>	2410mm	Lift
T5030, T5040, T5050, T5060, T5070 (All Less Cab) TL70, TL80, TL90, TL100 TL70A, TL80A, TL90A, TL100A (All Less Cab)	<b>54/773-17</b>	2395mm	Lift



### 3 CYLINDER ENGINES

Tractors	Engine	Injector Nozzles
3010S, 3435, 3935, 4135	8035.06	<b>54/117-90</b> <b>54/117-140</b>
3010S Emissionized engine (702576M>)	8035.06	<b>54/117-198</b>
3830 4030, 4635, L60	8035.06 8035.05	<b>54/117-91</b>
3830 4010S, 4030	8035.06 8035.05	<b>54/117-307</b>
TT50, TT55	8035.05 (TTF)	<b>54/117-360</b>
TD55D	8035.06	<b>54/117-198</b>
TN55, TN55D, TN55S, TN55V TD65D, TN65, TN65D, TN65N, TN65S, TN65V	8035.05	<b>54/117-200</b>
TD60	8035.05 (TTF Tier 1)	<b>54/117-198</b>
TD60, TD60D Plus	8035.05 (TTF Tier 2)	<b>54/117-360</b>
TD60, TD60D, TD60D Plus TN60A, TN60DA, TN60SA, TN60VA	8035.05 (FPT)	<b>54/117-199</b>
TL65 (Brasil)	8035.05	<b>54/117-91</b>
TD65B, TD65F (Tier 2), TT65, TT65D, TD70, TD70D Plus, TD75F (Tier 2), TT75, TD85F (Tier 2)	8035.25 (TTF)	<b>54/117-200</b>
TD70, TD70D, TD70D Plus, TN70, TN70A, TN70D, TN70DA, TN70NA, TN70S, TN70SA, TN70VA, TN75, TN75A, TN75D, TN75DA, TN75N, TN75NA, TN75S, TN75SA, TN75V, TN75VA	8035.25 (FPT)	

### 4 CYLINDER ENGINES

Tractors	Engine	Injector Nozzles
4230, 4835, 5010S, L65	8045.06	<b>54/117-90</b>
4230, 5010S	8045.06	<b>54/117-140</b>
4430, 5635, L75	8045.05	<b>54/117-91</b>
4430, 6635, L85	8045.05	<b>54/117-307</b>
7635, L95	8045.25K	<b>54/117-33</b>
4835 North America (D3833>) Emissionized engine	8045.06	<b>54/117-198</b>
5635, 6635, 7635 North America (D3833>) Emissionized engine	8045.05 8045.25 8045.25K	<b>54/117-200</b>
TN65F, TN70F, TN75F, TN80F	8045.05	
TL70 (>776978), TL70 (Brasil)	8045.06	<b>54/117-90</b>
TL70 (776979>) Emissionized engine, TD75D	8045.06	<b>54/117-198</b>
TN75FA, TN85FA	8045.05	<b>54/117-199</b>
TD80	8045.05 (TTF Tier 1)	<b>54/117-198</b>
TD80, TD80D Plus	8045.05 (TTF Tier 2)	<b>54/117-360</b>
TD80, TD80D, TD80D Plus, TD90D Plus	8045.05 (FPT)	<b>54/117-199</b>
TL80 (>776978), TL80 (Brasil)	8045.05	<b>54/117-91</b>
TL80 (776979>) Emissionized engine, TD85D	8045.05	<b>54/117-200</b>
TD90, TD90D Plus, TD95, TD95D Plus	8045.25 (TTF)	

TD90, TD90D, TD95, TD95D, TD95D Plus	8045.25 (FPT)	<b>54/117-200</b>
TL90 (>776978), TL90 (Brasil)	8045.25	<b>54/117-307</b>
TL100 (>776978), TL100 (Brasil)	8045.25K	<b>54/117-33</b>
TL90 (776979>) Emissionized engine TN90F, TN95F, TN95FA, TN95NA, TN95VA TL100 (776979>) Emissionized engine	8045.25 8045.25K	<b>54/117-200</b>
TS80	PowerStar 450	<b>54/117-362</b>
TS90, TS90 (Brasil) TS100 (Brasil) Non-emissionized engine	PowerStar 450	<b>54/117-315</b>
TS90E	PowerStar 450	<b>54/117-361</b>
TS100, TS100E (Brasil) Emissionized engine TS110, TS110 (Brasil)	PowerStar 450T	<b>54/117-317</b>

## 6 CYLINDER ENGINES

Tractors	Engine	Injector Nozzles
8160, 8360, 8560 M100, M135, M160	PowerStar 675 & 675T	<b>54/117-207</b>
8260 M115	PowerStar 675	<b>54/117-208</b>
8670 & 8770 (>12/95) G170 & G190 (>12/95)	Genesis CPP 675T & 675TA	<b>54/117-295B</b>
8670 & 8770 (01/96>) 8670A, 8770A G170 & G190 (01/96>)	Genesis CPP 675T & 675TA	<b>54/117-296B</b>
8870, 8770A, 8970, 8970A G210, G240	Genesis CPP 675TA	<b>54/117-299B</b>
TM115, TM120 (Brasil), TM125, TM135, TM150, TM165	PowerStar 675 & 675T	<b>54/117-207</b>
TM110 (Brasil), TM130 (Brasil), TM135 (Brasil), TM140 (Brasil), TM150 (Brasil), TM165 (Brasil), TM180 (Brasil), TV140	PowerStar 675 & 675T	<b>54/117-208</b>
TM120, TM130, TM140, TM155 TM175 (>C4874), TM190 (>C4874)	PowerStar 675TA	<b>54/117-209</b>
TM175 (D4874>), TM190 (D4874>)	PowerStar 675TA	<b>54/117-210</b>
TS115	PowerStar 675	<b>54/117-316</b>
TS115E TS120 (Brasil)	PowerStar 675	<b>54/117-361</b>
TS120 (Brasil)	PowerStar 675	<b>54/117-317</b>

## INJECTOR SEAL & WASHERS

Tractors	Engine	injektor washer	injector seal
All, 60', 70', 70A', G', M', TM', TS' Series, TV140	4 & 6 cylinder PowerStar Genesis CPP	<b>54/118-6</b>	<b>54/119-7</b>

### 3 CYLINDER ENGINES

Tractors	Engine	Fuel shut-off Solenoids
3010S, 3435, 3830, 3935, 4010S, 4135 (Delphi-CAV pump)	8035.06 8035.05	<b>54/7101-2</b>
3435, 3830, 3935, 4010S, 4030, 4135 (Bosch pump)	8035.06 8035.05	<b>54/7101-31</b>
4635, L60, TL65 (Brasil)	8035.05	
3830 (Bosch pump 500324954)	8035.06	<b>54/7101-17</b>
TN55, TN55D, TN55S, TN55V TN65, TN65D, TN65N, TN65S, TN65V TN70, TN70D, TN70S, TN75, TN75D, TN75N, TN75S, TN75V	8035.05 8035.25	
TD60, TD60D, TD60D Plus, TN60A, TN60DA, TN60SA, TN60VA, TD70, TD70D, TD70D Plus, TN70A, TN70DA, TN70NA, TN70SA, TN70VA, TN75A, TN75DA, TN75NA, TN75SA, TN75VA	8035.05 (FPT) 8035.25	

### 4 CYLINDER ENGINES

Tractors	Engine	Fuel shut-off Solenoids
4230, 4430, 5010S (Delphi-CAV pump)	8045.06 8045.05	<b>54/7101-2</b>
4230, 4430 (Bosch pump)	8045.06 8045.05	<b>54/7101-31</b>
4835, L65	8045.06	
4835 North America (D3833>) Emissionized engine 5635, 6635, 7635, L75, L85, L95	8045.06 8045.05	<b>54/7101-17</b>
TN65F, TN70F, TN75F, TN80F	8045.05	
TL70 (>776978), TL70 (Brasil)	8045.06	<b>54/7101-31</b>
TL70 (776979>) Emissionized engine, TD75D	8045.06	<b>54/7101-17</b>
TD80, TD80D, TD80D Plus, TD85D	8045.05 (FPT)	
TL80, TL80 (Brasil) TL90, TL90 (Brasil), TN90F, TN95F TL100, TL100 (Brasil)	8045.05 8045.25	
TD95, TD95D, TD95D Plus	8045.25 (FPT)	<b>54/7101-4</b>
TS80, TS90, TS90 (Brasil), TS90E, TS100, TS100 (Brasil), TS100E (Brasil), TS110 (Brasil)	PowerStar 450 & 450T	<b>54/7101-2</b>

### 6 CYLINDER ENGINES

Tractors	Engine	Fuel shut-off Solenoids
8160, 8260, 8360, 8560 M100, M115, M135, M160	PowerStar 675 & 675T	<b>54/7101-31</b>
8670, 8670A, 8770, 8770A G170, G190	Genesis CPP 675T & 675TA	<b>54/7101-44</b>
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA	<b>54/7101-45</b>
TM110 (Brasil), TM115, TM120 (Brasil), TM125, TM130 (Brasil), TM135, TM135 (Brasil), TM140 (Brasil), TM150, TM150 (Brasil), TM165, TM165 (Brasil), TM180 (Brasil), TV140	PowerStar 675 & 675T	<b>54/7101-31</b>
TM120, TM130, TM140, TM155, TM175, TM190	PowerStar 675TA	<b>54/7101-40</b>
TS115, TS115E, TS120 (Brasil)	PowerStar 675	<b>54/7101-2</b>



## OUR PEOPLE & OUR SERVICE

Our long standing customer relationships and industry reputation have been built on the personal service and knowledge of the Bepco staff at local and central level.

We have a dedicated technical support team who provide technical assistance, support and guidance over the phone and also in the field to assist customers and provide the required information.

Many of our technical and internal staff were trained or worked at OEMs or franchised dealers so we know the machines inside out.

In addition we offer technical data sheets, service bulletins, health and safety information and product training as well as assistance with retailing concepts.



# SECTION 8

## Engine Cooling

### Overview

Alternator Belts	67-69
Belt Tensioner	70
Belts	67-70
Bottom Hose	71-74
Compressor Belts	67-69
Cooling Tank Cap	71-74
Fan Belts	67-69
Gasket	62-63
Inlet Pipe	62-63
Lower Rigid Tube	75-76
Outlet Pipe	62-63
Radiator	71-74
Radiator Cap	71-74
Ribbed Fan Belt	70
Seals	62-63
Temperature Sender Unit	77-78
Thermostat	65-66
Thermostat Cover	65-66
Thermostat Gasket	65-66
Thermostat Seal	65-66
Top Hose	71-74
Water Pump	62-64
Water Pump Repair Kit	62-64

### 3 CYLINDER ENGINES

Tractors	Engine	Water Pump	Water Pump Repair Kit	Inlet Pipe	Seals	Outlet Pipe	Gasket
3010S Non-emissionized engine 3435 (>C3540), 3830 (>C3540), 3935 (>C3540) 4010S, 4030 (>C3540), 4135 (>C3540)	8035.06 8035.05	<b>54/130-134</b>	<b>54/131-76</b>	<b>54/6002-14</b>	<b>54/6802-1</b> Upper seal <b>54/6802-2</b> Lower seal		
3010S Emissionized engine 3435 (D3540>), 3830 (D3540>), 3935 (D3540>) 4030 (D3540>), 4135 (D3540>) 4635, L60	8035.06 8035.05	<b>54/130-138</b>	<b>54/131-138</b>	<b>54/6002-138</b>	<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-5</b>	<b>54/6804-1</b>
TD55D TN55, TN55D, TN55S TD65D, TL65 (Brasil) TN65, TN65D, TN65S	8035.06 8035.05						
TN55V TN60VA TN65N, TN65V	8035.05	<b>54/6002-30</b>					
TT50, TT55 TD60, TD60D Plus	8035.05 (TTF)	<b>54/6002-31</b>					
TD60, TD60D TN60A	8035.05 (FPT)						
TD60D Plus TN60DA, TN60SA	8035.05 (FPT)	<b>54/6002-5</b>					
TD65B, TD65F (Tier 2), TT65, TT65D TD70D, TD70D Plus TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25 (TTF)	<b>54/130-380</b>		<b>54/6002-138</b>	<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-31</b>	
TD70, TD70D	8035.25 (FPT)						
TD70D Plus	8035.25 (FPT)			<b>54/6002-139</b>	<b>54/6803-2</b> Upper & Lower seal	<b>54/6002-5</b>	
TN70, TN70D, TN70S TN75, TN75D, TN75S	8035.25	<b>54/130-138</b>			<b>54/6803-1</b> Upper seal		
TN75N, TN75V	8035.25		<b>54/6002-138</b>	<b>54/6803-2</b> Lower seal	<b>54/6002-30</b>		
TN70A, TN75A	8035.25			<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-5</b>		
TN70DA, TN70SA TN75DA, TN75SA	8035.25	<b>54/130-380</b>	<b>54/6002-139</b>	<b>54/6803-2</b> Upper & Lower seal			
TN70NA, TN70VA TN75NA, TN75VA	8035.25		<b>54/6002-138</b>	<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-30</b>		

## 4 CYLINDER ENGINES

Tractors	Engine	Water Pump	Water Pump Repair Kit	Inlet Pipe	Seals	Outlet Pipe	Gasket
4230 (>C3540) 4430 (>C3540) 5010S	8045.06 8045.05	<b>54/130-134</b>	<b>54/131-176</b>	<b>54/6002-14</b>	<b>54/6802-1</b> Upper seal <b>54/6802-2</b> Lower seal		
4230 (D3540>) 4430 (D3540>) 4835, L65 5635, L75	8045.06 8045.05	<b>54/130-138</b>	<b>54/131-138</b>	<b>54/6002-138</b>	<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-5</b>	<b>54/6804-1</b>
6635, L85 7635, L95	8045.25 8045.25K						
TN65F TN70F TN75F	8045.05						
TL70, TL70 (Brasil) TD75D	8045.06						
TN75FA	8045.05						
TD80, TD80 Plus	8045.05 (TTF)	<b>54/130-380</b>		<b>54/6002-139</b>	<b>54/6803-2</b> Upper & Lower seal	<b>54/6002-5</b>	
TD80, TD80D	8045.05 (FPT)						
TD80D Plus	8045.05 (FPT)						
TL80, TL80 (Brasil), TN80F TD85D	8045.05						
TN85FA	8045.25						
TD90, TD90D Plus TD95, TD95D Plus	8045.25 (TTF)	<b>54/130-380</b>	<b>54/6002-138</b>	<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-31</b>		
TD90, TD90D TD95, TD95D (Tier II)	8045.25 (FPT)						
TD90D Plus TD95D Plus	8045.25 (FPT)						
TL90, TL90 (Brasil), TN90F TD95D (Tier I), TN95F	8045.25						
TN95FA	8045.25						
TN95NA, TN95VA TL100, TL100 (Brasil)	8045.25 8045.25K	<b>54/130-138</b>		<b>54/6803-1</b> Upper seal <b>54/6803-2</b> Lower seal	<b>54/6002-30</b>		
TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/130-92</b>	<b>54/131-92</b>	-	-	-	-
TS100, TS100 (Brasil) TS110, TS110 (Brasil)	PowerStar 450T	<b>54/130-93</b>	<b>54/131-93</b>	-	-	-	-

## 6 CYLINDER ENGINES

Tractors	Engine	Water Pump	Water Pump Repair Kit	Inlet Pipe	Seals	Outlet Pipe	Gasket
8160, 8260 M100, M115	PowerStar 675	<b>54/130-239</b>	<b>54/130-373</b>	-	-	-	-
8360, 8560 M135, M160	PowerStar 675T	<b>54/130-240</b>		-	-	-	-
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>54/130-168</b>	<b>54/131-168</b>	-	-	-	-
TM110 (Brasil), TM120 (Brasil) TM115, TM125, TM135	PowerStar 675 & 675T	<b>54/130-239</b>	<b>54/130-373</b>	-	-	-	-
TM130 (Brasil), TM140 (Brasil) TM150, TM165	PowerStar 675 & 675T	<b>54/130-240</b>		-	-	-	-
TM135 (Brasil)	PowerStar 675T	<b>54/130-242</b>		-	-	-	-
TM150 (Brasil), TM165 (Brasil), TM180 (Brasil)	PowerStar 675T	<b>54/130-243</b>		-	-	-	-
TM120, TM130	PowerStar 675TA	<b>54/130-236</b>	<b>54/130-372</b>	-	-	-	-
TM140, TM155, TM175, TM190	PowerStar 675TA	<b>54/130-237</b>		-	-	-	-
TS115, TS115E TS120 (Brasil)	PowerStar 675	<b>54/130-93</b>	<b>54/131-93</b>	-	-	-	-
TV140	PowerStar 675T	<b>54/130-240</b>	<b>54/130-373</b>	-	-	-	-



### 3 CYLINDER ENGINES

Tractors	Engine	Thermostat	Thermostat Seal	Thermostat Gasket	Thermostat Cover
3010S 3435, 3830, 3935 4010S, 4030, 4135	8035.06 8035.05	<b>54/143-29</b>	<b>54/147-6</b>	<b>54/147-72</b>	<b>54/149-5</b>
4635 L60	8035.05			<b>54/147-73</b>	-
TT50, TT55	8035.05			<b>54/147-72</b>	<b>54/149-5</b>
TD55D TD65D	8035.06 8035.05			<b>54/147-73</b>	-
TD55D TD65D With air conditioning	8035.06 8035.05			<b>54/147-72</b>	<b>54/149-5</b>
TN55, TN55D, TN55S, TN55V TN65, TN65D, TN65N, TN65S, TN65V	8035.05			<b>54/147-73</b>	-
TD60, TD60D, TD60D Plus	8035.05			<b>54/147-72</b>	<b>54/149-5</b>
TD60D (>C5834), TD60D Plus (TTF) With air conditioning	8035.05			<b>54/147-73</b>	-
TN60A, TN60DA, TN60SA, TN60VA TL65 (Brasil)	8035.05			<b>54/147-72</b>	<b>54/149-5</b>
TD65B, TD65F (Tier 2) TT65, TT65D	8035.25			<b>54/147-73</b>	-
TD70, TD70D, TD70D Plus	8035.25			<b>54/147-72</b>	<b>54/149-5</b>
TD70D (>C5834), TD70D (TTF) Plus With air conditioning	8035.25			<b>54/147-73</b>	-
TN70, TN70A, TN70D, TN70DA, TN70NA, TN70S, TN70SA, TN70VA	8035.25			<b>54/147-72</b>	<b>54/149-5</b>
TN75, TN75A, TN75D, TN75DA, TN75N, TN75NA, TN75S, TN75SA, TN75V, TN75VA	8035.25				
TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25				

### 4 CYLINDER ENGINES

Tractors	Engine	Thermostat	Thermostat Seal	Thermostat Gasket	Thermostat Cover
4230, 4430 5010S	8045.06 8045.05	<b>54/143-29</b>	<b>54/147-6</b>	<b>54/147-72</b>	<b>54/149-5</b>
4835, L65 5635, L75	8045.06 8045.05			<b>54/147-73</b>	-
6635, L85 7635, L95	8045.25 8045.25K			<b>54/147-72</b>	<b>54/149-5</b>
TN65F TN70F	8045.05			<b>54/147-73</b>	-
TL70, TL70 (Brasil)	8045.06			<b>54/147-72</b>	<b>54/149-5</b>
TD75D	8045.06			<b>54/147-73</b>	-
TD75D With air conditioning	8045.06			<b>54/147-72</b>	<b>54/149-5</b>
TN75F, TN75FA TN80F	8045.05			<b>54/147-73</b>	-
TD80, TD80D, TD80 Plus TD85D	8045.05			<b>54/147-72</b>	<b>54/149-5</b>
TD80D (>C5834), TD80 Plus (TTF) TD85D With air conditioning	8045.05			<b>54/147-73</b>	-
TL80, TL80 (Brasil)	8045.05				

TN85FA	8045.25			<b>54/147-72</b>	<b>54/149-5</b>				
TD90, TD90D, TD90D Plus TD95, TD95D, TD95D Plus	8045.25								
TD90 (TTF Tier 1), TD90D (>C5834), TD90D Plus (TTF) TD95 (TTF Tier 1), TD95D (>C5834), TD95D Plus (TTF) With air conditioning	8045.25					<b>54/143-29</b>	<b>54/147-6</b>	<b>54/147-73</b>	-
TL90, TL90 (Brasil)	8045.25								-
TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25							<b>54/147-72</b>	<b>54/149-5</b>
TL100, TL100 (Brasil)	8045.25K							<b>54/147-73</b>	-
TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/143-19</b>	-	<b>54/147-8</b>	-				
TS100, TS100 (Brasil), TS100E (Brasil) TS110, TS110 (Brasil)	PowerStar 450T		-		-				

## 6 CYLINDER ENGINES

Tractors	Engine	Thermostat	Thermostat Seal	Thermostat Gasket	Thermostat Cover
8160, 8260, 8360, 8560 M100, M115, M135, M160	PowerStar 675 & 675T	<b>54/143-19</b> (2 required)	-	<b>54/147-9</b>	-
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis 675T & 675TA		-		
TM110 (Brasil), TM115, TM120, TM120 (Bra- sil), TM125, TM130, TM130 (Brasil), TM135, TM135 (Brasil), TM140, TM140 (Brasil), TM150, TM150 (Brasil), TM155, TM165, TM165 (Brasil), TM175, TM180 (Brasil), TM190	PowerStar 675, 675T & 675TA		-		
TS115, TS115E TS120 (Brasil)	PowerStar 675		-		
TV140	PowerStar 675T		-		

### 3 CYLINDER ENGINES

Tractors	Engine	Standard Fan Belt	With Air Conditioning		
			Alternator Belt	Fan Belt	Compressor Belt
3435, 3830, 3935 4030	8035.06 8035.05	<b>54/144-901</b>	-	-	-
3010S, 3830 (NA) 4010S, 4135	8035.06 8035.05	<b>54/144-170</b>	-	-	-
4030 (NA)	8035.05		<b>54/144-170</b>		<b>54/144-914</b>
4635 L60	8035.05	<b>54/144-174</b>	<b>54/144-170</b>	<b>54/144-172</b>	<b>54/144-417</b>
TT50, TT55	8035.05	<b>54/144-169</b>	-	-	-
TD55D	8035.06	<b>54/144-170</b>	<b>54/144-903 (A)</b>	<b>54/144-171</b>	<b>54/144-417</b>
TN55, TN65	8035.05	<b>54/144-174</b>	-	-	-
TN55D, TN55S TN65D, TN65S	8035.05		<b>54/144-176 (A)</b> 1150mm <b>54/144-906 (A)</b> 1175mm		<b>54/144-419</b>
TN55V TN65N, TN65V	8035.05	<b>54/144-902 (A)</b>	<b>54/144-907 (A)</b>		<b>54/144-916</b>
TD60	8035.05 (TTF)	<b>54/144-169</b>	-	-	-
TD60	8035.05 (FPT)	<b>54/144-174</b>	-	-	-
TD60D	8035.05 (FPT)		<b>54/144-903 (A)</b>	<b>54/144-171</b> 1060mm <b>54/144-172</b> 1075mm	<b>54/144-417</b>
TD60D Plus	8035.05 (TTF)	<b>54/144-903 (A)</b>			
TD60D Plus	8035.05 (FPT)	<b>54/144-170</b> 1150mm <b>54/144-175</b> 1175mm	<b>54/144-169</b> (>C5661) <b>54/144-903 (A)</b> (D5661>)		
TN60A	8035.05	<b>54/144-174</b>	-	-	-
TN60DA, TN60SA	8035.05		<b>54/144-176 (A)</b> 1150mm <b>54/144-906 (A)</b> 1175mm		<b>54/144-419</b>
TN60VA	8035.05	<b>54/144-904 (A)</b>	<b>54/144-907 (A)</b>		<b>54/144-916</b>
TL65 (Brasil)	8035.05	<b>54/144-174</b>	-	-	-
TD65D	8035.05	<b>54/144-170</b>	<b>54/144-903 (A)</b>	<b>54/144-171</b>	<b>54/144-417</b>
TD65B TT65D	8035.25	<b>54/144-905</b>	-	-	-
TD65F (Tier 2), TT65 TD75F (Tier 2), TT75 TD85F (Tier 2)	8035.25	<b>54/144-169</b>	-	-	-
TD70	8035.25 (TTF)		-	-	-
TD70	8035.25 (FPT)	<b>54/144-174</b>	-	-	-
TD70D	8035.25 (FPT)		<b>54/144-903 (A)</b>	<b>54/144-171</b> 1060mm <b>54/144-172</b> 1075mm	<b>54/144-417</b>
TD70D Plus	8035.25 (TTF)	<b>54/144-903 (A)</b>			
TD70D Plus	8035.25 (FPT)	<b>54/144-170</b> 1150mm <b>54/144-175</b> 1175mm	<b>54/144-169</b> (>C5661) <b>54/144-903 (A)</b> (D5661>)		

Note references with (A) = matched pair of cogged belts

TN70, TN70A TN75, TN75A	8035.25		-	-	-
TN70D, TN70DA, TN70S, TN70SA TN75D, TN75DA, TN75S, TN75SA	8035.25	<b>54/144-174</b>	<b>54/144-176 (A)</b> 1150mm <b>54/144-906 (A)</b> 1175mm		<b>54/144-419</b>
TN75N, TN75V	8035.25	<b>54/144-902 (A)</b>	<b>54/144-907 (A)</b>		<b>54/144-916</b>
TN70NA, TN70VA TN75NA, TN75VA	8035.25	<b>54/144-904 (A)</b>			

## 4 CYLINDER ENGINES

Tractors	Engine	Standard Fan Belt	With Air Conditioning		
			Alternator Belt	Fan Belt	Compressor Belt
4230 4430	8045.06 8045.05	<b>54/144-170</b>	<b>54/144-170</b>		<b>54/144-914</b>
5010S	8045.06		-	-	-
4835, 5635, 6635, 7635 L65, L75, L85, L95	8045.06	<b>54/144-174</b>	<b>54/144-170</b>	<b>54/144-172</b>	<b>54/144-417</b>
TL70	8045.06	<b>54/144-174</b> <b>54/144-175</b> with 85A Alt.	<b>54/144-901</b> (>1193076) 1133mm <b>54/144-170</b> (1193077>) 1150mm		
TL70 (Brasil)	8045.06	<b>54/144-174</b>	<b>54/144-170</b>		
TD75D	8045.06	<b>54/144-170</b>	<b>54/144-903 (A)</b>		<b>54/144-417</b>
TN65F TN70F, TN75F TN80F	8045.05	<b>54/144-174</b>	<b>54/144-176 (A)</b> 1150mm <b>54/144-906 (A)</b> 1175mm		<b>54/144-419</b>
TN75FA	8045.05	<b>54/144-174</b> 1184mm <b>54/144-906 (A)</b> 1175mm			
TD80	8045.05 (TTF)	<b>54/144-169</b>	-	-	-
TD80	8045.05 (FPT)	<b>54/144-175</b>	-	-	-
TD80D	8045.05 (FPT)		<b>54/144-903 (A)</b>		
TD80D Plus	8045.05 (TTF)	<b>54/144-903 (A)</b>	<b>54/144-169</b> (>C5661)	<b>54/144-171</b> 1060mm	<b>54/144-417</b>
TD80D Plus	8045.05 (FPT)	<b>54/144-170</b> 1150mm <b>54/144-175</b> 1175mm	<b>54/144-903 (A)</b> (D5661>)	<b>54/144-172</b> 1075mm	
TL80	8045.05	<b>54/144-174</b> <b>54/144-175</b> with 85A Alt.	<b>54/144-901</b> (>1193076) 1133mm <b>54/144-170</b> (1193077>) 1150mm	<b>54/144-172</b>	<b>54/144-417</b>

Note references with (A) = matched pair of cogged belts

TL80 (Brasil)	8045.05	<b>54/144-174</b>	<b>54/144-170</b>	<b>54/144-172</b>	<b>54/144-417</b> (>306840) 10x 1025mm <b>54/144-917</b> (306841>) 13x 1000mm
TD85D	8045.05	<b>54/144-170</b>	<b>54/144-903 (A)</b>		<b>54/144-417</b>
TD90 TD95	8045.25 (TTF)	<b>54/144-169</b>	-	-	-
TD90 TD95	8045.25 (FPT)	<b>54/144-175</b>	-	-	-
TD90D	8045.25 (FPT)		<b>54/144-903 (A)</b>		
TD90D Plus TD95D Plus	8045.25 (TTF)	<b>54/144-903 (A)</b>	<b>54/144-169</b> (>C5661)	<b>54/144-171</b> 1060mm	<b>54/144-417</b>
TD90D Plus TD95D Plus	8045.25 (FPT)	<b>54/144-170</b> 1150mm <b>54/144-175</b> 1175mm	<b>54/144-903 (A)</b> (D5661>)	<b>54/144-172</b> 1075mm	
TD95D	8045.25 (FPT)	<b>54/144-175</b>	<b>54/144-903 (A)</b>		<b>54/144-417</b> (>HFJ006816) 10x 1025mm <b>54/144-171</b> (HFJ006817>) 13x 1000mm
TL90	8045.25	<b>54/144-174</b> <b>54/144-175</b> with 85A Alt.	<b>54/144-901</b> (>1193076) 1133mm <b>54/144-170</b> (1193077>) 1150mm	<b>54/144-172</b>	<b>54/144-418</b>
TL90 (Brasil)	8045.25	<b>54/144-174</b>	<b>54/144-170</b>		<b>54/144-418</b> (>306840) 10x 960mm <b>54/144-917</b> (306841>) 13x 1000mm
TN90F TN95F	8045.25			<b>54/144-176 (A)</b> 1150mm <b>54/144-906 (A)</b> 1175mm	
TN85FA TN95FA	8045.25	<b>54/144-174</b> 1184mm <b>54/144-906 (A)</b> 1175mm	<b>54/144-906 (A)</b> 1175mm		
TN95NA, TN95VA	8045.25	<b>54/144-907 (A)</b>	<b>54/144-904 (A)</b>		<b>54/144-916</b>
TL100	8045.25K	<b>54/144-174</b> <b>54/144-175</b> with 85A Alt.	<b>54/144-901</b> (>1193076) 1033mm <b>54/144-170</b> (1193077>) 1150mm	<b>54/144-172</b>	<b>54/144-418</b>
TL100 (Brasil)	8045.25K	<b>54/144-174</b>	<b>54/144-170</b>		<b>54/144-418</b> (>306840) 10x 960mm <b>54/144-917</b> (306841>) 13x 1000mm

Note references with (A) = matched pair of cogged belts

## 4 CYLINDER ENGINES

Tractors	Engine	Ribbed Fan Belt			Belt Tensioner
TS80 TS90, TS90E	PowerStar 450	<b>54/144-58</b> L/AC	-	-	<b>54/135-16</b>
TS90E	PowerStar 450			-	
TS90 (Brasil)	PowerStar 450	<b>54/144-56</b> L/AC		-	
TS100	PowerStar 450T	<b>54/144-58</b> L/Cab	<b>54/144-57</b> W/AC	<b>54/144-56</b> Switz L/Cab W/Platform	
TS100 (Brasil), TS100E (Brasil) TS110 TS110 (Brasil)	PowerStar 450T	<b>54/144-56</b> L/AC			

## 6 CYLINDER ENGINES

Tractors	Engine	Ribbed Fan Belt			Belt Tensioner
8160, 8260, 8360, 8560 M100, M115, M135, M160	PowerStar 675 & 675T	<b>54/144-383</b> L/AC	<b>54/144-384</b> W/AC	<b>54/144-911</b> 4PK813 Trailer Air brakes	<b>54/135-15</b>
				<b>54/144-912</b> 4PK885 Trailer Air brakes	
8670, 8770, 8870, 8970 8670A, 8770A, 8870A, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>54/144-429</b>	<b>54/144-908</b> W/Air brakes	-	<b>54/135-429</b>
TM110 (Brasil), TM120 (Brasil), TM130 (Brasi) TM135 (Brasil), TM140 (Brasil), TM150 (Brasil) TM165 (Brasil), TM180 (Brasil)	PowerStar 675 & 675T	<b>54/144-383</b> L/AC	<b>54/144-384</b> W/AC	-	<b>54/135-15</b>
TM115, TM125, TM135, TM150, TM165	PowerStar 675 & 675T			<b>54/144-911</b> Trailer Air brakes	
TM120, TM130, TM140, TM155, TM175, TM190	PowerStar 675TA	<b>54/144-181</b>	<b>54/144-428</b> Trailer Air brakes	-	
TS115, TS115E TS120 (Brasil)	PowerStar 675	<b>54/144-56</b> L/AC	<b>54/144-57</b> W/AC	-	<b>54/135-16</b>
TV140	PowerStar 675T	<b>54/144-384</b> 1952mm	<b>54/144-909</b> 1940mm	-	<b>54/135-15</b>

### 3 CYLINDER ENGINES

Tractors	Engine	Radiator	Radiator Cap	Cooling Tank Cap	Top Hose	Bottom Hose	
3010S 4010S	8035.06 8035.05	<b>54/150-280</b>	<b>54/151-23</b>	-	<b>54/153-169</b>	<b>54/154-169</b>	
3435, 3935 4135	8035.06	<b>54/150-47E</b>	<b>54/151-6</b>	-	<b>54/153-340</b>		
3830	8035.06	<b>54/150-281</b>		-	<b>54/153-341</b>	<b>54/154-281</b>	
4030	8035.05	<b>54/150-47E</b>		-	<b>54/153-342</b>	<b>54/154-169</b>	
4635 L60	8035.05	<b>54/150-257</b>		<b>54/151-257</b>	<b>54/153-257</b>		
TT50 TT55	8035.05	<b>54/150-282</b>		-	<b>54/153-284</b>	<b>54/154-282</b>	
TN55, TN55D, TN55S	8035.05	<b>54/150-284</b>		-	<b>54/153-185</b>	<b>54/154-169</b>	
TN55V	8035.05	<b>54/150-270</b>		-			
TD60	8035.05	<b>54/150-284</b>		<b>54/151-257</b>	<b>54/153-284</b>	<b>54/154-283</b>	
TD55D TD60D TD65D	8035.06 8035.05	<b>54/150-283</b> <b>54/150-285</b> with A/C		<b>54/151-6</b> (>C6295) <b>54/151-7</b> (D6295>)	-	<b>54/153-169</b> <b>54/153-285</b> with A/C	<b>54/154-283</b> (>C6045) <b>54/154-282</b> <b>54/154-285</b> (D6045>)
TD60D Plus	8035.05	<b>54/150-283</b>		-	<b>54/153-169</b> (>C6050) <b>54/153-283</b> (D6050>)		
TD60D Plus (VAR. 641) Air Conditioning Unit	8035.05	<b>54/150-285</b>	<b>54/151-7</b>	<b>54/153-184</b>			
TD60D Plus (VAR. 958) Air Conditioning Unit	8035.05		<b>54/151-257</b>	<b>54/153-184</b> (>C5834) <b>54/153-285</b> (D5834>)			
TL65 (Brasil)	8035.05	<b>54/150-286</b>	<b>54/151-23</b>	<b>54/153-257</b>	<b>54/154-169</b>		
TN60A TN65, TN65D, TN65S	8035.05	<b>54/150-284</b>	<b>54/151-6</b>	-			
TN60VA TN65N, TN65V	8035.05	<b>54/150-270</b>		-		<b>54/153-185</b>	
TN60DA, TN60SA	8035.05	<b>54/150-284</b> <b>54/150-270</b> with A/C		-			
TD65B TT65D	8035.25	<b>54/150-287</b>		<b>54/151-7</b>	-	<b>54/153-169</b>	<b>54/154-283</b>
TD65F (Tier 2)	8035.25	<b>54/150-288</b>	<b>54/151-6</b>	<b>54/151-257</b>	<b>54/153-288</b>	<b>54/154-282</b> <b>54/154-285</b>	
TT65	8035.25	<b>54/150-282</b>		-	<b>54/153-284</b>	<b>54/154-282</b>	
TD70	8035.25	<b>54/150-284</b>		<b>54/151-257</b>		<b>54/154-283</b>	
TD70D	8035.25	<b>54/150-283</b> <b>54/150-285</b> with A/C	<b>54/151-6</b> (>C6295) <b>54/151-7</b> (D6295>)	-	<b>54/153-169</b> <b>54/153-285</b> with A/C	<b>54/154-283</b> (>C6045) <b>54/154-282</b> <b>54/154-285</b> (D6045>)	
TD70D Plus	8035.25	<b>54/150-283</b>	<b>54/151-7</b>	-	<b>54/153-169</b> (>C6050) <b>54/153-283</b> (D6050>)		
TD70D Plus (VAR. 641) Air Conditioning Unit	8035.25	<b>54/150-285</b>		<b>54/151-257</b>	<b>54/153-184</b> (>C5834) <b>54/153-285</b> (D5834>)		
TD70D Plus (VAR. 958) Air Conditioning Unit	8035.25						

TN70, TN70A TN75, TN75A	8035.25	<b>54/150-284</b>	<b>54/151-6</b>	<b>54/151-257</b>	<b>54/153-185</b>	<b>54/154-169</b>
TN70D, TN70DA, TN70S, TN70SA TN75D, TN75DA, TN75S, TN75SA	8035.25	<b>54/150-284</b> <b>54/150-270</b> with A/C				
TN70NA, TN70VA TN75N, TN75NA, TN75V, TN75VA	8035.25	<b>54/150-270</b>				
TD75F (Tier 2) TD85F (Tier 2)	8035.25	<b>54/150-288</b>			<b>54/153-288</b>	<b>54/154-282</b> <b>54/154-285</b>
TT75	8035.25	<b>54/150-292</b>			-	<b>54/153-284</b>

## 4 CYLINDER ENGINES

Tractors	Engine	Radiator	Radiator Cap	Cooling Tank Cap	Top Hose	Bottom Hose
4230 4430	8045.06 8045.05	<b>54/150-289</b>	<b>54/151-6</b>	-	<b>54/153-342</b>	<b>54/154-169</b> <b>54/154-289</b>
4835, L65	8045.06	<b>54/150-257</b>		<b>54/151-257</b>	<b>54/153-183</b>	
5010S	8045.06	<b>54/150-280</b>	<b>54/151-23</b>	-	<b>54/153-169</b>	<b>54/154-169</b>
5635, L75	8045.05	<b>54/150-256</b>	<b>54/151-6</b>	<b>54/151-257</b>	<b>54/153-183</b>	
6635, L85 7635, L95	8045.25 8045.25K			-	<b>54/153-185</b>	
TN65F TN70F	8045.05	<b>54/150-284</b>		<b>54/151-257</b>	<b>54/153-183</b>	
TL70	8045.06	<b>54/150-257</b>		-	<b>54/153-185</b>	
TL70 (Brasil)	8045.06	<b>54/150-286</b>	<b>54/151-23</b>	<b>54/151-257</b>	<b>54/153-183</b>	
TN75F TN80F	8045.05	<b>54/150-270</b>	<b>54/151-6</b>	-	<b>54/153-185</b>	
TN75FA	8045.05	<b>54/150-284</b>	-	-		
TD75D TD80D TD85D	8045.06 8045.05	<b>54/150-290</b> <b>54/150-285</b> with A/C	<b>54/151-6</b> (>C6295) <b>54/151-7</b> (D6295>)	-	<b>54/153-169</b> <b>54/153-285</b> with A/C	<b>54/154-283</b> (>C6045) <b>54/154-282</b> <b>54/154-285</b> (D6045>)
TD80	8045.05	<b>54/150-270</b>	<b>54/151-6</b>	<b>54/151-257</b>	<b>54/153-284</b>	
TD80D Plus	8045.05	<b>54/150-290</b>	<b>54/151-7</b>	-	<b>54/153-169</b> (>C6050) <b>54/153-283</b> (D6050>)	
TD80D Plus (VAR. 641) Air Conditioning Unit	8045.05	<b>54/150-285</b>		<b>54/153-184</b>		
TD80D Plus (VAR. 958) Air Conditioning Unit	8045.05			<b>54/153-184</b> (>C5834) <b>54/153-285</b> (D5834>)		
TL80	8045.05	<b>54/150-256</b>		<b>54/151-6</b>	<b>54/151-257</b>	
TL80 (Brasil)	8045.05	<b>54/150-286</b>	<b>54/151-23</b>	-	<b>54/153-284</b>	
TD90 TD95	8045.25	<b>54/150-270</b>	<b>54/151-6</b>	-	<b>54/153-169</b> <b>54/153-285</b> with A/C	
TD90D	8045.25	<b>54/150-290</b> <b>54/150-285</b> with A/C	<b>54/151-6</b> (>C6295) <b>54/151-7</b> (D6295>)	-	<b>54/153-184</b> (>C5834) <b>54/153-285</b> (D5834>)	
TD90D Plus TD95D, TD95D Plus	8045.25	<b>54/150-285</b>	<b>54/151-7</b>	<b>54/151-257</b>	<b>54/154-283</b> (>C6045) <b>54/154-282</b> <b>54/154-285</b> (D6045>)	



TL90	8045.25	<b>54/150-256</b>	<b>54/151-6</b>	<b>54/151-257</b>	<b>54/153-183</b>	<b>54/154-169</b>
TL90 (Brasil)	8045.25	<b>54/150-286</b>	<b>54/151-23</b>			
TN85FA TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25	<b>54/150-270</b>	<b>54/151-6</b>		<b>54/153-185</b>	
TL100	8045.25K	<b>54/150-256</b>	<b>54/151-23</b>	<b>54/151-293</b>	<b>54/153-183</b>	<b>54/154-92</b>
TL100 (Brasil)	8045.25K	<b>54/150-286</b>				
TS80 TS90, TS90E TS100 TS110	PowerStar 450 & 450T	<b>54/150-295</b>	<b>54/151-295</b>	<b>54/151-295</b>	<b>54/153-93</b>	<b>54/154-92</b>
TS90 (Brasil) TS100 (Brasil), TS100E (Brasil) TS110 (Brasil)	PowerStar 450 & 450T	<b>54/150-294</b> less Cab <b>54/150-295</b> with Cab				

## 6 CYLINDER ENGINES

Tractors	Engine	Radiator	Radiator Cap	Cooling Tank Cap	Top Hose	Bottom Hose
8160, 8260 M100, M115	PowerStar 675	<b>54/150-154</b>	<b>54/151-154</b>	<b>54/151-95</b>	<b>54/153-192</b>	<b>54/154-192</b>
8360, 8560 M135, M160	PowerStar 675T	<b>54/150-155</b>				
8670, 8670A G170	Genesis CPP 675T	<b>54/150-247</b>	<b>54/151-23</b>	<b>54/151-247</b>	<b>54/153-247</b>	<b>54/154-255</b>
8770, 8770A G190	Genesis CPP 675T & TA	<b>54/150-246</b>				
8870, 8870A, 8970, 8970A G210, G240	Genesis CPP 675TA	<b>54/150-248</b>				
TM110 (Brasil), TM115 TM120 (Brasil), TM125 TM130 (Brasil)	PowerStar 675	<b>54/150-154</b>	<b>54/151-154</b>	<b>54/151-95</b>	<b>54/153-192</b>	<b>54/154-192</b>
TM135	PowerStar 675T	<b>54/150-296</b>				
TM135 (Brasil)	PowerStar 675T	<b>54/150-296</b> (>294539) <b>54/150-297</b> (294540>)	<b>54/151-154</b> (>294277) <b>54/151-296</b> (294278>)	<b>54/151-95</b>	<b>54/153-192</b>	<b>54/154-192</b>
TM140 (Brasil)	PowerStar 675T	<b>54/150-155</b>				
TM150 TM165	PowerStar 675T	<b>54/150-155</b> <b>54/150-298</b> with full power shift	<b>54/151-154</b>	<b>54/151-95</b>	<b>54/153-191</b>	<b>54/154-193</b>
TM150 (Brasil) TM165 (Brasil) TM180 (Brasil)	PowerStar 675T	<b>54/150-155</b> (>294277) <b>54/150-299</b> (294278>)	<b>54/151-254</b> (>294277) <b>54/151-296</b> (294278>)			
TM120 TM130	PowerStar 675TA	<b>54/150-272</b>	<b>54/151-154</b> (>ACM246654) <b>54/151-106</b> (ACM246655>)			
TM140 TM155	PowerStar 675TA	<b>54/150-251</b>	<b>54/151-154</b> (>ACM245946) <b>54/151-106</b> (ACM245947>)			

TM175 TM190	PowerStar 675TA	<b>54/150-250</b>	<b>54/151-23</b> (>C4833)  <b>54/151-154</b> (D4833> ACM246253)  <b>54/151-106</b> (ACM246254>)	<b>54/151-95</b>	<b>54/153-193</b>	<b>54/154-193</b>
TS115 TS115E	PowerStar 675	<b>54/150-295</b>		<b>54/151-293</b>		
TS120 (Brasil)	PowerStar 675	<b>54/150-294</b> less Cab <b>54/150-295</b> with Cab	<b>54/151-23</b>	<b>54/151-295</b>	<b>54/153-93</b>	<b>54/154-92</b>
TV140	PowerStar 675T	<b>54/150-300</b>	<b>54/151-300</b>	<b>54/151-95</b>	<b>54/153-192</b>	<b>54/154-192</b>

### 3 CYLINDER ENGINES

Tractors	Engine	Lower Rigid Tube	
		Less Cab	With Cab
3010S, 3435, 3935 4010S, 4135	8035.06 8035.05	<b>54/6002-8</b>	-
3830	8035.06	<b>54/6002-6</b>	-
4030	8035.05	<b>54/6002-47</b>	-
4635 L60	8035.05	<b>54/6002-257</b>	<b>54/6002-169</b>
TT50 TT55	8035.05	<b>54/6002-287</b>	-
TD55D	8035.06	<b>54/6002-8</b>	-
TN55	8035.05		-
TN55D, TN55S	8035.05	<b>54/6002-284</b>	<b>54/6002-270</b> (>C3929) <b>54/6002-185</b> (D3929>)
TN55V	8035.05	<b>54/6002-258</b>	<b>54/6002-259</b>
TD60, TD60D TD65D	8035.05	<b>54/6002-8</b>	-
TD60D Plus	8035.05		<b>54/6002-8</b>
TL65 (Brasil)	8035.05	<b>54/6002-257</b>	<b>54/6002-286</b>
TN60A TN65	8035.05		-
TN65D, TN65S	8035.05	<b>54/6002-284</b>	<b>54/6002-270</b> (>C3929) <b>54/6002-185</b> (D3929>)
TN60DA, TN60SA	8035.05		<b>54/6002-185</b>
TN60VA TN65N, TN65V	8035.05	<b>54/6002-258</b>	<b>54/6002-259</b>
TD65B TT65 TT65D	8035.25	<b>54/6002-287</b>	-
TD65F (Tier 2) TD75F (Tier 2) TD85F (Tier 2)	8035.25	<b>54/6002-288</b>	-
TD70	8035.25	<b>54/6002-8</b>	-
TD70D	8035.25	<b>54/6002-8</b> or <b>54/6002-287</b>	<b>64/6002-287</b>
TD70D Plus	8035.25	<b>54/6002-287</b>	
TN70, TN70A TN75, TN75A	8035.25	<b>54/6002-270</b>	-
TN70D, TN70S	8035.25	<b>54/6002-185</b>	
TN75D, TN75S	8035.25	<b>54/6002-270</b> (>C3929) <b>54/6002-185</b> (D3929>)	<b>54/6002-290</b>
TN70DA, TN70SA TN75DA, TN75SA	8035.25	<b>54/6002-185</b>	<b>54/6002-289</b>
TN70NA, TN70VA TN75N, TN75NA, TN75V, TN75VA	8035.25	<b>54/6002-260</b>	<b>54/6002-261</b>
TT75	8035.25	<b>54/6002-287</b>	-

## 4 CYLINDER ENGINES

Tractors	Engine	Lower Rigid Tube	
		Less Cab	With Cab
4230 4430	8045.06 8045.05	<b>54/6002-47</b>	-
5010S	8045.06	<b>54/6002-8</b>	-
4835, L65 5635, L75	8045.06 8045.05	<b>54/6002-7</b>	<b>54/6002-286</b>
6635, L85	8045.25	-	<b>54/6002-286</b> or <b>54/6002-256</b>
7635, L95	8045.25K	-	<b>54/6002-286</b>
TN65F TN70F	8045.05	<b>54/6002-284</b>	<b>54/6002-270</b>
TL70 TL70 (Brasil)	8045.06	<b>54/6002-7</b>	<b>54/6002-286</b>
TN75F, TN75FA TN80F	8045.05	<b>54/6002-284</b>	<b>54/6002-270</b>
TD75D TD80, TD80D TD85D	8045.06 8045.05	<b>54/6002-8</b>	-
TD80D Plus	8045.05		<b>54/6002-8</b>
TL80 TL80 (Brasil)	8045.05	<b>54/6002-7</b>	<b>54/6002-286</b>
TD90 TD95	8045.25	<b>54/6002-8</b>	-
TD90D	8045.25	<b>54/6002-8</b> or <b>54/6002-287</b>	<b>54/6002-287</b>
TD90D Plus TD95D, TD95D Plus	8045.25	<b>54/6002-287</b>	
TL90	8045.25	<b>54/6002-7</b>	<b>54/6002-256</b>
TL90 (Brasil)	8045.25	-	
TN85FA TN90F TN95F, TN95FA	8045.25	<b>54/6002-270</b>	<b>54/6002-290</b>
TN95NA, TN95VA	8045.25	<b>54/6002-260</b>	<b>54/6002-261</b> with aircon <b>54/6002-263</b> with heater
TL100	8045.25K	<b>54/6002-7</b>	<b>54/6002-256</b>
TL100 (Brasil)	8045.25K	-	

### 3 CYLINDER ENGINES

Tractors	Engine	Temperature Sender Units	Type
3830 (North America),	8035.06	<b>54/180-11</b>	KSB Cold Start
TN55, TN55D, TN55S, TN65, TN65D, TN65S	8035.05		
TN70, TN70D, TN70S, TN75, TN75D, TN75S	8035.25		
3010S, 3435, 3830, 3935, 4135 TD55D	8035.06	<b>54/180-41</b>	Engine coolant (Cylinder head)
4030, 4635, L60 TN55, TN55D, TN55S, TN55V, TD60 (FPT), TD60D, TN60A (>HJE023473), TN60DA (>HJE023473), TN60SA (>HJE023473), TN60VA (>HJB023507), TD65D, TL65 (Brasil), TN65, TN65D, TN65N, TN65S, TN65V	8035.05		
TD70(FPT), TD70D, TN70, TN70A (>HJE023473), TN70D, TN70DA (>HJE023473), TN70NA (>HJB023507), TN70S, TN70SA (>HJE023473), TN70VA (>HJB023507), TN70D, TN70S, TN75, TN75A (>HJE023473), TN75D, TN75DA (>HJE023473), TN75N, TN75NA (>HJB023507), TN75S, TN75SA (>HJE023473), TN75V, TN75VA (>HJB023507)	8035.25		
TT50, TT55, TD60 (TTF), TD60D Plus, TN60A (HJE023474>), TN60DA (HJE023474>), TN60SA (HJE023474>), TN60VA (HJB023508>)	8035.05	<b>54/180-42</b>	Engine coolant (Cylinder head)
TD65B, TD65F, TT65, TT65D, TD70 (TTF), TD70D Plus, TN70A, (HJE023474>), TN70DA (HJE023474>), TN70SA (HJE023474>), TN70NA (HJB023508>), TN70SA (HJE023474>), TN70VA (HJB023508>), TD75F, TN75A (HJE023474>), TN75DA (HJE023474>), TN75NA, (HJB023508>), TN75SA (HJE023474>), TN75VA (HJB023508>), TT75, TD85F,	8035.25		
TT50, TT55, TD60 (FPT), TD60D, TD60D Plus (TTF), TN60A, TN60DA, TN60SA,	8035.05		
TD65F (Tier 2), TT65, TT65D, TD75F (Tier 2), TT75, TD70, TD70D, TD70D Plus, TN70A, TN70DA, TN70NA, TN70SA, TN70VA, TN75A, TN75DA, TN75NA, TN75SA, TN75VA, TD85F (Tier 2)	8035.25	<b>54/180-43</b>	Water
TD60D Plus (FPT)	8035.05	<b>54/180-44</b>	Water

### 4 CYLINDER ENGINES

Tractors	Engine	Temperature Sender Units	Type
TN65F, TN75F	8045.05	<b>54/180-11</b>	KSB Cold Start
4230, 4835, 5010S, L65 TL70, TL70 (Brasil), TD75D	8045.06	<b>54/180-41</b>	Engine coolant (Cylinder head)
4430, 5635, 6635, 7635, L75, L85, L95 TN65F, TN70F, TN75F, TN75FA (>HJU023501), TD80 (FPT), TD80D, TL80, TL80 (Brasil), TN80F, TD85D	8045.05		
TN85FA (>HJU023501>), TD90 (FPT), TD90D, TL90, TL90 (Brasil), TN90F, TD95D, TN95F, TN95FA (>HJU023501), TL100, TL100 (Brasil)	8045.25		
TN75FA (HJU023502>), TD80 (TTF), TD80D (Plus)	8045.05	<b>54/180-42</b>	Engine coolant (Cylinder head)
TN85FA (HJU023502>), TD90 (TTF), TD90D Plus. TD95 (TTF), TD95D Plus, TN95NA, TN95FA (HJU023502>), TN95VA	8045.25		
TN75FA, TD80 (FPT), TD80D, TD80D Plus (TTF)	8045.05		
TN85FA, TD90 (FPT), TD90D, TD90D Plus, TD95 (FPT), TD95D, TD95D Plus, TN95FA, TN95NA, TN95VA	8045.25	<b>54/180-43</b>	Water
TD80D Plus (FPT)	8045.05	<b>54/180-44</b>	Water
TS80, TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/180-3</b>	Water
TS100, TS100 (Brasil), TS110, TS110 (Brasil)	PowerStar 450T		
TS90E	PowerStar 450	<b>54/180-45</b>	Thermost- atic switch (Emissionized engines)
TS100, TS100 (Brasil), TS110, TS110 (Brasil)	PowerStar 450T		

## 6 CYLINDER ENGINES

Tractors	Engine	Temperature Sender Units	Type
8160, 8260 M100, M115 TM110 (Brasil), TM115, TM120 (Brasil), TM130 (Brasil), TS115, TS115E, TS120 (Brasil)	PowerStar 675	<b>54/180-3</b>	Water
8360, 8560 M135, M160 TM125, TM135, TM135 (Brasil), TM140 (Brasil), TM150, TM150 (Brasil), TM165, TM165 (Brasil), TM180 (Brasil)	PowerStar 675T		
TM120, TM130, TM140, TM155, TM175, TM190,	PowerStar 675TA		
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & 675TA	<b>54/180-46</b>	Water
TV140	PowerStar 675T		
TM120, TM130, TM140, TM155, TM175, TM190,	PowerStar 675TA	<b>54/180-47</b>	Coolant
TM120, TM130, TM140, TM155	PowerStar 675TA	<b>54/180-48</b>	Thermostat
TV140	PowerStar 675T		

# SECTION 9

## Air Intake & Exhaust

### Overview

Exhaust Manifold	80-81
Elbow Gasket	82-87
Exhaust Elbow	82-87
Exhaust Gasket	80-81
Exhaust Horizontal	82-87
Exhaust Vertical	82-87
Extension Horizontal	82-87
Extension Vertical	82-87
Inlet Gasket	80-81
Inlet Manifold	80-81

### 3 CYLINDER ENGINES

Tractors	Engine	Inlet Manifold	Inlet Gasket	Exhaust Manifold	Exhaust Gasket
3010S 3435, 3830, 3935 4135	8035.06	<b>54/64-1</b>	<b>54/67-1</b> <b>54/67-5</b>	<b>54/65-4</b>	<b>54/66-4</b> 3 required
4010S, 4030	8035.05				
4635 L60	8035.05	<b>54/64-5</b>			
TD55D	8035.06	<b>54/64-1</b>			
TD60	8035.05 (TTF Tier 1)				
TT50, TT55 TD60, TD60D Plus	8035.05 (TTF Tier 2)	<b>54/64-6</b>			
TD60, TD60D	8035.05 (FPT Tier 2)	<b>54/64-7</b>		<b>54/67-10</b> <b>54/67-7</b>	
TD60D Plus	8035.05 (FPT Tier 2)				
TD65D	8035.05	<b>54/64-1</b>		<b>54/65-4</b>	
TL65 (Brasil)	8035.05	<b>54/64-5</b>			
TN55, TN55D, TN55S TN65, TN65, TN65S	8035.05	<b>54/64-8</b>	<b>54/65-7</b>		
TN55V TN60A, TN60DA, TN60SA, TN60VA TN65N, TN65V	8035.05	<b>54/64-7</b>			
TD65B, TD65F (Tier 2), TD75F (Tier 2), TD85F (Tier 2) TT65, TT65D, TT75	8035.25	<b>54/64-9</b>	<b>54/67-1</b> <b>54/67-5</b>	<b>54/65-50</b>	
TD70, TD70D Plus	8035.25 (TTF Tier 1 & 2)				
TD70, TD70D	8035.25 (FPT Tier 2)	<b>54/64-10</b>			
TD70D Plus	8035.25 (FPT Tier 2)				<b>54/67-10</b> <b>54/67-7</b>
TN70, TN70D, TN70S TN75, TN75D, TN75N, TN75S, TN75V	8035.25	<b>54/64-8</b>			<b>54/67-1</b> <b>54/67-5</b>
TN70A, TN70DA, TN70NA, TN70SA, TN70VA TN75A, TN75DA, TN75NA, TN75SA, TN75VA	8035.25	<b>54/64-10</b>			

### 4 CYLINDER ENGINES

Tractors	Engine	Inlet Manifold	Inlet Gasket	Exhaust Manifold	Exhaust Gasket
4230 5010S	8045.06	<b>54/64-2</b>	<b>54/67-1</b> 2 required	<b>54/65-11</b>	<b>54/66-4</b> 4 required
4430	8045.05				
4835 L65	8045.06				
5635 L75	8045.05	<b>54/64-11</b>			
6635 L85	8045.25	<b>54/64-12</b>		<b>54/65-51</b>	
7635 L95	8045.25K				



TN65F TN70F TN75F, TN75FA TN80F	8045.05	<b>54/64-12</b>	<b>54/67-1</b> 2 required	<b>54/65-52</b>	<b>54/66-4</b> 4 required	
TL70, TL70 (Brasil)	8045.06	<b>54/64-11</b>		<b>54/65-11</b>		
TD75D	8045.06	<b>54/64-2</b>		<b>54/65-52</b>		
TD80	8045.05 (TTF Tier 1)					
TD80, TD80D Plus	8045.05 (TTF Tier 2)	<b>54/64-13</b>		<b>54/67-10</b> 2 required		
TD80, TD80D	8045.05 (FPT Tier 2)	<b>54/64-12</b>				
TD80D Plus	8045.05 (FPT Tier 2)			<b>54/65-11</b>		
TL80, TL80 (Brasil)	8045.05	<b>54/64-11</b>		<b>54/65-52</b>		
TD85D	8045.05	<b>54/64-2</b>		<b>54/67-1</b> 2 required		<b>54/65-53</b>
TN85FA TN90F TN95F, TN95FA, TN95NA, TN95VA	8045.25	<b>54/64-12</b>				
TD90, TD90 Plus TD95, TD95 Plus	8045.25 (TTF Tier 1 & 2)	<b>54/64-13</b>				
TD90, TD90D TD95, TD95D	8045.25 (FPT Tier 2)	<b>54/64-12</b>	<b>54/67-10</b> 2 required			
TD90D Plus TD95D Plus	8045.25 (FPT Tier 2)		<b>54/67-1</b> 2 required		<b>54/65-51</b>	
TL90, TL90 (Brasil)	8045.25					
TL100, TL100 (Brasil)	8045.25K					
TS80 TS90, TS90 (Brasil), TS90E	PowerStar 450	<b>54/64-14</b>	<b>54/67-14</b>	<b>54/65-54</b>	<b>54/66-51</b>	
TS100, TS100 (Brasil) TS110, TS110 (Brasil)	PowerStar 450T					

## 6 CYLINDER ENGINES

Tractors	Engine	Inlet Manifold	Inlet Gasket	Exhaust Manifold	Exhaust Gasket
8160, 8260, 8360, 8560 M100, M115, M135, M160	PowerStar 675 & 675T	<b>54/64-15</b>	<b>54/67-16</b>	<b>54/65-55</b>	<b>54/66-45</b>
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>54/64-16</b>			
TM110 (Brasil), TM115, TM120 (Brasil), TM125, TM130 (Brasil), TM135, TM135 (Brasil), TM140 (Brasil), TM150, TM150 (Brasil), TM165, TM165 (Brasil), TM180 (Brasil)	PowerStar 675. 675T	<b>54/64-15</b>			
TM120, TM130, TM140, TM155, TM175, TM190	PowerStar 675TA			<b>54/65-57</b> Front	
TS115 TS115E TS120 (Brasil)	PowerStar 675	<b>54/64-17</b>		<b>54/65-46</b> Rear	
TV140	PowerStar 675T	<b>54/64-15</b>		<b>54/67-15</b>	

### 3 CYLINDER ENGINES

Tractors	Engine	Exhaust Elbow	Exhaust Vertical	Exhaust Horizontal	Extension Vertical	Extension Horizontal	Elbow Gasket	
3010S 4010S	8035.06 8035.05	<b>54/164-60</b>	<b>54/165-310</b>	<b>54/165-330</b>	-	<b>54/166-106</b>	<b>54/167-10</b>	
3435 3935, 4135	8035.06	<b>54/164-61</b>	<b>54/165-167</b>	<b>54/165-150</b>	<b>54/166-61</b>	<b>54/166-107</b>		
3830	8035.06	<b>54/164-61</b> <b>54/164-62</b> with Cab			<b>54/166-61</b> 780mm	<b>54/166-108</b> & <b>54/166-109</b> End piece		
4030	8035.05	<b>54/164-62</b> <b>54/164-22</b> Heated Cab			<b>54/166-62</b> 380mm with Cab			
4635 L60	8035.05	<b>54/164-63</b> Flange	<b>54/165-94</b> <b>54/165-311</b> W/Self cleaning filter	-	<b>54/166-63</b> <b>54/166-70</b> Safety Frame W/Hard Top (VAR.857)	-		
TT50, TT55	8035.05	-	<b>54/165-312</b>	<b>54/165-312</b>	<b>54/166-71</b> Elbow & <b>54/166-72</b> Pipe	<b>54/166-110</b>	-	
TT50, TT55 (VAR. 150 (01) horizontal & 151 (01) vertical)	8035.05	<b>54/164-22</b>	<b>54/165-342</b>	<b>54/165-343</b>	<b>54/166-73</b>	<b>54/166-210</b>	<b>54/167-10</b>	
TD55D	8035.06	-	<b>54/165-149</b>	<b>54/165-149</b>	<b>54/166-74</b> Elbow & <b>54/166-72</b> Pipe	<b>54/166-111</b>	-	
TD60, TD60D, TD60 Plus TD65D	8035.05	-			<b>54/166-75</b> Elbow & <b>54/166-76</b> Pipe		<b>54/166-112</b>	-
TN55 TN65	8035.05	-			<b>54/166-77</b> (VAR.134)	<b>54/166-113</b>	-	
TN55D, TN55S TN65D, TN65S	8035.05	-			<b>54/166-78</b>		<b>54/166-84</b>	-
TN55V TN65N, TN65V	8035.05	-			<b>54/166-79</b>	<b>54/166-114</b>	-	
TN60A	8035.05	-			<b>54/166-80</b> (VAR.134) <b>54/166-81</b> Air filter ejector (VAR.199)		<b>54/166-113</b>	-
TN60DA, TN60SA	8035.05	-			<b>54/166-82</b> Assembly with guards (VAR.466- 504-576) <b>54/166-83</b> Cab W/Opening windscreen (VAR.503)	<b>54/166-115</b> Assembly with guards for Cab W/Opening windscreen	-	
TN60DA, TN60SA 'A' Pillar Type Vertical with Exhaust Guard Shield	8035.05	-			<b>54/166-78</b>	<b>54/166-85</b> <b>54/166-84</b> (VAR.135)	-	
TN60VA	8035.05	-						

TL65 (Brasil)	8035.05	54/164-63 Flange	54/165-94 (>316346)	-	54/166-70 (>316346)	-	54/167-10	
			54/165-313 (316347>) Without ejector					54/165-314 (316347>) With ejector
TL65 (Brasil) With self cleaning filter	8035.05		54/165-311	-	54/166-8 (316347>)	-		
			54/165-313 Without ejector					54/165-314 With ejector
TD65B	8035.25	-	-	54/165-315	-	54/166-116	54/167-331 Turbo to Silencer	
TD65F (Tier 2) TD75F (Tier 2) TD85F (Tier 2)	8035.25	-	-	54/165-331	-	54/166-117		
TT65, TT75	8035.25	-	54/165-315	54/165-315	54/166-71 Elbow & 54/166-72 Pipe	54/166-110		
TT65, TT75 (VAR. 150 (01) horizontal & 151 (01) vertical)	8035.25	54/164-22	54/165-342	54/165-343	54/166-73	54/166-210	54/167-10	
TT65, TT75 (VAR. 150 (02) horizontal & 151 (02) vertical)	8035.25	-	54/165-315	54/165-315	54/166-74 Elbow & 54/166-72 Pipe	54/166-211	54/167-331 Turbo to Silencer	
TT65D	8035.25	-						54/166-118
TD70, TD70D	8035.25	-		-				-
TD70D Plus	8035.25	-				54/166-111		
TN70 TN75	8035.25	-				54/166-75 Elbow & 54/166-76 Pipe		54/166-112
TN70D, TN70S TN75D, TN75S	8035.25	-			54/165-315	54/166-77 (VAR.134)		54/166-113
TN70A TN75A	8035.25	-				54/166-79		54/166-114
TN70DA, TN70SA TN75DA, TN75SA	8035.25	-				54/166-80 (VAR.134)		54/166-113
						54/166-81 Air filter ejector (VAR.199)		
TN70DA, TN70SA TN75DA, TN75SA 'A' Pillar Type Vertical with Exhaust Guard Shield	8035.25	-		54/165-315	54/165-315	54/166-82 Assembly with guards (VAR.466- 504-576)		54/166-115 Assembly with guards for Cab W/Opening windscreen
TN75N, TN75V	8035.25	-			54/166-83 Cab W/Opening windscreen (VAR.503)			
					54/166-84			
					54/166-78 (VAR.151)	-		

TN70NA, TN70VA TN75NA, TN75VA	8035.25	-	<b>54/165-315</b>	<b>54/165-315</b>	<b>54/166-85</b>  <b>54/166-84</b> (VAR.135)  <b>54/166-78</b> (VAR.938)	-	<b>54/167-331</b> Turbo to Silencer
----------------------------------	---------	---	-------------------	-------------------	--	---	---

## 4 CYLINDER ENGINES

Tractors	Engine	Exhaust Elbow	Exhaust Vertical	Exhaust Horizontal	Extension Vertical	Extension Horizontal	Elbow Gasket
4230 4430	8045.06 8045.05	<b>54/164-62</b>  <b>54/164-22</b> Heated Cab	<b>54/165-167</b>	<b>54/165-150</b>	<b>54/166-62</b>  <b>54/166-61</b> Heated Cab	<b>54/166-119</b> & <b>54/166-109</b> End piece	<b>54/167-10</b>
4835, 5635 L65, L75	8045.06 8045.05	<b>54/164-63</b> Flange	<b>54/165-104</b>  <b>54/165-316</b> W/Self cleaning filter	-	<b>54/166-63</b>  <b>54/166-70</b> (VAR.857) Safety Frame W/Hard Top	-	
5010S	8045.06	<b>54/164-60</b>	<b>54/165-310</b>	<b>54/165-330</b>	-	<b>54/166-120</b>	
6635, 7635 L85, L95	8045.25 8045.25K	-	<b>54/165-105</b>  <b>54/165-117</b> W/Self cleaning filter	-	<b>54/166-30</b>  <b>54/166-86</b> (VAR.857) Safety Frame W/Hard Top	-	<b>54/167-331</b> Turbo to Silencer
TN65F	8045.05	-	<b>54/165-149</b>	-	<b>54/166-87</b>	<b>54/166-121</b>	-
TL70, TL80	8045.06	<b>54/164-63</b> Flange	<b>54/165-104</b> L/Cab  <b>54/165-317</b> W/Cab	-	<b>54/166-63</b> L/Cab  <b>54/166-88</b> W/Cab	-	<b>54/167-10</b>
TL70, TL80 With self cleaning filter (VAR.199)	8045.06		<b>54/165-316</b> L/Cab  <b>54/165-318</b> W/Cab	-	<b>54/166-89</b> Assembly with guards	-	
TL70 (Brasil), TL80 (Brasil)	8045.06		<b>54/165-104</b> (>316346)  <b>54/165-319</b> (316347>) Without ejector	-	<b>54/166-70</b> (>316346)	-	
TL70 (Brasil), TL80 (Brasil) With self cleaning filter (VAR.199)	8045.06		<b>54/165-316</b> (>316147)  <b>54/165-320</b> (316148>) With ejector  <b>54/165-319</b> (316148>) Without ejector	-	<b>54/166-8</b> (316347>) Without ejector	-	
TN70F TN75F, TN75FA TN80F	8045.05		-	<b>54/165-149</b>	<b>54/165-149</b>	<b>54/166-87</b>	

TD75D	8045.06	-	<b>54/165-149</b>	<b>54/165-149</b>	<b>54/166-74</b> Elbow & <b>54/166-72</b> Pipe	<b>54/166-111</b>	-
TD80, TD80D	8045.05	-		-		-	-
TD80D Plus	8045.05	-		<b>54/165-149</b>	<b>54/166-74</b> Elbow  <b>54/166-71</b> High Clearance & <b>54/166-72</b> Pipe	<b>54/166-111</b>	-
TD85D	8045.05	-		<b>54/165-149</b> <b>54/165-321</b> (VAR.150)	<b>54/166-74</b> Elbow & <b>54/166-72</b> Pipe	<b>54/166-111</b> <b>54/166-124</b> (VAR.150)	-
TD90, TD90D	8045.25	-	<b>54/165-315</b>	-		-	<b>54/167-331</b> Turbo to Silencer
TD90D Plus	8045.25	-		<b>54/165-315</b>	<b>54/166-74</b> Elbow  <b>54/166-71</b> High Clearance & <b>54/166-72</b> Pipe	<b>54/166-111</b>	
TD95	8045.25	-		-	<b>54/166-91</b> Pipe &	-	
TD95D	8045.25	-		<b>54/165-315</b> <b>54/165-321</b> (VAR.150)	<b>54/166-92</b> Elbow &	<b>54/166-111</b> <b>54/166-124</b> (VAR.150)	
TD95D (Tier II)	8045.25	-	<b>54/165-315</b>	-	<b>54/166-93</b> Pipe	-	
TD95D Plus	8045.25	-		<b>54/165-315</b>	<b>54/166-74</b> Elbow  <b>54/166-71</b> High Clearance & <b>54/166-72</b> Pipe	<b>54/166-122</b>	
TN85FA TN90F TN95F, TN95FA	8045.25	-		<b>54/165-315</b>	<b>54/166-87</b>	<b>54/166-121</b> <b>54/166-123</b> (VAR.135)	
TN95NA, TN95VA	8045.25	-		<b>54/165-315</b>	<b>54/166-78</b>	<b>54/166-85</b> <b>54/166-84</b> (VAR.135)	
TL90, TL100	8045.25 8045.25K	-	<b>54/165-105</b> L/Cab  <b>54/165-321</b> W/Cab	-	<b>54/166-30</b> L/Cab  <b>54/166-90</b> W/Cab & <b>54/166-88</b> W/Cab  <b>54/166-89</b> Assembly with guards	-	

TL90, TL100 With self cleaning filter (VAR.199)	8045.25 8045.25K	-	<b>54/165-105</b> L/Cab <b>54/165-321</b> W/Cab	-	<b>54/166-30</b> L/Cab <b>54/166-212</b> & <b>54/166-88</b> W/Cab <b>54/166-89</b> Assembly with guards	-	
TL90, TL100 (Brasil)	8045.25 8045.25K	-	<b>54/165-105</b> (>315624) <b>54/165-322</b> (Z6CB17105>) <b>54/165-323</b> with ejector	-	<b>54/166-86</b> (>316147) <b>54/166-8</b> (316148>)	-	<b>54/167-331</b> Turbo to Silencer
TL90, TL100 Brasil) With self cleaning filter (VAR.199)	8045.25 8045.25K	-	<b>54/165-117</b> (>290905) <b>54/166-8</b> Without ejector <b>54/165-323</b> Z6CB17105> with ejector	-	<b>54/166-86</b> with safety frame (VAR.857)	-	
TS80 TS90, TS90E	PowerStar 450	-	<b>54/165-161</b>	-		-	<b>54/167-20</b>
TS90 (Brasil)	PowerStar 450	-	<b>54/165-324</b>	-		-	
TS100 TS110	PowerStar 450T	-	<b>54/165-159</b>	-	<b>54/166-8</b>	-	-
TS100 (Brasil) TS110 (Brasil)	PowerStar 450T	-	<b>54/165-325</b> (>Chassis 31937 & Z4CE00797) <b>54/165-326</b> (.....>)	-		-	-

## 6 CYLINDER ENGINES

Tractors	Engine	Exhaust Elbow	Exhaust Vertical	Exhaust Horizontal	Extension Vertical	Extension Horizontal	Elbow Gasket
8160, 8260 M100, M115	PowerStar 675	-	<b>54/165-207</b>	-	<b>54/166-94</b> L/Cab <b>54/166-95</b> W/Cab	-	<b>54/167-20</b>
8160, 8260 M100, M115 With precleaner or dust extraction assembly	PowerStar 675	-		-	<b>54/166-96</b> L/Cab <b>54/166-97</b> W/Cab	-	
8360, 8560 M135, M160	PowerStar 675T	-	<b>54/165-212</b>	-	<b>54/166-98</b>	-	-
8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>54/164-64</b> Turbo to Silencer	<b>54/165-327</b>	-	<b>54/166-99</b> Pipe <b>54/166-10</b> End piece	-	-

TM110 (Brasil) TM120 (Brasil) TM130 (Brasil)	PowerStar 675	-	<b>54/165-207</b>	-	<b>54/166-96</b> L/Cab <b>54/166-97</b> W/Cab	-	<b>54/167-20</b>
TM115	PowerStar 675	-		-	<b>54/166-97</b>	-	
TM125 TM135, TM135 (Brasil) TM140 (Brasil) TM150, TM150 (Brasil) TM165, TM165 (Brasil) TM180 (Brasil)	PowerStar 675T	-	<b>54/165-212</b>	-	<b>54/166-98</b>	-	-
TM120 TM130 TM140 TM155	PowerStar 675TA	-	<b>54/165-328</b>	-	<b>54/166-101</b>	-	-
TM175 TM190	PowerStar 675TA	-	<b>54/165-329</b>	-	<b>54/166-102</b>	-	-
TS115, TS115E TS120 (Brasil)	PowerStar 675	-	<b>54/165-211</b>	-	<b>54/166-103</b> Assembly with guards	-	<b>54/167-20</b>
TV140	PowerStar 675T	-	<b>54/165-212</b>	-	<b>54/166-104</b> (01/01/98>) <b>54/166-105</b> (17/01/2000)	-	-



## **OUR WAREHOUSES**

We have an extensive warehouse network within Europe and internationally to provide our customers across the globe with the parts and support they require.

In our industry it is critical to deliver the right part at the right time. With our technical knowledge and experience and through our network of local warehouses we are able to provide a local and reliable service to our customers.

In addition, in many markets Bepco organises delivery the following day for all orders placed between 8h and 18h.

So with more than 20,000 m<sup>2</sup> of warehousing in Europe and over 55,000 stock items we are able to provide our customers with what they want, when they need it.



**BELGIUM** Hermalle-sous-Huy



**UK** Hartlebury



**France** Janze



**France** Le Passage



**France** Villeneuve sur Lot



# SECTION 10

Electrics

## Overview

Alternators	90-93
Starter motors	94-96

### 3 CYLINDER ENGINES

Tractors	Engine	Alternator		
3010S 4010S	8035.06 8035.05	<b>62/920-98</b> (400001M>) 33A	<b>62/920-257</b> (702974M>) with electric Instrument Cluster	-
3435 3935, 4135	8035.06	<b>62/920-98</b> (>C3282) 33A	<b>62/920-250</b> (D3282>) 45A	-
3830, 4030	8035.06			<b>62/920-30</b> 65A North America with Cab
4635 L60	8035.05	<b>62/920-250</b> 45A less Cab	<b>62/920-30</b> 65A with Cab	-
TT50 TT55	8035.05	<b>62/920-253</b> 45A less Cab	<b>62/920-258</b> 65A with Cab	-
TN55 TN65	8035.05	<b>62/920-30</b> 45A use 65A	-	-
TN55D, TN55S, TN55V TN65D, TN65N, TN65S, TN65V	8035.05	<b>62/920-30</b> 45A use 65A less Cab	<b>62/920-30</b> 65A with Cab	-
TD55D TD60, TD60D TD65D	8035.06 8035.05 (FPT)	<b>62/920-30</b> 65A	-	-
TD60	8035.05 (TTF Tier 1)	<b>62/920-253</b> 45A	-	-
TD60	8035.05 (TTF Tier 2)	<b>62/920-253</b> 45A less Cab	<b>62/920-258</b> 65A with Cab	-
TD60D Plus	8035.05 (TTF Tier 2)	<b>62/920-254</b> 65A	-	-
TD60D Plus	8035.05 (FPT)	<b>62/920-30</b> 65A	<b>62/920-284E</b> 85A With Cab (C)	-
TL65 (Brasil)	8035.05	<b>62/920-250</b> 45A	<b>62/920-284E</b> 85A (B)	-
TN60A, TN60VA	8035.05	<b>62/920-30</b> 45A use 65A	<b>62/920-30</b> 65A (A)	-
TN60DA, TN60SA	8035.05			<b>62/920-284E</b> 85A with Cab (C)
TD65B TT65D	8035.25	<b>62/920-253</b> 45A	-	-
TD65F (Tier 2) TD75F (Tier 2) TD85F (Tier 2)	8035.25		-	-
TT65 TT75	8035.25		<b>62/920-253</b> 45A less Cab	<b>62/920-258</b> 65A with Cab
TD70, TD70D	8035.25 (FPT)	<b>62/920-30</b> 65A	-	-
TD70	8035.25 (TTF Tier 1)	<b>62/920-253</b> 45A	-	-
TD70	8035.25 (TTF Tier 2)	<b>62/920-253</b> 45A less Cab	<b>62/920-258</b> 65A with Cab	-
TD70D Plus	8035.25 (TTF Tier 2)	<b>62/920-254</b> 65A	-	-

TD70D Plus	8035.25 (FPT)	<b>62/920-30</b> 65A	<b>62/920-248E</b> 85A with Cab (C)	-
TN70 TN75	8035.25	<b>62/920-30</b> 45A use 65A	-	-
TN70A TN75A	8035.25		<b>62/920-30</b> 65A (A)	-
TN70D, TN70S	8035.25	<b>62/920-30</b> 65A	-	-
TN70NA, TN70VA TN75D, TN75N, TN75NA, TN75S, TN75V, TN75VA	8035.25	<b>62/920-30</b> 45A use 65A less Cab	<b>62/920-30</b> 65A with Cab	
TN70DA, TN70SA TN75DA, TN75SA	8035.25	<b>62/920-30</b> 45A use 65A	<b>62/920-30</b> 65A (A)	<b>62/920-248E</b> 85A with Cab (C)

## 4 CYLINDER ENGINES

Tractors	Engine	Alternator		
4230 4430	8045.06 8045.05	<b>62/920-98</b> (>C3282) 33A	<b>62/920-250</b> (D3282>) 45A	<b>62/920-30</b> 65A with Cab
4835 L65	8045.06	<b>62/920-50</b>	<b>62/920-30</b> 65A with Cab	-
5010S	8045.06	<b>62/920-98</b> (400001M>) 33A	<b>62/920-257</b> (702974M>) with electric Instrument Cluster	-
5635, 6635, 7635 L75, L85, L95	8045.05 8045.25 8045.25K	<b>62/920-250</b> 45A less Cab	<b>62/920-30</b> 65A with Cab	-
TL70	8045.06			<b>62/920-248E</b> 85A (B)
TL70 (Brasil)	8045.06	<b>62/920-250</b> 45A	<b>62/920-248E</b> 85A (B)	-
TD75D	8045.06	<b>62/920-30</b> 65A	-	-
TD80, TD80D TD85D	8045.05 (FPT)		-	-
TD80	8045.05 (TTF Tier 1)	<b>62/920-253</b> 45A	-	-
TD80	8045.05 (TTF Tier 2)	<b>62/920-253</b> 45A less Cab	<b>62/920-258</b> 65A with Cab	-
TD80D Plus	8045.05 (TTF Tier 2)	<b>62/920-254</b> 65A	-	-
TD80D Plus	8045.05 (FPT)	<b>62/920-30</b> 65A	<b>62/920-248E</b> 85A (C)	-
TL80	8045.05	<b>62/920-250</b> 45A less Cab	<b>62/920-30</b> 65A with Cab	<b>62/920-248E</b> 85A (C)
TL80 (Brasil)	8045.05	<b>62/920-250</b> 45A	<b>62/920-248E</b> 85A (C)	-
TN65F TN70F, TN75F, TN80F	8045.05	<b>62/920-30</b> 45A use 65A less Cab	<b>62/920-30</b> 65A with Cab	-

TN75FA	8045.05	<b>62/920-30</b> 45A use 65A	<b>62/920-30</b> 65A (A)	<b>62/920-248E</b> 85A (C)
TD90, TD90D TD95	8045.25 (FPT)	<b>62/920-30</b> 65A	-	-
TD90 TD95	8045.25 (TTF Tier 1)	<b>62/920-253</b> 45A	-	-
TD90	8045.25 (TTF Tier 2)	<b>62/920-253</b> 45A less Cab	<b>62/920-258</b> 65A with Cab	-
TD95	8045.25 (TTF Tier 2)	<b>62/920-254</b> 65A	-	-
TD90D Plus TD95D Plus	8045.25 (TTF)	<b>62/920-254</b> 65A	-	-
TD90D Plus TD95D Plus	8045.25 (FPT)	<b>62/920-30</b> 65A	<b>62/920-248E</b> 85A (C)	-
TD95D	8045.25 (Tier 1)	<b>62/920-248E</b> 85A with Cab (B)	-	-
TD95D	8045.25 (Tier 2)	<b>62/920-30</b> 65A	-	-
TL90	8045.25	<b>62/920-250</b> 45A less Cab	<b>62/920-30</b> 65A with Cab	<b>62/920-248E</b> 85A (B)
TL90 (Brasil)	8045.25	<b>62/920-250</b> 45A	<b>62/920-248E</b> 85A (B)	-
TN85FA TN95FA	8045.25	<b>62/920-30</b> 45A use 65A	<b>62/920-30</b> 65A (A)	<b>62/920-248E</b> 85A (C)
TN90F TN95F	8045.25	<b>62/920-30</b> 45A use 65A less Cab	<b>62/920-30</b> 65A with Cab	-
TN95NA, TN95VA	8045.25	<b>62/920-30</b> 65A	-	-
TL100	8045.25K	<b>62/920-250</b> 45A less Cab	<b>62/920-30</b> 65A with Cab	<b>62/920-248E</b> 85A (B)
TL100 (Brasil)	8045.25K	<b>62/920-250</b> 45A	<b>62/920-248E</b> 85A (B)	-
TS80 TS90, TS90E TS100 TS110	PowerStar 450 & 450T	<b>62/920-255</b> less Cab	<b>62/920-109</b> with Cab	-
TS90 (Brasil) TS100 (Brasil) TS100E (Brasil) TS110 (Brasil)	PowerStar 450 & 450T			-

## 6 CYLINDER ENGINES

Tractors	Engine	Alternator		
8160, 8260, 8360 M100, M115, M135	PowerStar 675 & 675T	<b>62/920-256</b> 45A less Cab	<b>62/920-46</b> 65A with Cab	<b>62/920-228</b> 100A with Cab
8560 M160	PowerStar 675T		<b>62/920-228</b> 100A with Cab	-
8670, 8670A, 8770, 8770A 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>62/920-167</b>	-	-

TM110 (Brasil) TM120 (Brasil) TM130 (Brasil) TM140 (Brasil)	PowerStar 675 & 675T	<b>62/920-256</b> 45A less Cab	<b>62/920-46</b> 65A less & with Cab	<b>62/920-115</b> 120A with Cab
TM115, TM125, TM135 TM150, TM165	PowerStar 675 & 675T	<b>62/920-228</b> 100A	<b>62/920-201</b> 120A	-
TM135 (Brasil) TM150 (Brasil) TM165 (Brasil) TM180 (Brasil)	PowerStar 675T	<b>62/920-115</b> with pulley	<b>62/920-225</b> (308659>) less pulley	-
TM120, TM130, TM140 TM155, TM175, TM190	PowerStar 675TA	<b>62/920-201</b>	-	-
TS115 TS115E	PowerStar 675	<b>62/920-255</b> less Cab	<b>62/920-109</b> with Cab	-
TS120 (Brasil)	PowerStar 675			-
TV140	PowerStar 675T	<b>62/920-228</b>	-	-

(A) 62/920-30 is a 14V 65A without pulley. OE alternator is complete with a twin pulley.

(B) 62/920-248E is a 12V 85A without pulley. OE alternator is complete with a single pulley.

(C) 62/920-248E is a 12V 85A without pulley. OE alternator is complete with a twin pulley.

### 3 CYLINDER ENGINES

Tractors	Engine	Starter Motor			
3010S 4010S	8035.06 8035.05	<b>62/930-250</b>	-	-	-
3435 3935, 4135	8035.06	<b>62/930-251</b>	-	-	-
3830, 4030	8035.06		<b>62/930-250</b> North America	-	-
4635 L60	8035.05		-	-	-
TT50 TT55	8035.05	<b>62/930-91</b>	-	-	-
TN55 TN65	8035.05	<b>62/930-251</b>	-	-	-
TN55D, TN55S, TN55V TN65D, TN65N, TN65S, TN65V	8035.05		-	-	-
TD55D TD60, TD60D TD65D	8035.06 8035.05 (FPT)		-	-	-
TD60	8035.05 (TTF Tier 1)		-	-	-
TD60	8035.05 (TTF Tier 2)	<b>62/930-91</b>	-	-	-
TD60D Plus	8035.05 (TTF Tier 2)		-	-	-
TD60D Plus	8035.05 (FPT)	<b>62/930-251</b>	-	-	-
TL65 (Brasil)	8035.05		-	-	-
TN60A, TN60VA	8035.05		-	-	-
TN60DA, TN60SA	8035.05		-	-	-
TD65B TT65D	8035.25		-	-	-
TD65F (Tier 2) TD75F (Tier 2) TD85F (Tier 2)	8035.25	<b>62/930-91</b>	-	-	-
TT65 TT75	8035.25		-	-	-
TD70, TD70D	8035.25 (FPT)	<b>62/930-251</b>	-	-	-
TD70	8035.25 (TTF Tier 1)		-	-	-
TD70	8035.25 (TTF Tier 2)	<b>62/930-91</b>	-	-	-
TD70D Plus	8035.25 (TTF Tier 2)		-	-	-
TD70D Plus	8035.25 (FPT)	<b>62/930-251</b>	-	-	-
TN70 TN75	8035.25		-	-	-
TN70A TN75A	8035.25		-	-	-
TN70D, TN70S	8035.25		-	-	-
TN70NA, TN70VA TN75D, TN75N, TN75NA, TN75S, TN75V, TN75VA	8035.25		-	-	-
TN70DA, TN70SA TN75DA, TN75SA	8035.25		-	-	-

## 4 CYLINDER ENGINES

Tractors	Engine	Starter Motor			
4230 4430	8045.06 8045.05	<b>62/930-250</b>	-	-	-
4835 L65	8045.06		-	-	-
5010S	8045.06		-	-	-
5635, 6635, 7635 L75, L85, L95	8045.05 8045.25 8045.25K		-	-	-
TL70	8045.06		-	-	-
TL70 (Brasil)	8045.06		-	-	-
TD75D	8045.06		<b>62/930-251</b> 2.6kW	<b>62/930-250</b> 4.2kW	-
TD80, TD80D TD85D	8045.05 (FPT)	<b>62/930-250</b>	-	-	-
TD80	8045.05 (TTF Tier 1)		-	-	-
TD80	8045.05 (TTF Tier 2)	<b>62/930-41</b>	-	-	-
TD80D Plus	8045.05 (TTF Tier 2)		-	-	-
TD80D Plus	8045.05 (FPT)	<b>62/930-250</b>	-	-	-
TL80	8045.05		-	-	-
TL80 (Brasil)	8045.05		-	-	-
TN65F TN70F, TN75F, TN80F	8045.05		-	-	-
TN75FA	8045.05		-	-	-
TD90, TD90D TD95	8045.25 (FPT)		-	-	-
TD90 TD95	8045.25 (TTF Tier 1)		-	-	-
TD90	8045.25 (TTF Tier 2)	<b>62/930-41</b>	-	-	-
TD95	8045.25 (TTF Tier 2)		-	-	-
TD90D Plus TD95D Plus	8045.25 (TTF)		-	-	-
TD90D Plus TD95D Plus	8045.25 (FPT)	<b>62/930-250</b>	-	-	-
TD95D	8045.25 (Tier 1)		-	-	-
TD95D	8045.25 (Tier 2)		-	-	-
TL90	8045.25		-	-	-
TL90 (Brasil)	8045.25		-	-	-
TN85FA TN95FA	8045.25		-	-	-
TN90F TN95F	8045.25		-	-	-
TN95NA, TN95VA	8045.25		-	-	-
TL100	8045.25K		-	-	-
TL100 (Brasil)	8045.25K		-	-	-

TS80 TS90, TS90E TS100 TS110	PowerStar 450 & 450T	<b>62/930-161</b>	<b>62/930-173</b> with reduction gear	-	-
TS90 (Brasil) TS100 (Brasil) TS100E (Brasil) TS110 (Brasil)	PowerStar 450 & 450T	<b>62/930-173</b> 3.0kW	<b>62/930-275</b> 4.2kW	-	-

## 6 CYLINDER ENGINES

Tractors	Engine	Starter Motor			
8160, 8260, 8360 M100, M115, M135	PowerStar 675 & 675T	<b>62/930-161</b>	<b>62/930-173</b> with reduction gear	<b>62/930-170</b> cold climate	<b>62/930-310</b> (084505B>) cold climate
8560 M160	PowerStar 675T				
8670, 8670A, 8770, 8770A 8870, 8870A, 8970, 8970A G170, G190, G210, G240	Genesis CPP 675T & TA	<b>62/930-340E</b>	-	-	-
TM110 (Brasil) TM120 (Brasil) TM130 (Brasil) TM140 (Brasil)	PowerStar 675 & 675T	<b>62/930-173</b>	-	-	-
TM115, TM125, TM135 TM150, TM165	PowerStar 675 & 675T		-	-	-
TM135 (Brasil) TM150 (Brasil) TM165 (Brasil) TM180 (Brasil)	PowerStar 675T		<b>62/930-275</b>	-	-
TM120, TM130, TM140 TM155, TM175, TM190	PowerStar 675TA		-	-	-
TS115 TS115E	PowerStar 675	<b>62/930-161</b>	<b>62/930-173</b> with reduction gear	-	-
TS120 (Brasil)	PowerStar 675	<b>62/930-173</b> 3.0kW	<b>62/930-275</b> 4.2kW	-	-
TV140	PowerStar 675T	<b>62/930-340E</b>	-	-	-











**BEPKO PARTS SA**

Rue Chaumont 4D • 4480 Hermalle-sous-Huy • Belgium  
 T +32 (0)85 24 54 00 • F +32 (0)800 23 132  
 info.be@bepcoparts.com • www.bepcoparts.com

**BEPKO UK LTD**

Bepco House • Unit 316 • Hartlebury Trading Estate  
 Hartlebury - Worcestershire, DY10 4JB (UK)  
 P +44 (0)1299 252270 • F 0800 216553  
 info@bepcoparts.com • www.bepcoparts.com

**BEPKO FRANCE SAS**

Z.I. La Plaine, Allée de Bigorre  
 BP80041 Le Passage • 47901 Agen Cedex 9 • France  
 T +33 (0)553 96 31 25 • F +33 (0)553 68 03 72  
 info.fr@bepcoparts.com • www.bepcoparts.com

**BEPKO DEUTSCHLAND GmbH**

Neuer Weg 5 • 59505 Bad Sassendorf • Germany  
 T +49 (0)2927 919 59 0 • F +49 (0)2927 919 59 59  
 info.de@bepcoparts.com • www.bepcoparts.com

**BEPKO NEDERLAND BV**

Den Dolvert 10 • 5473 GP, Heeswijk-Dinther • Nederland  
 T +31 (0)413 29 39 75 • F +31 (0)413 29 40 87  
 info.nl@bepcoparts.com • www.bepcoparts.com

**TVH AUSTRALASIA PTY LTD**

HEAD OFFICE BRISBANE • www.tvh.com

**ADELAIDE**

96 South terrace • Wingfield SA 5013  
 T +61 8 8359 1155 • F +61 8 8359 0600  
 adelaidesales@tvh.com.au

**BRISBANE**

735 Boundary • Road Richlands QLD 4077  
 T +61 7 3277 0877 • F +61 7 3277 0026  
 brisbanesales@tvh.com.au

**MELBOURNE**

7/66-74 Micro Circuit • Dandenong South VIC 3175  
 T +61 3 9544 6622 • F +61 3 9544 2617  
 melbournesales@tvh.com.au

**PERTH**

2/15 Colin Jamieson Drive • Welshpool WA 6106  
 T +61 8 9358 2200 • F +61 8 9358 2822  
 perthsales@tvh.com.au

**SYDNEY**

1/1002-1010 Canley Vale Rd • Wetherill Park NSW 2164  
 T +61 2 9756 6677 • F +61 2 9756 3555  
 sydneyesales@tvh.com.au

**TVH NEW ZEALAND LTD • AUCKLAND**

Pro Box 51490 • Pakuranga • 2140 • 11K Echelon Place  
 East Tamaki • Auckland  
 Free 0800 459 662 • T +64 9 274 9695 • F +64 9 274 9698  
 info@tvh.co.nz • www.tvh.com

**BEPKO IBÉRICA SA**

Pol. Ind. Les Guixeres, C/ Xarol, 7  
 08915 Badalona (Barcelona) • Spain  
 T +34 (0)902 111 062 - 933 810 062 • F +34 (0)933 813 345  
 info.es@bepcoparts.com • www.bepcoparts.com

**ALMENDRALEJO**

Ctra. Badajoz - Pol. «Rayvaz» Nave 21  
 06200 Almendralejo (Badajoz)  
 T +34 (0)902 111 062 - 924 664 890  
 F +34 (0)924 664 576

**DOS HERMANAS**

Pol. Ind. La Isla, C/ Hornos, 11  
 41703 Dos Hermanas (Sevilla)  
 T +34 (0)902 111 062 - 954 931 546  
 F +34 (0)954 930 130

**SANTIAGO DE COMPOSTELA**

Pol. El Tambre, Via Faraday, 36  
 15890 Santiago de Compostela  
 T +34 (0)902 111 062 - 981 560 012  
 F +34 (0)981 557 753

**TVH NEW ZEALAND LTD • HAMILTON**

5 Clow Place • Melville • 3206 • Hamilton  
 Free 0800 459 662 • T +64 9 274 9695 • F +64 9 274 9698  
 info@tvh.co.nz • www.tvh.com

**TVH PARTS SOUTH AFRICA (Pty) Ltd**

HEAD OFFICE JOHANNESBURG • www.tvh.com

**CAPE TOWN**

1 Karee Street • Kraaifontein Industries • Cape Town 7571  
 T +27 21 988 2432 • F +27 21 988 9127

**DURBAN**

2 Monaco Place • Westmead • Pinetown 3600  
 T +27 31 100 0760 • F +27 31 700 6191

**JOHANNESBURG**

36 Loper Avenue • Aeroport, Isando ext 2 • Johannesburg  
 T +27 11 281 27 00 • F +27 11 392 35 99/+27 11 974 98 45  
 sales.southafrica@tvh.com • www.bepco.co.za

**LICHTENBURG**

Shop 1 • 109 Scholtz Street • Lichtenburg 2740  
 T +27 18 632 6192/6092 • F +27 18 632 6108

**PORT ELIZABETH**

134 Kempston Road • Korsten • Port Elizabeth 6020  
 T +27 41 453 1404/8 • F +27 41 453 1409

## FOR ALL OUR LATEST CATALOGUE UPDATES AND COMPANY INFO: [WWW.BEPCOPARTS.COM](http://WWW.BEPCOPARTS.COM)



The spare parts mentioned in this list can normally be delivered from stock. In addition, we can supply parts, which are not mentioned in this catalogue, with the shortest possible delivery time. The O.E.M. references are only for indication purposes and do not imply that the spare parts are coming from the manufacturer. This spare parts list can be modified without prior notice. All photographs, drawings, illustrations, brand names, descriptions and numbers are included for identification purposes only.



De onderdelen vermeld in deze lijst, zijn normaal uit voorraad leverbaar, behoudens uitverkocht. Ook niet-vermelde onderdelen kunnen binnen de kortste tijd uitgeleverd worden. De O.E.M. referenties dienen enkel ter indicatie en impliceren niet dat deze van de vermelde constructeur afkomstig zijn. Deze onderdelenlijst kan zonder enige voorafgaande verwittiging aangepast worden. Alle gebruikte foto's, tekeningen, afbeeldingen, merknamen, omschrijvingen en nummers dienen alleen ter identificatie.



Les pièces de rechange, mentionnées dans cette liste, sont normalement livrables du stock. En plus, les articles nonindiqués peuvent être fournis en peu de temps. Cette liste peut être modifiée sans avis préalable. Les références O.E.M. sont seulement indicatives et n'impliquent pas que les pièces de rechange viennent du constructeur. Toutes les photographies, illustrations, marques, descriptions, tous les plans et numéros servent exclusivement à une identification.



Die in dieser Liste aufgeführten Teile sind normalerweise aus dem Lager lieferbar. Wir sind zudem in der Lage nicht aufgeführte Teile innerhalb kürzester Zeit zu liefern. Die O.E.M. Referenznummern dienen zur Information und beinhalten nicht, dass diese vom genannten Hersteller kommen. Diese Bestandsliste kann ohne vorhergehende Ankündigung geändert werden. Alle verwendeten Foto's, Zeichnungen, Abbildungen, Markennamen, Beschreibungen und Nummern dienen nur zu Identifikationszwecken.



Los artículos mencionados en este catálogo se encuentran habitualmente en stock. Además, podemos suministrar en un plazo corto de tiempo otros artículos relacionados que no se encuentren expresamente mencionados en este catálogo. Las referencias O.E.M. sirven sólo como indicación y no implican que procedan del constructor. Este listado de productos puede estar sujeto a modificaciones sin aviso previo. Todas las fotos, dibujos, ilustraciones, nombres de marca, descripciones y números se han incluido simplemente con el propósito de su identificación.



I pezzi di ricambio, menzionati in questo listino, possono essere forniti con una consegna immediata a condizione che non siano esauriti. I pezzi di ricambio non menzionati possono essere forniti in poco tempo. Le referenze O.E.M. sono solamente indicative e non implicano che i pezzi di ricambio vengano da questo costruttore. Questa lista ricambi può essere aggiornata senza avvisi anticipati. Tutti i numeri, codici, nomi, foto, spaccati e disegni sono solo a titolo informativo.



Części z tego katalogu są zazwyczaj na stanie magazynowym. Również części które nie są wyszczególnione w katalogu mogą być dostarczone na zamówienie w najkrótszym możliwym terminie. Opis części O.E.M. jest używany informacyjnie i nie wskazuje na to, że dany produkt jest wyprodukowany przez podanego producenta. Zawartość katalogu może ulec zmianie bez wcześniejszego informowania o tym. Wszystkie użyte zdjęcia, rysunki, nazwy marek, opis i numery służą tylko do identyfikacji.



Запчасти из настоящего списка, как правило, имеются в запасе, если только он не распродан. Прочие, не фигурирующие в списке артикулы, могут быть поставлены в самые кратчайшие сроки. Указание оригинальных номеров производителя не предполагает обязательного оригинального происхождения самих деталей. Данный список может изменяться без предварительного уведомления. Все использованные фото, рисунки, иллюстрации, названия брендов, наименования и номера служат исключительно для цели идентификации.



Visit us on the Internet:  
**[www.bepcoparts.com](http://www.bepcoparts.com)**

© **bepco** 2015

All rights reserved. No part of this catalogue may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of BEPCO PARTS.

- BEPCO is a supplier of after-market spare parts and accessories that are suitable for the maintenance and repair of OEM-equipment. OEM references and brands are purely indicative and do not imply that the accessories and/or spare parts are coming from the original equipment or parts manufacturer.
- Products that do not comply with regulatory requirements concerning CE conformity are not placed on the market in the European Economic Area.
- BEPCO® are registered trademarks.
- All sales are subject to the general terms & conditions of sale on [www.bepcoparts.com](http://www.bepcoparts.com)
- Photographs and illustrations are included for reference purposes only. Printing errors reserved.

www.bepcoparts.com

Case IH  
David Brown  
Fiat  
Ford  
Hürlimann  
John Deere  
K.H.D. (Deutz)  
Kubota  
Landini  
Lamborghini

**New Holland**

Manitou  
Massey Ferguson  
Mc Cormick  
Merlo  
Perkins  
Renault  
Same  
Steyr  
Valmet  
Zetor

**Spare parts** ■  
*from A-Z for*  
**all brands**

*moving forward in every field*



**BEPKO GROUP**

Rue Chaumont 4D • 4480 Hermalle-sous-Huy • Belgium  
T +32 (0)85 24 54 00 • F +32 (0)800 23 132 • info.be@bepcoparts.com • www.bepcoparts.com  
Bepco House • Unit 316 • Hartlebury Trading Estate  
Hartlebury - Worcestershire • DY104JB Hartlebury • United Kingdom  
T +44 (0)1299 252270 • F +44 (0)800 216553 • info.uk@bepcoparts.com • www.bepcoparts.com

Member of **TVH** 