



Ref. B53898

moving forward in every field

HYDRAULICS

▶▶ **CONNECTORS & CONSUMABLES**

Quick Reference Guide

www.bepcoparts.com

Member of **TVH** 

ABOUT BEPCO

Bepco Group is a worldwide leading supplier of parts and accessories for agricultural tractors and machinery.

With over 360 employees Bepco Group has subsidiaries in Belgium, Nederland, France, Germany, Spain and UK and is also present in Australia, New Zealand, South Africa and Brazil.

Bepco Group is a truly global company with customers in over 100 countries worldwide and sales outside Europe contributing to over a third of revenues.

We offer our network of distributors and dealers :

- ▶▶ Original Equipment Supplier and other industry leading brands
- ▶▶ More than 20,000 m² of warehousing
- ▶▶ More than 55,000 stock items
- ▶▶ Technological knowledge from industry experts
- ▶▶ Same day shipment, next day delivery in many markets

Bepco Group is also a member of TVH, the all-round supplier of quality parts and accessories for material handling, industrial vehicles and agricultural equipment.

Swaging & Cutting Machines

4-8

- Hydralok Manual Crimping Machine - H19MM 4
- Hydralok Manual Crimping Machine - H25Mini 5
- Hydralok Electric Crimping Machine - H32HydraTouch 6
- Hydralok Electric Crimping Machine - H25ECO+QC 7
- Hydralok Electric Cutting Machine - HCL 8

Hydraulic Hose & Accessories

9

- Hydraulic Hose - 2 Wire - Non Skive 9
- Hose Reel Dispenser 9
- Hose Protector 9

Two Piece - Inserts & Ferrules

10-18

- Ferrules 10
- 2 Piece - Swage Inserts - BSP 10-12
- 2 Piece - Swage Inserts - JIC 12-14
- 2 Piece - Swage Inserts - SAE/ORFS 15-16
- 2 Piece - Swage Inserts - Metric 16-18

Adapters

18-27

- Adapters BSP - BSP > BSP Male to Male 18
- Adapters BSP - BSP > BSP Male to Female 19
- Adapters BSP - BSP > BSP Male to Female 19
- Adapters BSP - BSP > BSP TEE Male Male Male 19
- Adapters BSP - BSP > BSP TEE Male Male Female 20
- Adapters BSP - BSP > BSP TEE Male Female Male 20
- Adapters BSP - BSP > BSP TEE Female Female Female 20
- Adapters BSP - BSP > BSP Elbow Male Male 20
- Adapters BSP - BSP > BSP Elbow Male Female 20
- Adapters BSP - BSP > BSP Elbow Female Female 21
- Adapters BSP - BSP > BSP Blanking Plug 21
- Adapters BSP - JIC > BSP Male to JIC Male 21
- Adapters BSP - JIC > BSP Male to JIC Female 21
- Adapters BSP - JIC > BSP Female to JIC Male 22
- Adapters BSP - JIC > BSP Female to JIC Female 22
- Adapters BSP - Metric > BSP Male to Metric Male 22
- Adapters BSP - Metric > BSP Male to Metric Female 23
- Adapters BSP - Metric > BSP Female to Metric Male 23
- Adapters BSP - Metric > BSP Female to Metric Female 23
- Adapters JIC - JIC > JIC Male to Male 24
- Adapters JIC - JIC > JIC Female to Female 24
- Adapters JIC - JIC > JIC Male to Female 24
- Adapters JIC - JIC > JIC TEE Male Male Male 24
- Adapters JIC - JIC > JIC TEE Male Male Female 24
- Adapters JIC - JIC > JIC TEE Male Female Male 25
- Adapters JIC - JIC > JIC Blanking Plug 25
- Adapters Metric - Metric > Metric Male to Male 25
- Adapters Metric - Metric > Metric Male to Female 26
- Adapters Metric - Metric > Metric Female to Female 26
- Adapters Metric - Metric > Metric Blanking Plug 26
- Adapter Miscellaneous > UNF SAE O Ring Male JIC Male 27

Quick Couplings

27

- ISO Quick Couplings - BSP 29

Hydralok Manual Crimping Machine - H19MM



FEATURES

Lightweight and portable for on-site repairs, horizontal annular head. Easy slide-in dies location & simple calibration system.

PRODUCT SPECIFICATION

MANUALLY OPERATED (MICROMETER)

- Reference : **69/9450-52**
- Hose Capacity : 3/16" – 3/4" straight fittings, 1/2" elbow fittings - R1AT & R2AT (2 wire hose)
- Standard Die sets supplied with machine : 1/4" – 3/4", 5 sets (S16 – S28),
- Die location : Easy fit - Slide in dies
- Calibration : Hydralok direct dial micrometer adjustment
- Operation : Twin Speed Hand Pump with integral relief valve
- Pump rating : 690 bar (10,000 psi)
- Additional die sets available : for 1 piece fittings, freon, PTFE and other special applications.
- Option: Air/Hydraulic foot pump to replace hand pump. 5.5 - 7 bar input (80-100 psi)
- Swaging Force : 900 kN.
- Packed Dimensions : 600 x 400 x 500 mm
- Net Weight : 21 kg (Excluding dies)
- Gross weight : 27 kg

Hydralok Manual Crimping Machine - H25MINI



FEATURES



Lightweight and portable for on-site repairs, horizontal annular head. Easy slide-in dies location & simple calibration system, c/w die holder drawer.

PRODUCT SPECIFICATION

MANUALLY OPERATED (MICROMETER)

- Reference : **69/9450-45**
- Hose Capacity: 3/16" – 1" R1AT & R2AT (2 wire), R9R/4SP up to 1" (4 wire)
- Standard Die sets supplied with machine: 1/4" – 1", 5 sets (A16 – A40)
- Die location: Easy fit – Slide in dies
- Calibration: Hydralok direct dial micrometer adjustment
- Operation: by a Twin Speed Hand Pump with integral relief valve.
- Pump rating: 690 bar (10,000 psi)
- Additional die sets available: for 1 piece fittings, freon, PTFE and other special applications
- Option: Air/Hydraulic foot pump to replace hand pump. 5.5 – 7 bar input (80-100 psi) -> 69/9450-66
- Swaging Force : 1000 kN - Double elbows (90 deg) fittings up to & including 1" – possible (with removal of one die segment.)
- Crimping force 1000 kN. Packed Dimensions : 790 x 600 x 550 mm
- Net Weight : 43 kg
- Gross weight : 59kg

Hydralok Electric Crimping Machine - H25ECO + Quick Change



FEATURES

Most economic electric powered machine, 1" 4 wire machine with single speed pump.

PRODUCT SPECIFICATION

ELECTRICALLY OPERATED

- Reference : **B48185**
- Hose capacity : 3/16" - 1" R9R/4SP (4 wire)
- Swaging Range of machine: See chart below
- Standard die sets supplied with the machine: 5 die sets from 1/4" to 1" – with 5 pots and an electromagnetic "Quick Change" tool
- Calibration : Simple dial adjusted calibrator
- Control : Push-button
- Max Opening (without dies): 105 mm
- Swaging Force : 1750 kN
- Max Cycle Time : (O-C) 12 Sec ; (C-O) 7.5 Sec
- Voltages 3 phase : 220/240-380/440 50Hz 225/280/440/480 60Hz
- Voltages 1 phase : 220/240 50Hz
- Additional die sets available : 1 piece, Freon, PTFE.
- Packed Dimensions : 790mm x 600mm x 900mm
- Net Weight : 108 kg
- Gross weight : 142 kg

Hydralok Electric Crimping Machine - H32HydraTouch



FEATURES

Most economic electric powered machine, 1" 4 wire machine with single speed pump.

PRODUCT SPECIFICATION

ELECTRICALLY OPERATED

- Reference : **B48187**
- Hose capacity : 3/16" - 1 1/4" R9R/4SP (4 wire) – 1 1/2" (2 wire)
- Swaging range of machine : See chart below.
- Standard die sets supplied with machine: 8 die sets from 1/4" to 1 1/4"
- Calibration: Touch screen controller or simple dial adjusted calibrator
- Control: Push-button
- Max Opening (without dies) : 105 mm
- Swaging force : 1750 kN
- Max Cycle Time (O-C) / (C-O): 3 Sec / 7.5 Sec (without gas struts) ; 3 Sec / 4 Sec (with gas struts)
- Voltages 3 phase : 220/240-380/440, 50Hz 225/280/440/480 60Hz
- Voltages 1 phase : 220/240 50Hz
- Additional die sets available: for 1 piece fittings, Freon, PTFE & other special applications
- Option: Camera for on screen view of back of the head for fast and more accurate crimping
- Option: Quick change rack and foot pedal
- Packed Dimensions : 790 x 600 x 900 mm
- Net Weight : 124 kg
- Gross weight : 143 kg

Hydralok Electric Cutting Machine - HCL



FEATURES

Bench mounted cutting machine.

PRODUCT SPECIFICATION

ELECTRICALLY OPERATED

- Reference : **69/9450-32**
- Motor : 2,2 Kw
- Cut up to 1 1/4" bore (4 wire) and 2" (2 wire).
- Slotted type blade dissipate heat from cutting hoses and increases blade life
- Voltages 3 phase : 380/440 50Hz 1420 RPM, (optional 1 phase or 12v versions)
- Packed Dimensions : 790 x 600 x 550 mm
- Net Weight : 42 kg
- Gross weight : 61 kg

ABOUT HYDRALOK

Hydralok has over 20 years of experience of manufacturing high performance machines that have been sold in many countries worldwide. The Hydralok product range includes Swaging, Cutting and Skiving machines of up to a 2" capacity. Bepco is proud to be working in partnership with Hydralok and this market leading product range.

Hydraulic High Pressure Hose - 2 Wire - Non Skive



- Type: R-2 AT, 2 wire - Non Skive
- Brand: BEPCO
- Standard: EN-853, DIN-20.022 / 2SN

Hose Bore Ø		O Dia Ø		Working Pressure	Busting Pressure	Max Flex Radius	Weight	Part No	Quantity	Availability
Inch	mm	mm	mm	Bar	Bar	mm	Kg/m			
1/4	6.3	20.6		400	1600	100	0.376	69/9428-2A	Order by Metre	Stocked
1/4	6.3	20.6		400	1600	100	0.376	69/9420-2A	50 m Reel	Stocked
5/16	7.9	20.8		350	1400	115	0.412	69/9428-3A	Order by Metre	Stocked
5/16	7.9	20.8		350	1400	115	0.412	69/9420-3A	50 m Reel	Stocked
3/8	9.5	23.3		330	1320	130	0.519	69/9428-4A	Order by Metre	Stocked
3/8	9.5	23.3		330	1320	130	0.519	69/9420-4A	50 m Reel	Stocked
1/2	12.7	27		275	1100	180	0.63	69/9428-5A	Order by Metre	Stocked
1/2	12.7	27		275	1100	180	0.63	69/9420-5A	50 m Reel	Stocked
5/8	16.0	25.4		250	1000	200	0.90	69/9428-6A	Order by Metre	Stocked
3/4	19.0	29.3		215	850	240	1.12	69/9428-7A	Order by Metre	Stocked
1	25.4	38.1		165	650	300	1.409	69/9428-8A	Order by Metre	Stocked

Hose Reel Dispenser



Description	Part No
3 Reel Dispenser	69/9426-1
Additional Reel	69/9426-14




Hose and Cable Protector - Black



Internal Dia Ø	Band width	Thick	Part No	Availability
mm	mm	mm		
16	16	1	69/9412-1	Stocked
22	17	1	69/9412-2	Stocked
30	18	2	69/9412-3	Stocked
40	19	2	69/9412-4	Stocked

Ferrules - For 1 & 2 Wire Non Skive Hose




Hose Bore Ø		A Ø	B	Part No	Availability
Inch	mm	mm	mm		
1/4	6.3	20.6	30.5	69/9400-2	Stocked
5/16	7.9	20.8	30.1	69/9400-3	Stocked
3/8	9.5	23.3	32.1	69/9400-4	Stocked
1/2	12.7	27	32	69/9400-5	Stocked
5/8	15.8	31	34.6	69/9400-6	Stocked
3/4	19	36	38	69/9400-7	Stocked
1	25.4	42.5	50.5	69/9400-8	Stocked

BSP - 60° Cone - Male Straight




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	1/8	69/9004-2	Stocked
1/4	6.3	1/4	69/9004-3	Stocked
1/4	6.3	3/8	69/9004-6	Stocked
5/16	7.9	3/8	69/9004-7	Stocked
3/8	9.5	1/4	69/9004-5	Stocked
3/8	9.5	3/8	69/9004-8	Stocked
3/8	9.5	1/2	69/9004-11	Stocked
1/2	12.7	3/8	69/9004-9	Stocked
1/2	12.7	1/2	69/9004-12	Stocked
1/2	12.7	5/8	69/9004-14	Stocked
1/2	12.7	3/4	69/9004-24	On request
5/8	15.8	5/8	69/9004-15	Stocked
5/8	15.8	3/4	69/9004-16	Stocked
3/4	19	3/4	69/9004-17	Stocked
3/4	19	1	69/9004-18	Stocked
1	25.4	1	69/9004-19	Stocked

BSP - 60° Cone - Female Straight




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	1/8	69/9000-2	Stocked
1/4	6.3	1/4	69/9000-4	Stocked
1/4	6.3	3/8	69/9000-7	Stocked
5/16	7.9	3/8	69/9000-8	On request
3/8	9.5	1/4	69/9000-6	Stocked
3/8	9.5	3/8	69/9000-9	Stocked
3/8	9.5	1/2	69/9000-13	Stocked
1/2	12.7	3/8	69/9000-10	Stocked
1/2	12.7	1/2	69/9000-14	Stocked
1/2	12.7	5/8	69/9000-17	Stocked
1/2	12.7	3/4	69/9000-19	Stocked
5/8	15.8	5/8	69/9000-18	Stocked
5/8	15.8	3/4	69/9000-20	On request
3/4	19	1/2	69/9000-16	On request
3/4	19	3/4	69/9000-21	Stocked
3/4	19	1	69/9000-23	Stocked
1	25.4	1	69/9000-24	Stocked

BSP - 60° Cone - 90° Female




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	1/8	69/9000-51	Stocked
1/4	6.3	1/4	69/9000-53	Stocked
1/4	6.3	3/8	69/9000-55	On request
5/16	7.9	3/8	69/9000-56	Stocked
3/8	9.5	1/4	69/9000-54	Stocked
3/8	9.5	3/8	69/9000-57	Stocked
3/8	9.5	1/2	69/9000-59	Stocked
1/2	12.7	3/8	69/9000-58	Stocked
1/2	12.7	1/2	69/9000-60	Stocked
1/2	12.7	5/8	69/9000-61	Stocked
1/2	12.7	3/4	69/9000-63	Stocked
5/8	15.8	5/8	69/9000-62	Stocked
5/8	15.8	3/4	69/9000-64	Stocked
3/4	19	1/2	-	-
3/4	19	3/4	69/9000-65	Stocked
3/4	19	1	69/9000-67	On request
1	25.4	1	69/9000-68	Stocked

BSP - 60° Cone - 45° Female




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	1/8	69/9000-31	Stocked
1/4	6.3	1/4	69/9000-33	Stocked
1/4	6.3	3/8	69/9000-34	Stocked
5/16	7.9	3/8	69/9000-35	On request
3/8	9.5	1/4	69/9000-73	Stocked
3/8	9.5	3/8	69/9000-36	Stocked
3/8	9.5	1/2	69/9000-38	On request
1/2	12.7	3/8	69/9000-37	Stocked
1/2	12.7	1/2	69/9000-39	Stocked
1/2	12.7	5/8	69/9000-40	On request
1/2	12.7	3/4	-	-
5/8	15.8	5/8	69/9000-41	Stocked
5/8	15.8	3/4	69/9000-42	On request
3/4	19	1/2	-	-
3/4	19	3/4	69/9000-43	Stocked
3/4	19	1	69/9000-44	Stocked
1	25.4	1	69/9000-45	Stocked

BSP - 60° Cone - 90° Female Compact



Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	1/8	69/9002-22	Stocked
1/4	6.3	1/4	69/9002-23	Stocked
1/4	6.3	3/8	-	-
5/16	7.9	3/8	69/9002-24	On request
3/8	9.5	1/4	-	-
3/8	9.5	3/8	69/9002-25	Stocked
3/8	9.5	1/2	69/9002-27	Stocked
1/2	12.7	3/8	69/9002-26	Stocked
1/2	12.7	1/2	69/9002-28	Stocked
1/2	12.7	5/8	69/9002-29	Stocked
1/2	12.7	3/4	-	-
5/8	15.8	5/8	69/9002-30	On request
5/8	15.8	3/4	69/9002-31	On request
3/4	19	1/2	-	-
3/4	19	3/4	69/9002-32	Stocked
3/4	19	1	69/9002-33	On request
1	25.4	1	69/9002-34	On request

JIC - 74° Cone - Male Straight




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	7/16	69/9017-1	Stocked
1/4	6.3	1/2	69/9017-2	Stocked
1/4	6.3	9/16	69/9017-5	Stocked
5/16	7.9	9/16	69/9017-6	On request
3/8	9.5	9/16	69/9017-7	Stocked
3/8	9.5	3/4	69/9017-8	On request
3/8	9.5	7/8	69/9017-10	On request
1/2	12.7	3/4	69/9017-9	Stocked
1/2	12.7	7/8	69/9017-11	Stocked
1/2	12.7	1 1/16	69/9017-13	On request
5/8	15.8	7/8	69/9017-12	Stocked
5/8	15.8	1 1/16	69/9017-14	Stocked
3/4	19	1 1/16	69/9017-15	Stocked
3/4	19	1 3/16	69/9017-18	Stocked
3/4	19	1 5/16	69/9017-21	Stocked
1	25.4	1 1/16	69/9017-16	Stocked
1	25.4	1 5/16	69/9017-22	Stocked
1	25.4	1 5/8	69/9017-23	Stocked

JIC - 74° Cone - Female Straight




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	7/16	69/9015-3	Stocked
1/4	6.3	1/2	69/9015-4	Stocked
1/4	6.3	9/16	69/9015-7	Stocked
5/16	7.9	9/16	69/9015-8	Stocked
3/8	9.5	9/16	69/9015-9	Stocked
3/8	9.5	3/4	69/9015-12	Stocked
3/8	9.5	7/8	69/9015-16	Stocked
1/2	12.7	3/4	69/9015-14	Stocked
1/2	12.7	7/8	69/9015-17	Stocked
1/2	12.7	1 1/16	69/9015-20	Stocked
5/8	15.8	7/8	69/9015-18	Stocked
5/8	15.8	1 1/16	69/9015-21	Stocked
3/4	19	1 1/16	69/9015-22	Stocked
3/4	19	1 3/16	69/9015-24	Stocked
3/4	19	1 5/16	69/9015-26	Stocked
1	25.4	1 1/16	69/9015-23	Stocked
1	25.4	1 5/16	69/9015-27	On request
1	25.4	1 5/8	69/9015-28	Stocked

JIC - 74° Cone - 90° Female




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	7/16	69/9015-70	Stocked
1/4	6.3	1/2	69/9015-71	Stocked
1/4	6.3	9/16	69/9015-74	Stocked
5/16	7.9	9/16	69/9015-75	Stocked
3/8	9.5	9/16	69/9015-76	Stocked
3/8	9.5	3/4	69/9015-78	Stocked
3/8	9.5	7/8	69/9015-80	Stocked
1/2	12.7	3/4	69/9015-79	Stocked
1/2	12.7	7/8	69/9015-81	Stocked
1/2	12.7	1 1/16	69/9015-83	On request
5/8	15.8	7/8	69/9015-82	Stocked
5/8	15.8	1 1/16	69/9015-84	Stocked
3/4	19	1 1/16	69/9015-85	Stocked
3/4	19	1 3/16	69/9015-87	Stocked
3/4	19	1 5/16	69/9015-89	Stocked
1	25.4	1 1/16	-	-
1	25.4	1 5/16	69/9015-90	On request
1	25.4	1 5/8	69/9015-91	Stocked

JIC - 74° Cone - 45° Female




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	7/16	69/9015-40	Stocked
1/4	6.3	1/2	69/9015-41	Stocked
1/4	6.3	9/16	69/9015-44	Stocked
5/16	7.9	9/16	69/9015-45	On request
3/8	9.5	9/16	69/9015-46	Stocked
3/8	9.5	3/4	69/9015-47	Stocked
3/8	9.5	7/8	69/9015-49	Stocked
1/2	12.7	3/4	69/9015-48	Stocked
1/2	12.7	7/8	69/9015-50	Stocked
1/2	12.7	1 1/16	69/9015-53	Stocked
5/8	15.8	7/8	69/9015-51	Stocked
5/8	15.8	1 1/16	69/9015-54	On request
3/4	19	1 1/16	69/9015-55	Stocked
3/4	19	1 3/16	69/9015-57	Stocked
3/4	19	1 5/16	69/9015-59	Stocked
1	25.4	1 1/16	-	-
1	25.4	1 5/16	69/9015-60	On request
1	25.4	1 5/8	69/9015-61	Stocked

JIC - 74° Cone - 90° Female Compact




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	7/16	69/9016-1	On request
1/4	6.3	1/2	-	-
1/4	6.3	9/16	69/9016-3	Stocked
5/16	7.9	9/16	69/9016-14	On request
3/8	9.5	9/16	69/9016-4	On request
3/8	9.5	3/4	69/9016-5	On request
3/8	9.5	7/8	-	-
1/2	12.7	3/4	69/9016-6	On request
1/2	12.7	7/8	-	-
1/2	12.7	1 1/16	-	-
5/8	15.8	7/8	69/9016-8	On request
5/8	15.8	1 1/16	69/9016-9	On request
3/4	19	1 1/16	69/9016-10	On request
3/4	19	1 3/16	69/9016-11	On request
3/4	19	1 5/16	69/9016-12	On request
1	25.4	1 1/16	-	-
1	25.4	1 5/16	69/9016-13	On request
1	25.4	1 5/8	-	-

SAE / ORFS - Male Straight




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	9/16	69/9032-1	Stocked
1/4	6.3	11/16	69/9032-8	Stocked
5/16	7.9	11/16	69/9032-10	Stocked
3/8	9.5	11/16	69/9032-2	Stocked
3/8	9.5	13/16	69/9032-9	Stocked
1/2	12.7	11/16	-	-
1/2	12.7	13/16	69/9032-3	Stocked
1/2	12.7	1	-	-
5/8	15.8	13/16	69/9032-12	Stocked
5/8	15.8	1	69/9032-6	Stocked
5/8	15.8	1 3/16	69/9032-7	Stocked
3/4	19	1	69/9032-13	Stocked
3/4	19	1 3/16	69/9032-4	Stocked

SAE / ORFS - Female Straight




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	9/16	69/9020-1	Stocked
1/4	6.3	11/16	69/9020-2	Stocked
5/16	7.9	11/16	69/9020-3	Stocked
3/8	9.5	11/16	69/9020-4	Stocked
3/8	9.5	13/16	69/9020-5	Stocked
1/2	12.7	11/16	69/9020-73	Stocked
1/2	12.7	13/16	69/9020-6	Stocked
1/2	12.7	1	69/9020-7	Stocked
5/8	15.8	13/16	69/9020-69	Stocked
5/8	15.8	1	69/9020-8	Stocked
5/8	15.8	1 3/16	-	-
3/4	19	1	-	-
3/4	19	1 3/16	69/9020-10	Stocked

SAE / ORFS - 90° Female



Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	9/16	69/9020-40	Stocked
1/4	6.3	11/16	69/9020-41	Stocked
5/16	7.9	11/16	69/9020-42	Stocked
3/8	9.5	11/16	69/9020-43	Stocked
3/8	9.5	13/16	69/9020-44	Stocked
1/2	12.7	11/16	-	-
1/2	12.7	13/16	69/9020-45	Stocked
1/2	12.7	1	69/9020-46	Stocked
5/8	15.8	13/16	69/9020-71	Stocked
5/8	15.8	1	69/9020-47	Stocked
5/8	15.8	1 3/16	69/9020-52	Stocked
3/4	19	1	69/9020-76	Stocked
3/4	19	1 3/16	69/9020-48	Stocked

SAE / ORFS - 45° Female




Hose Bore Ø [B]		Thread [A]	Part No	Availability
Inch	mm	Inch		
1/4	6.3	9/16	69/9020-20	Stocked
1/4	6.3	11/16	69/9020-21	Stocked
5/16	7.9	11/16	69/9020-22	Stocked
3/8	9.5	11/16	69/9020-23	Stocked
3/8	9.5	13/16	69/9020-24	Stocked
1/2	12.7	11/16	-	-
1/2	12.7	13/16	69/9020-25	Stocked
1/2	12.7	1	69/9020-31	Stocked
5/8	15.8	13/16	69/9020-70	Stocked
5/8	15.8	1	69/9020-26	Stocked
5/8	15.8	1 3/16	-	-
3/4	19	1	-	-
3/4	19	1 3/16	69/9020-27	Stocked

Metric - 24° Cone - Male Straight




Hose Bore Ø [B]		Tube Ø	Heavy Duty	Thread [A]	Part No	Availability
Inch	mm	mm		mm		
1/4	6.3	6		M12 x 1.5	69/9021-3	Stocked
1/4	6.3	8		M14 x 1.5	69/9021-5	Stocked
1/4	6.3	10		M16 x 1.5	69/9021-10	Stocked
1/4	6.3	8	x	M16 x 1.5	69/9021-8	Stocked
1/4	6.3	12		M18 x 1.5	69/9021-16	Stocked
1/4	6.3	10	x	M18 x 1.5	69/9021-13	Stocked
5/16	7.9	10		M16 x 1.5	69/9021-11	On request
3/8	9.5	10		M16 x 1.5	69/9021-12	Stocked
3/8	9.5	12		M18 x 1.5	69/9021-18	Stocked
3/8	9.5	10	x	M18 x 1.5	69/9021-15	Stocked
3/8	9.5	14		M20 x 1.5	69/9021-21	Stocked
3/8	9.5	12	x	M20 x 1.5	69/9021-20	Stocked
3/8	9.5	15		M22 x 1.5	69/9021-24	Stocked
3/8	9.5	14	x	M22 x 1.5	69/9021-22	Stocked
1/2	12.7	15		M22 x 1.5	69/9021-25	Stocked
1/2	12.7	14	x	M22 x 1.5	69/9021-23	Stocked
1/2	12.7	16	x	M24 x 1.5	69/9021-26	Stocked
1/2	12.7	18		M26 x 1.5	69/9021-27	On request
5/8	15.8	18		M26 x 1.5	69/9021-28	On request
3/4	19	20	x	M30 x 2.0	69/9021-32	Stocked
1	25.4	28		M36 x 2.0	69/9021-38	Stocked
1	25.4	25	x	M36 x 2.0	69/9021-37	Stocked

Metric - 24° Cone - Female Straight




Hose Bore Ø [B]		Tube Ø	Heavy Duty	Thread [A]	Part No	Availability
Inch	mm	mm		mm		
1/4	6.3	6		M12 x 1.5	69/9027-3	Stocked
1/4	6.3	8		M14 x 1.5	69/9027-5	Stocked
1/4	6.3	10		M16 x 1.5	69/9027-10	Stocked
1/4	6.3	8	x	M16 x 1.5	69/9027-8	Stocked
1/4	6.3	12		M18 x 1.5	69/9027-16	Stocked
1/4	6.3	10	x	M18 x 1.5	69/9027-13	Stocked
5/16	7.9	10		M16 x 1.5	69/9027-11	Stocked
3/8	9.5	10		M16 x 1.5	69/9027-12	Stocked
3/8	9.5	12		M18 x 1.5	69/9027-18	Stocked
3/8	9.5	10	x	M18 x 1.5	69/9027-15	Stocked
3/8	9.5	14		M20 x 1.5	69/9027-22	Stocked
3/8	9.5	12	x	M20 x 1.5	69/9027-20	Stocked
3/8	9.5	15		M22 x 1.5	69/9027-24	Stocked
3/8	9.5	14	x	M22 x 1.5	69/9027-23	Stocked
1/2	12.7	15		M22 x 1.5	69/9027-25	Stocked
1/2	12.7	14	x	M22 x 1.5	-	-
1/2	12.7	16	x	M24 x 1.5	69/9027-26	Stocked
1/2	12.7	18		M26 x 1.5	69/9027-27	Stocked
5/8	15.8	18		M26 x 1.5	69/9027-28	Stocked
3/4	19	20	x	M30 x 2.0	69/9027-33	Stocked
1	25.4	28		M36 x 2.0	-	-
1	25.4	25	x	M36 x 2.0	69/9027-36	Stocked

Metric - 24° Cone - 90° Female



Hose Bore Ø [B]		Tube Ø	Heavy Duty	Thread [A]	Part No	Availability
Inch	mm	mm		mm		
1/4	6.3	6		M12 x 1.5	69/9027-81	Stocked
1/4	6.3	8		M14 x 1.5	69/9027-82	Stocked
1/4	6.3	10		M16 x 1.5	69/9027-86	Stocked
1/4	6.3	8	x	M16 x 1.5	69/9027-85	Stocked
1/4	6.3	12		M18 x 1.5	69/9027-91	Stocked
1/4	6.3	10	x	M18 x 1.5	69/9027-89	Stocked
5/16	7.9	10		M16 x 1.5	69/9027-92	On request
3/8	9.5	10		M16 x 1.5	69/9027-88	Stocked
3/8	9.5	12		M18 x 1.5	69/9027-93	Stocked
3/8	9.5	10	x	M18 x 1.5	69/9027-112	Stocked
3/8	9.5	14		M20 x 1.5	69/9027-114	Stocked
3/8	9.5	12	x	M20 x 1.5	69/9027-95	Stocked
3/8	9.5	15		M22 x 1.5	69/9027-97	Stocked
3/8	9.5	14	x	M22 x 1.5	69/9027-96	Stocked
1/2	12.7	15		M22 x 1.5	69/9027-98	Stocked
1/2	12.7	14	x	M22 x 1.5	-	-
1/2	12.7	16	x	M24 x 1.5	69/9027-99	Stocked
1/2	12.7	18		M26 x 1.5	69/9027-100	Stocked
5/8	15.8	18		M26 x 1.5	69/9027-101	Stocked
3/4	19	20	x	M30 x 2.0	69/9027-104	On request
1	25.4	28		M36 x 2.0	69/9027-106	On request
1	25.4	25	x	M36 x 2.0	-	-

Metric - 24° Cone - 45° Female




Hose Bore Ø [B]		Tube Ø	Heavy Duty	Thread [A]	Part No	Availability
Inch	mm	mm		mm		
1/4	6.3	6		M12 x 1.5	-	-
1/4	6.3	8		M14 x 1.5	69/9027-51	Stocked
1/4	6.3	10		M16 x 1.5	69/9027-55	Stocked
1/4	6.3	8	x	M16 x 1.5	69/9027-54	On request
1/4	6.3	12		M18 x 1.5	69/9027-60	Stocked
1/4	6.3	10	x	M18 x 1.5	69/9027-58	On request
5/16	7.9	10		M16 x 1.5	69/9027-56	Stocked
3/8	9.5	10		M16 x 1.5	69/9027-57	Stocked
3/8	9.5	12		M18 x 1.5	69/9027-62	Stocked
3/8	9.5	10	x	M18 x 1.5	69/9027-61	Stocked
3/8	9.5	14		M20 x 1.5	-	-
3/8	9.5	12	x	M20 x 1.5	69/9027-64	Stocked
3/8	9.5	15		M22 x 1.5	-	-
3/8	9.5	14	x	M22 x 1.5	69/9027-65	Stocked
1/2	12.7	15		M22 x 1.5	69/9027-66	Stocked
1/2	12.7	14	x	M22 x 1.5	-	-
1/2	12.7	16	x	M24 x 1.5	69/9027-67	Stocked
1/2	12.7	18		M26 x 1.5	-	-
5/8	15.8	18		M26 x 1.5	69/9027-68	Stocked
3/4	19	20	x	M30 x 2.0	69/9027-71	Stocked
1	25.4	28		M36 x 2.0	69/9027-74	On request
1	25.4	25	x	M36 x 2.0	-	-

Adapter - BSP Male to Male



Male A	Male B	Part No	Availability
Inch	Inch		
1/8	1/8	69/9314-1	Stocked
1/8	1/4	69/9314-2	On request
1/4	1/4	69/9314-7	Stocked
1/4	3/8	69/9314-8	Stocked
1/4	1/2	69/9314-9	Stocked
3/8	3/8	69/9314-13	Stocked
3/8	1/2	69/9314-14	Stocked
3/8	5/8	69/9314-15	On request
1/2	1/2	69/9314-19	Stocked
1/2	5/8	69/9314-20	On request
1/2	3/4	69/9314-21	Stocked
1/2	1	69/9314-22	Stocked
1/2	1 1/2	69/9314-24	On request
5/8	5/8	69/9314-26	Stocked
5/8	3/4	69/9314-27	Stocked
3/4	3/4	69/9314-30	Stocked
3/4	1	69/9314-31	Stocked
3/4	1 1/4	69/9314-32	On request
1	1	69/9314-35	Stocked
1	1 1/4	69/9314-36	On request
1 1/4	1 1/4	69/9314-39	On request

Adapter - BSP Male to Female




Male A	Male B	Part No	Availability
Inch	Inch		
1/4	1/4	69/9310-4	Stocked
1/4	3/8	69/9310-5	On request
1/4	1/2	69/9310-6	Stocked
3/8	1/4	69/9310-7	Stocked
3/8	3/8	69/9310-8	Stocked
3/8	1/2	69/9310-9	Stocked
1/2	1/4	69/9310-10	Stocked
1/2	3/8	69/9310-11	Stocked
1/2	1/2	69/9310-12	Stocked
1/2	5/8	69/9310-13	On request
5/8	1/2	69/9310-16	Stocked
5/8	5/8	69/9310-17	Stocked
5/8	3/4	69/9310-18	On request
3/4	1/2	69/9310-21	Stocked
3/4	5/8	69/9310-22	Stocked
3/4	3/4	69/9310-23	On request
1	1	69/9310-28	On request

Adapter - BSP Female to Female




Female A	Female B	Part No	Availability
Inch	Inch		
1/8	1/8	69/9301-1	On request
1/4	1/4	69/9301-2	On request
1/4	3/8	69/9301-3	On request
1/4	1/2	69/9301-4	On request
1/4	5/8	69/9301-50	On request
3/8	3/8	69/9301-5	On request
3/8	1/2	69/9301-6	Stocked
3/8	5/8	69/9301-52	On request
1/2	1/2	69/9301-7	Stocked
1/2	5/8	69/9301-8	Stocked
1/2	3/4	69/9301-9	On request
5/8	5/8	69/9301-10	On request
5/8	3/4	69/9301-54	On request
3/4	3/4	69/9301-11	Stocked
3/4	1	69/9301-12	On request
1	1	69/9301-13	On request
1	1 1/4	69/9301-56	On request
1 1/4	1 1/4	69/9301-14	On request

Adapter - BSP Tee Male Male Male




Male A	Male B	Part No	Availability
Inch	Inch		
1/4	1/4	69/9319-1	Stocked
3/8	3/8	69/9319-2	Stocked
3/8	1/2	69/9319-3	On request
1/2	3/8	69/9319-4	On request
1/2	1/2	69/9319-5	Stocked
5/8	5/8	69/9319-6	Stocked
3/4	3/4	69/9319-7	Stocked
1	1	69/9319-10	Stocked

Adapter - BSP Tee Male Male Female




Male A	Female B	Part No	Availability
Inch	Inch		
1/4	1/4	69/9318-1	On request
3/8	3/8	69/9318-2	Stocked
1/2	1/2	69/9318-3	Stocked

Adapter - BSP Tee Male Female Male




M/F A	Male B	Part No	Availability
Inch	Inch		
1/4	1/4	69/9313-1	Stocked
3/8	3/8	69/9313-3	Stocked
1/2	1/2	69/9313-4	Stocked
3/4	3/4	69/9313-6	Stocked

Adapter - BSP Tee Female Female Female




Female A	Female B	Part No	Availability
Inch	Inch		
1/8	1/8	-	-
1/4	1/4	69/9306-1	Stocked
3/8	3/8	69/9306-2	Stocked
1/2	1/2	69/9306-3	On request

Adapter - BSP 90° Compact Elbow Male to Male




Male A	Male B	Part No	Availability
Inch	Inch		
3/8	3/8	69/9314-51	Stocked
1/2	1/2	69/9314-53	Stocked

Adapter - BSP 90° Compact Elbow Male to Female




Male A	Female B	Part No	Availability
Inch	Inch		
1/4	1/4	69/9310-60	Stocked
3/8	3/8	69/9310-62	Stocked
1/2	1/2	69/9310-65	Stocked
3/4	3/4	69/9310-67	Stocked

Adapter - BSP 90° Compact Elbow Female to Female




Female A	Female B	Part No	Availability
Inch	Inch		
1/4	1/4	69/9301-30	On request
3/8	3/8	69/9301-31	Stocked
1/2	1/2	69/9301-32	Stocked
3/4	3/4	69/9301-34	Stocked
1	1	69/9301-35	On request

Adapter - BSP Blanking Plug (Hexagonal Head)




Male A	Part No	Availability
Inch		
1/8	69/9308-1	Stocked
1/4	69/9308-2	Stocked
3/8	69/9308-3	Stocked
1/2	69/9308-4	Stocked
5/8	69/9308-5	On request
3/4	69/9308-6	Stocked
1	69/9308-7	On request

Adapter - BSP Male to JIC Male




BSP	JIC	Part No	Availability
Male A	Male B		
Inch	Inch		
1/4	7/16	69/9323-9	On request
1/4	9/16	69/9323-11	Stocked
3/8	7/16	69/9323-14	On request
3/8	9/16	69/9323-16	Stocked
3/8	3/4	69/9323-17	Stocked
3/8	7/8	69/9323-18	Stocked
1/2	7/16	69/9323-20	On request
1/2	1/2	69/9323-21	Stocked
1/2	9/16	69/9323-22	Stocked
1/2	3/4	69/9323-23	Stocked
1/2	7/8	69/9323-24	Stocked
1/2	1 1/16	69/9323-25	Stocked
3/4	7/8	69/9323-38	Stocked

Adapter - BSP Male to JIC Female



BSP	JIC	Part No	Availability
Male A	Female B		
Inch	Inch		
3/8	9/16	69/9322-8	Stocked
3/8	3/4	69/9322-9	Stocked
3/8	7/8	69/9322-12	Stocked
1/2	9/16	69/9322-2	Stocked
1/2	3/4	69/9322-3	Stocked
1/2	7/8	69/9322-4	Stocked
3/4	7/8	69/9322-20	Stocked

Adapter - BSP Female to JIC Male




BSP	JIC		
Female B	Male A	Part No	Availability
Inch	Inch		
3/8	9/16	69/9342-2	On request
3/8	3/4	69/9342-6	On request
1/2	9/16	-	-
1/2	3/4	-	-
1/2	7/8	69/9342-3	Stocked

Adapter - BSP Female to JIC Female




BSP	JIC		
Female A	Female B	Part No	Availability
Inch	Inch		
3/8	9/16	69/9398-1	Stocked
3/8	3/4	69/9398-2	Stocked
1/2	9/16	-	-
1/2	3/4	69/9398-3	Stocked
1/2	7/8	-	-

Adapter - BSP Female to JIC Female




BSP	Metric		
Male A	Male B	Part No	Availability
Inch	mm		
1/4	M12	69/9364-3	Stocked
1/4	M14	69/9364-5	Stocked
1/4	M16	69/9364-7	Stocked
1/4	M18	69/9364-10	Stocked
3/8	M12	69/9364-4	Stocked
3/8	M14	69/9364-6	Stocked
3/8	M16	69/9364-8	Stocked
3/8	M18	69/9364-11	Stocked
3/8	M20	69/9364-15	Stocked
3/8	M22	69/9364-18	Stocked
1/2	M14	69/9364-30	Stocked
1/2	M16	69/9364-9	Stocked
1/2	M18	69/9364-12	Stocked
1/2	M20	69/9364-16	Stocked
1/2	M22	69/9364-19	Stocked
1/2	M24	69/9364-23	On request
1/2	M26	69/9364-25	On request
5/8	M22	69/9364-20	On request
3/4	M30	69/9364-31	Stocked
1	M36	-	-

Adapter - BSP Male to Metric Female



BSP	Metric		
Male A	Female B	Part No	Availability
Inch	mm		
3/8	M14	69/9841-1	Stocked
3/8	M16	69/9841-2	Stocked
3/8	M18	69/9841-3	Stocked
3/8	M20	69/9841-4	Stocked
3/8	M22	69/9841-5	Stocked
1/2	M14	69/9841-6	Stocked
1/2	M16	69/9841-7	Stocked
1/2	M18	69/9841-8	Stocked
1/2	M20	69/9841-9	Stocked
1/2	M22	69/9841-10	Stocked
1/2	M24	69/9841-11	Stocked

Adapter - BSP Female to Metric Male




BSP	Metric		
Female B	Male A	Part No	Availability
Inch	mm		
3/8	M14	-	-
3/8	M16	-	-
3/8	M18	69/9363-1	Stocked
3/8	M20	-	-
3/8	M22	-	-
1/2	M18	69/9363-2	Stocked
1/2	M20	-	-
1/2	M22	69/9363-3	Stocked

Adapter - BSP Female to Metric Female



BSP	Metric		
Female A	Female B	Part No	Availability
Inch	mm		
3/8	M14	69/9842-1	Stocked
3/8	M16	69/9842-2	Stocked
3/8	M18	69/9842-3	Stocked
3/8	M20	69/9842-4	Stocked
3/8	M22	69/9842-5	Stocked
1/2	M16	69/9842-6	Stocked
1/2	M18	69/9842-7	Stocked
1/2	M20	69/9842-8	Stocked
1/2	M22	69/9842-9	Stocked

Adapter - JIC Male to Male



Male A	Male B	Part No	Availability
Inch	Inch		
1/2	1/2	69/9347-7	Stocked
9/16	9/16	69/9347-11	Stocked
9/16	3/4	69/9347-12	Stocked
5/8	5/8	-	-
3/4	3/4	69/9347-15	Stocked
3/4	7/8	69/9347-16	Stocked
7/8	7/8	69/9347-18	Stocked
7/8	1 1/16	69/9347-19	Stocked
1 1/16	1 1/16	69/9347-21	Stocked

Adapter - JIC Male to Female




Male A	Female B	Part No	Availability
Inch	Inch		
7/16	9/16	69/9345-2	On request
9/16	7/16	69/9345-24	Stocked
9/16	9/16	69/9345-6	Stocked
9/16	3/4	69/9345-7	Stocked
3/4	9/16	69/9345-9	Stocked
3/4	3/4	69/9345-10	Stocked
3/4	7/8	69/9345-11	Stocked
7/8	3/4	69/9345-13	Stocked
7/8	7/8	69/9345-14	On request

Adapter - JIC Female to Female




Female A	Female B	Part No	Availability
Inch	Inch		
9/16	9/16	69/9338-2	Stocked
3/4	3/4	69/9338-3	Stocked
7/8	7/8	69/9338-4	Stocked

Adapter - JIC Tee Male Male Male




Male A	Male B	Part No	Availability
Inch	Inch		
9/16	9/16	69/9354-5	On request
3/4	3/4	69/9354-6	Stocked
7/8	7/8	69/9354-7	On request

Adapter - JIC Tee Male Male Female




Male A	Female B	Part No	Availability
Inch	Inch		
3/4	3/4	69/9353-4	Stocked

Adapter - JIC Tee Male Female Male




Male A	Female B	Part No	Availability
Inch	Inch		
7/16	7/16	69/9352-1	Stocked
9/16	9/16	69/9352-3	Stocked
3/4	3/4	69/9352-4	Stocked
7/8	7/8	69/9352-5	Stocked
1 1/16	1 1/16	69/9352-6	Stocked

Adapter - JIC Blanking Plug (Hexagonal Head)




Male A	Part No	Availability
Inch		
7/16	69/9341-1	Stocked
1/2	69/9341-2	Stocked
9/16	69/9341-3	Stocked
3/4	69/9341-4	Stocked
7/8	69/9341-5	Stocked

Adapter - Metric Male to Male



Metric	Metric		
Male A	Male B	Part No	Availability
mm	mm		
M12	M12	69/9368-6	Stocked
M12	M18	-	-
M14	M14	69/9368-8	Stocked
M14	M16	69/9368-9	Stocked
M14	M18	69/9368-10	Stocked
M16	M16	69/9368-11	Stocked
M16	M18	69/9368-12	Stocked
M16	M20	69/9368-13	On request
M16	M22	69/9368-14	On request
M18	M18	69/9368-15	Stocked
M18	M20	69/9368-16	Stocked
M18	M22	69/9368-17	Stocked
M18	M24	-	-
M20	M20	69/9368-18	Stocked
M20	M22	69/9368-19	Stocked
M20	M24	-	-
M20	M26	-	-
M22	M22	69/9368-20	Stocked
M22	M24	-	-
M22	M26	69/9368-21	On request
M24	M24	-	-
M24	M26	-	-
M26	M26	69/9368-22	On request

Adapter - Metric Male to Metric Female



Metric	Metric		
Male A	Female B	Part No	Availability
mm	mm		
M16	M16	69/9843-1	Stocked
M16	M18	69/9843-2	Stocked
M18	M16	69/9843-3	Stocked
M18	M18	69/9843-4	Stocked
M18	M20	69/9843-5	Stocked
M18	M22	69/9843-6	Stocked
M20	M18	69/9843-7	Stocked
M20	M20	69/9843-8	Stocked
M20	M22	69/9843-9	Stocked
M22	M18	69/9843-10	Stocked
M22	M20	69/9843-11	Stocked
M22	M22	69/9843-12	Stocked

Adapter - Metric Female to Metric Female




Metric	Metric		
Female A	Female B	Part No	Availability
mm	mm		
M12	M12	69/9844-1	Stocked
M14	M14	69/9844-2	Stocked
M16	M16	69/9844-3	Stocked
M16	M18	69/9844-4	Stocked
M18	M18	69/9844-5	Stocked
M18	M20	69/9844-6	Stocked
M18	M22	69/9844-7	Stocked
M20	M20	69/9844-8	Stocked
M20	M22	69/9844-9	Stocked
M22	M22	69/9844-10	Stocked

Adapter - Metric Blanking Plug (Hexagonal Head)



Male A	Part No	Availability
mm		
M10 x 1.0	-	-
M12 x 1.5	69/9362-1	Stocked
M14 x 1.5	69/9362-2	Stocked
M16 x 1.5	69/9362-3	Stocked
M18 x 1.5	69/9362-4	Stocked
M20 x 1.5	-	-
M22 x 1.5	69/9362-5	Stocked

Adapter - UNF SAE O Ring Male to JIC Male



Male A	Male B	Part No	Availability
Inch	Inch		
3/4	3/4	69/9351-14	Stocked
3/4	7/8	69/9351-15	On request

ISO Quick Couplings



Male	Female	Part No	Availability
BSP	BSP		
3/8		69/9475-2	Stocked
	3/8	69/9476-2	Stocked
1/2		69/9475-5	Stocked
	1/2	69/9476-5	Stocked



OUR HYDRAULICS RANGE

Items shown are just a selection from the extensive range available from Bepco. Our range includes additional :

- ▶▶ Adapters
- ▶▶ Couplings
- ▶▶ Fittings
- ▶▶ Hoses
- ▶▶ Quick Release Couplings
- ▶▶ Tube Couplings
- ▶▶ Motors
- ▶▶ Pumps
- ▶▶ Valves
- ▶▶ Crimping Machines
- ▶▶ Swaging Machines

For our complete range of Hydraulics products go to www.bepcoparts.com

**BEPKO PARTS SA**

Rue Chaumont, 4D • 4480 Hermalle-sous-Huy • Belgique
 T +32 85 24 54 00 • F +32 85 24 54 50
 info.be@bepcoparts.com • www.bepcoparts.com

**BEPKO UK LTD**

Bepco House • Unit 316 • Hartlebury Trading Estate
 Hartlebury - Worcestershire, DY10 4JB (UK)
 P +44 (0)1299 252270 • F 0800 216553
 info@bepcoparts.com • www.bepcoparts.com

**BEPKO FRANCE SAS**

Z.I. La Plaine, Allée de Bigorre
 BP80041 Le Passage • 47901 Agen Cedex 9 • France
 T +33 (0)553 96 31 25 • F +33 (0)553 68 03 72
 info.fr@bepcoparts.com • www.bepcoparts.com

**BEPKO DEUTSCHLAND GmbH**

Neuer Weg 5 • 59505 Bad Sassendorf • Germany
 T +49 (0)2927 919 59 0 • F +49 (0)2927 919 59 59
 info.de@bepcoparts.com • www.bepcoparts.com

**BEPKO NEDERLAND BV**

Den Dolvert 10 • 5473 GP, Heeswijk-Dinther • Nederland
 T +31 (0)413 29 39 75 • F +31 (0)413 29 40 87
 info.nl@bepcoparts.com • www.bepcoparts.com

**TVH AUSTRALASIA PTY LTD**

HEAD OFFICE BRISBANE • www.tvh.com

ADELAIDE

96 South terrace • Wingfield SA 5013
 T +61 8 8359 1155 • F +61 8 8359 0600
 adelaidesales@tvh.com.au

BRISBANE

735 Boundary • Road Richlands QLD 4077
 T +61 7 3277 0877 • F +61 7 3277 0026
 brisbanesales@tvh.com.au

MELBOURNE

7/66-74 Micro Circuit • Dandenong South VIC 3175
 T +61 3 9544 6622 • F +61 3 9544 2617
 melbournesales@tvh.com.au

PERTH

2/15 Colin Jamieson Drive • Welshpool WA 6106
 T +61 8 9358 2200 • F +61 8 9358 2822
 perthsales@tvh.com.au

SYDNEY

1/1002-1010 Canley Vale Rd • Wetherill Park NSW 2164
 T +61 2 9756 6677 • F +61 2 9756 3555
 sydneyesales@tvh.com.au

**TVH NEW ZEALAND LTD • AUCKLAND**

Pro Box 51490 • Pakuranga • 2140 • 11K Echelon Place
 East Tamaki • Auckland
 Free 0800 459 662 • T +64 9 274 9695 • F +64 9 274 9698
 info@tvh.co.nz • www.tvh.com

**BEPKO IBÉRICA SA**

Pol. Ind. Les Guixeres, C/ Xarol, 7
 08915 Badalona (Barcelona) • Spain
 T +34 (0)902 111 062 - 933 810 062 • F +34 (0)933 813 345
 info.es@bepcoparts.com • www.bepcoparts.com

ALMENDRALEJO

Ctra. Badajoz - Pol. «Rayvaz» Nave 21
 06200 Almendralejo (Badajoz)
 T +34 (0)902 111 062 - 924 664 890
 F +34 (0)924 664 576

DOS HERMANAS

Pol. Ind. La Isla, C/ Hornos, 11
 41703 Dos Hermanas (Sevilla)
 T +34 (0)902 111 062 - 954 931 546
 F +34 (0)954 930 130

SANTIAGO DE COMPOSTELA

Pol. El Tambre, Via Faraday, 36
 15890 Santiago de Compostela
 T +34 (0)902 111 062 - 981 560 012
 F +34 (0)981 557 753

**TVH NEW ZEALAND LTD • HAMILTON**

5 Clow Place • Melville • 3206 • Hamilton
 Free 0800 459 662 • T +64 9 274 9695 • F +64 9 274 9698
 info@tvh.co.nz • www.tvh.com

**TVH PARTS SOUTH AFRICA (Pty) Ltd**

HEAD OFFICE JOHANNESBURG • www.tvh.com

CAPE TOWN

1 Karee Street • Kraaifontein Industries • Cape Town 7571
 T +27 21 988 2432 • F +27 21 988 9127

DURBAN

2 Monaco Place • Westmead • Pinetown 3600
 T +27 31 100 0760 • F +27 31 700 6191

JOHANNESBURG

36 Loper Avenue • Aeroport, Isando ext 2 • Johannesburg
 T +27 11 281 27 00 • F +27 11 392 35 99/+27 11 974 98 45
 sales.southafrica@tvh.com • www.bepco.co.za

LICHTENBURG

Shop 1 • 109 Scholtz Street • Lichtenburg 2740
 T +27 18 632 6192/6092 • F +27 18 632 6108

PORT ELIZABETH

134 Kempston Road • Korsten • Port Elizabeth 6020
 T +27 41 453 1404/8 • F +27 41 453 1409

FOR ALL OUR LATEST CATALOGUE UPDATES AND COMPANY INFO: WWW.BEPCOPARTS.COM



The spare parts mentioned in this list can normally be delivered from stock. In addition, we can supply parts, which are not mentioned in this catalogue, with the shortest possible delivery time. The O.E.M. references are only for indication purposes and do not imply that the spare parts are coming from the manufacturer. This spare parts list can be modified without prior notice. All photographs, drawings, illustrations, brand names, descriptions and numbers are included for identification purposes only.



De onderdelen vermeld in deze lijst, zijn normaal uit voorraad leverbaar, behoudens uitverkocht. Ook niet-vermelde onderdelen kunnen binnen de kortste tijd uitgeleverd worden. De O.E.M. referenties dienen enkel ter indicatie en impliceren niet dat deze van de vermelde constructeur afkomstig zijn. Deze onderdelenlijst kan zonder enige voorafgaande verwittiging aangepast worden. Alle gebruikte foto's, tekeningen, afbeeldingen, merknamen, omschrijvingen en nummers dienen alleen ter identificatie.



Les pièces de rechange, mentionnées dans cette liste, sont normalement livrables du stock. En plus, les articles non indiqués peuvent être fournis en peu de temps. Cette liste peut être modifiée sans avis préalable. Les références O.E.M. sont seulement indicatives et n'impliquent pas que les pièces de rechange viennent du constructeur. Toutes les photographies, illustrations, marques, descriptions, tous les plans et numéros servent exclusivement à une identification.



Die in dieser Liste aufgeführten Teile sind normalerweise aus dem Lager lieferbar. Wir sind zudem in der Lage nicht aufgeführte Teile innerhalb kürzester Zeit zu liefern. Die O.E.M. Referenznummern dienen zur Information und beinhalten nicht, dass diese vom genannten Hersteller kommen. Diese Bestandsliste kann ohne vorhergehende Ankündigung geändert werden. Alle verwendeten Foto's, Zeichnungen, Abbildungen, Markennamen, Beschreibungen und Nummern dienen nur zu Identifikationszwecken.



Los artículos mencionados en este catálogo se encuentran habitualmente en stock. Además, podemos suministrar en un plazo corto de tiempo otros artículos relacionados que no se encuentren expresamente mencionados en este catálogo. Las referencias O.E.M. sirven sólo como indicación y no implican que procedan del constructor. Este listado de productos puede estar sujeto a modificaciones sin aviso previo. Todas las fotos, dibujos, ilustraciones, nombres de marca, descripciones y números se han incluido simplemente con el propósito de su identificación.



I pezzi di ricambio, menzionati in questo listino, possono essere forniti con una consegna immediata a condizione che non siano esauriti. I pezzi di ricambio non menzionati possono essere forniti in poco tempo. Le referenze O.E.M. sono solamente indicative e non implicano che i pezzi di ricambio vengano da questo costruttore. Questa lista ricambi può essere aggiornata senza avvisi anticipati. Tutti i numeri, codici, nomi, foto, spaccati e disegni sono solo a titolo informativo.



Części z tego katalogu są zazwyczaj na stanie magazynowym. Również części które nie są wyszczególnione w katalogu mogą być dostarczone na zamówienie w najkrótszym możliwym terminie. Opis części O.E.M. jest używany informacyjnie i nie wskazuje na to, że dany produkt jest wyprodukowany przez podanego producenta. Zawartość katalogu może ulec zmianie bez wcześniejszego informowania o tym. Wszystkie użyte zdjęcia, rysunki, nazwy marek, opis i numery służą tylko do identyfikacji.



Запчасти из настоящего списка, как правило, имеются в запасе, если только он не распродан. Прочие, не фигурирующие в списке артикулы, могут быть поставлены в самые кратчайшие сроки. Указание оригинальных номеров производителя не предполагает обязательного оригинального происхождения самих деталей. Данный список может изменяться без предварительного уведомления. Все использованные фото, рисунки, иллюстрации, названия брендов, наименования и номера служат исключительно для цели идентификации.



Visit us on the Internet:
www.bepcoparts.com

© **bepco** 2015

All rights reserved. No part of this catalogue may be reproduced or communicated in any form or by any means, electronic or mechanical, including copying, recording or use in an information storage or retrieval system, without prior and explicit permission of BEPCO PARTS.

- BEPCO is a supplier of after-market spare parts and accessories that are suitable for the maintenance and repair of OEM-equipment. OEM references and brands are purely indicative and do not imply that the accessories and/or spare parts are coming from the original equipment or parts manufacturer.
- Products that do not comply with regulatory requirements concerning CE conformity are not placed on the market in the European Economic Area.
- BEPCO® are registered trademarks.
- All sales are subject to the general terms & conditions of sale on www.bepcoparts.com
- Photographs and illustrations are included for reference purposes only. Printing errors reserved.

www.bepcoparts.com

Spare parts ■
from A-Z for
all brands

Tractor Parts
Engine Parts
Hydraulics

Air Conditioning
Workshop
Consumables & Accessories
Wearing Parts

moving forward in every field



BEPKO GROUP

Bepco House • Unit 316 • Hartlebury Trading Estate
Hartlebury - Worcestershire • DY104JB Hartlebury • United Kingdom
T +44 (0)1299 252270 • F +44 (0)800 216553 • info.uk@bepcoparts.com • www.bepcoparts.com

Rue Chaumont 4D • 4480 Hermalle-sous-Huy • Belgium
P +32 85 24 54 00 • F +32 85 24 54 50 • info.be@bepcoparts.com • www.bepcoparts.com

Member of **TVH**